

HO - 555
The William Fralic House
Ellicott City
Private

Circa 1800

The William Fralic House, a log, frame and stone building complex faces northwest on the south side of Old Columbia Pike. Directions in the case of this house are difficult, since the road really runs in a southwesterly direction, winding up to its intersection with Route 29. For purposes of simplification, therefore, we will call the side of the road on which the building is located the east side and the main facade of the log house, the west elevation.

It is believed that the stone section of the house was constructed first and may date back to the 18th century. Narrow, wide, deep granite blocks are found along the northwest corner of this section of the building complex, suggesting that an early alignment of the Old Columbia Pike, some time prior to 1860, may have passed along the northwest corner of this stone house, thus dividing its present stone and log sections and passing through its frame connector.

The stone house is constructed into a deep slope so that its foundation on the east elevation, becomes a first floor and its first floor on this same elevation becomes a second floor.

For descriptive purposes, let us describe this section of the house as a one story house, being a two bay wide, one room deep, one story high, gabled roof (running north-south) stone house, resting on a full foundation, with square, brick chimney inset into the center of its south wall.

This stone house is connected to a five bay wide, one room deep, one story high, log-frame dwelling unit, resting on a stone foundation, by a three bay wide, two bay deep, one-and-a-half story high, intersecting gabled roof (running east-west) frame connector.

The building complex is one of the most interesting along Old Columbia Pike, combining stone, log and frame into a unified composition.

Owned by Caleb Dorsey Rogers for many years, its stone section is reputed to date to the eighteenth century and its log section shortly thereafter.

MARYLAND HISTORICAL TRUST

HO-555
Ellicott City Quad
Dist 2

MAGI #140555204

INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

1 NAME

HISTORIC The William Fralic House

AND/OR COMMON

2 LOCATION

STREET & NUMBER

3917 Old Columbia Pike (MD 987)

CITY, TOWN

Ellicott City

— VICINITY OF

CONGRESSIONAL DISTRICT

6th

STATE

Maryland

COUNTY

Howard

3 CLASSIFICATION

CATEGORY	OWNERSHIP	STATUS	PRESENT USE	
<input type="checkbox"/> DISTRICT	<input type="checkbox"/> PUBLIC	<input checked="" type="checkbox"/> OCCUPIED	<input type="checkbox"/> AGRICULTURE	<input type="checkbox"/> MUSEUM
<input checked="" type="checkbox"/> BUILDING(S)	<input checked="" type="checkbox"/> PRIVATE	<input type="checkbox"/> UNOCCUPIED	<input type="checkbox"/> COMMERCIAL	<input checked="" type="checkbox"/> PARK
<input type="checkbox"/> STRUCTURE	<input type="checkbox"/> BOTH	<input type="checkbox"/> WORK IN PROGRESS	<input type="checkbox"/> EDUCATIONAL	<input type="checkbox"/> PRIVATE RESIDENCE
<input type="checkbox"/> SITE	PUBLIC ACQUISITION	ACCESSIBLE	<input type="checkbox"/> ENTERTAINMENT	<input type="checkbox"/> RELIGIOUS
<input type="checkbox"/> OBJECT	<input type="checkbox"/> IN PROCESS	<input checked="" type="checkbox"/> YES: RESTRICTED	<input type="checkbox"/> GOVERNMENT	<input type="checkbox"/> SCIENTIFIC
	<input type="checkbox"/> BEING CONSIDERED	<input type="checkbox"/> YES: UNRESTRICTED	<input type="checkbox"/> INDUSTRIAL	<input type="checkbox"/> TRANSPORTATION
		<input type="checkbox"/> NO	<input type="checkbox"/> MILITARY	<input type="checkbox"/> OTHER

4 OWNER OF PROPERTY

NAME

Mr. & Mrs. William M. Fralic

Telephone #: 465-2211

STREET & NUMBER

3917 Old Columbia Pike

CITY, TOWN

Ellicott City

— VICINITY OF

STATE, zip code

Maryland

5 LOCATION OF LEGAL DESCRIPTION

COURTHOUSE.

Tax Map 25, Blk 13, p. 149

Liber #: 913

REGISTRY OF DEEDS, ETC.

Hall of Records

Folio #: 200

STREET & NUMBER

Howard County Court House

CITY, TOWN

Ellicott City

STATE

Maryland

6 REPRESENTATION IN EXISTING SURVEYS

TITLE

Howard County Historic Sites Inventory

DATE

1978-1979

—FEDERAL STATE —COUNTY —LOCAL

DEPOSITORY FOR SURVEY RECORDS

Maryland Historical Trust

CITY, TOWN

21 State Circle, Annapolis

STATE

Maryland

7 DESCRIPTION

CONDITION		CHECK ONE	CHECK ONE
<input checked="" type="checkbox"/> EXCELLENT	<input type="checkbox"/> DETERIORATED	<input checked="" type="checkbox"/> UNALTERED	<input checked="" type="checkbox"/> ORIGINAL SITE
<input type="checkbox"/> GOOD	<input type="checkbox"/> RUINS	<input type="checkbox"/> ALTERED	<input type="checkbox"/> MOVED DATE _____
<input type="checkbox"/> FAIR	<input type="checkbox"/> UNEXPOSED		

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

The William Fralic House, a log, frame and stone building complex faces northwest on the south side of Old Columbia Pike. Directions in the case of this house are difficult, since the road really runs in a southwesterly direction, winding up to its intersection with Route 29. For purposes of simplification, therefore, we will call the side of the road on which the building is located the east side and the main facade of the log house, the west elevation.

It is believed that the stone section of the house was constructed first and may date back to the 18th century. Narrow, wide, deep granite blocks are found along the northwest corner of this section of the building complex, suggesting that an early alignment of the Old Columbia Pike, some time prior to 1860, may have passed along the northwest corner of this stone house, thus dividing its present stone and log sections and passing through its frame connector.

(See Figure 1)

The stone house is constructed into a deep slope so that its foundation on the east elevation, becomes a first floor and its first floor on this same elevation becomes a second floor.

For descriptive purposes, let us describe this section of the house as a one-story house, being a two bay wide, one room deep, one story high, gabled roof (running north-south) stone house, resting on a full foundation, with square, brick chimney inset into the center of its south wall.

EAST ELEVATION OF STONE HOUSE

The east elevation of the stone house holds a south bay rectangular, nine light, batten wood, ground floor, entrance door, surmounted by a flat stone lintel, with a vertically aligned, rectangular first floor window, whose pegged, mortise and tenon sash holds six-over-six lights. The north bay of this elevation holds a similar ground and first floor, vertically aligned window. This building features flat stone lintels over door and window frames and projecting, stone sills underlining the windows.

SOUTH ELEVATION OF STONE HOUSE

The south elevation of the stone house holds two, rectangular, double-hung windows, whose pegged mortise and tenon sashes hold four-over-two lights. This wall reveals fine stone quoining.

CONTINUE ON SEPARATE SHEET IF NECESSARY

NORTH ELEVATION OF STONE HOUSE

A one story high, gabled roof (running north-south) screened-in porch has been constructed along the north elevation of the stone house. It rests on a granite block foundation. A rectangular, double-hung, attic window, holding six-over-six lights is centered into the "A" formed by the gable at this elevation.

WEST ELEVATION OF STONE HOUSE

Only the north bay of this elevation is uncovered, holding a rectangular, first floor window, similar to those described. The house at this elevation, reveals no foundation, but rests at ground level.

INTERIOR

The interior of the ground level holds a very wide, central, stone fireplace on its south wall and was probably used as the kitchen. A dumb-waiter, located just east of the square brick chimney, sent the food to the first floor at one time.

The first floor is now the kitchen for this notable building complex. Extensive renovation has been undertaken by the present owners of the building, who, in this section, have removed all of the plaster from the stone walls, and opened up the windows. In addition, they have installed a modern kitchen, which is now lighted by two east windows and a west window, with north entrance on to the screened-in porch. Another entrance into the frame connector is located in the south bay of the west wall. (See Figure 1) An enclosed staircase, located in the southeast corner of this section, leads to the attic or sleeping loft for the building. This loft features exceptionally wide, random width, top nailed with square nails, floor boards. The two south windows and one north window of this loft feature pegged, mortise and tenon construction.

This section holds good examples of eighteenth and nineteenth century construction methods, i.e., its pegged mortise and tenon window sashes and its wide random width, tongue-and-groove floor boards, as well as a good example of how stone houses were built into the slope of the land.

THE LOG HOUSE

The log house lies west of the stone house, connected now by a frame addition. The log house is believed to have been constructed in two sections and to have been two full stones high, but a fire circa 1910 destroyed the top floor and it is now a one-and-a-half story high, three bay wide, one room deep, gabled roof (running north-south) log (covered with German siding) house, resting on a stone foundation, with wide brick chimney centered into its south wall.

Originally the log building featured a central bay, east and west, rectangular, cross-paneled entrance door, flanked by end bay, rectangular, double hung, six-over-six light windows. The west door remains. The east entrance now has become a rectangular, six-over-six light, staircase window, for the open staircase, which runs along the east wall of the one large, log, living room. A ceiling joist, holding the second floor, between the central and north bays of the log building reveals a possible, early partition of the building into two downstairs rooms. The interior walls of the log house have been plastered and hardwood floors installed, as well as a fine wooden mantle piece, for the brick fireplace, featuring flat pilasters and deep architrave, placed in the center of the room's south wall.

THE FRAME ADDITION

Very early a two bay wide, one room deep, one story high, gabled roof (running north-south) frame (covered with German siding) addition was constructed along the south wall of the log house. This forms a very large first floor master bedroom, lighted by two south and west windows, with a north entrance into the log section and an east entrance into the frame connector. The room features an unusually fine wooden mantle piece for the central fireplace located on the south wall. The mantelpiece features a deep architrave decorated with a large, central oval.

The loft above this bedroom holds one large room, lighted by two, rectangular, two - two light casement windows.

WEST FACADE OF LOG-FRAME SECTION

The facade of this log-frame house holds a rectangular, cross paneled entrance door, in its second north bay, flanked by rectangular, first floor windows, with pegged sashes holding six-over-six lights, underlined by projecting wooden sills. Two similar, windows are paired together on the south side of this wall. A one story high, shed roofed, open porch, supported by five square posts, runs along this entire elevation.

THE NORTH WALL OF THE LOG SECTION

The north wall of this section holds a rectangular, ten-ten light, french door on its east side and a first floor, rectangular, double-hung, window similar to those described, on its west side. A rectangular, double hung, second floor window, holding six-over-six lights, rests in the "A" formed by the gable. A small section on the east side of this wall has been exposed, revealing the original log construction.

THE EAST ELEVATION

The east wall of the log house holds a first floor, east bay window, similar to those described with a gabled, roof dormer window above, placed in the gable roof on the north side of this elevation. It holds a rectangular, double window, each component a window, similar to those described.

THE SOUTH ELEVATION OF THE FRAME ADDITION

The south wall of the frame addition holds the central, wide brick, exterior chimney, which is flanked by single, rectangular, first floor windows, holding six-over-six lights and two-two light attic casement windows.

ONE AND A HALF STORY FRAME CONNECTOR

Some time prior to 1860 the road bed of the Old Columbia Pike is reputed to have been changed and the stone and log houses connected by a three bay wide, one room deep, one, now one-and-a-half story high, intersecting gable roof (running east-west) frame connector, resting on a stone foundation, with square brick chimnies inset into its east and west walls.

At one time this was one large room (now holding hall, library and bath) with what is believed to have been an open porch, (now a large dining room) running along its entire north wall and a section of its east wall. This porch connected the first floors of the stone house and the frame connector. Such a theory is forwarded due to the fact that the north side of this frame connector's east wall reveals outside German siding, although it is now used as a small service area or hallway between the stone kitchen and the frame connector (See Figure 1).

A small stairway addition was constructed along the south side of the east wall of this frame connector, creating an "L" plan, which was filled in by the open porch, now the enclosed hall or passage just described. (See Figure 1)

The second floor of the frame connector holds a large bedroom, bath and hall. The bedroom takes up a major part of the second floor and is lighted by an east window and a gabled roof, north dormer window.

This unusual building composition of log, stone and frame, now unified into a single family residence, is one of the most interesting buildings along Old Columbia Pike.

8 SIGNIFICANCEHO-555
Ellicott City Quad
District 2

PERIOD	AREAS OF SIGNIFICANCE -- CHECK AND JUSTIFY BELOW			
<input type="checkbox"/> PREHISTORIC	<input type="checkbox"/> ARCHEOLOGY-PREHISTORIC	<input type="checkbox"/> COMMUNITY PLANNING	<input type="checkbox"/> LANDSCAPE ARCHITECTURE	<input type="checkbox"/> RELIGION
<input type="checkbox"/> 1400-1499	<input checked="" type="checkbox"/> ARCHEOLOGY-HISTORIC	<input type="checkbox"/> CONSERVATION	<input type="checkbox"/> LAW	<input type="checkbox"/> SCIENCE
<input type="checkbox"/> 1500-1599	<input type="checkbox"/> AGRICULTURE	<input type="checkbox"/> ECONOMICS	<input type="checkbox"/> LITERATURE	<input type="checkbox"/> SCULPTURE
<input type="checkbox"/> 1600-1699	<input checked="" type="checkbox"/> ARCHITECTURE	<input type="checkbox"/> EDUCATION	<input type="checkbox"/> MILITARY	<input type="checkbox"/> SOCIAL/HUMANITARIAN
<input type="checkbox"/> 1700-1799	<input type="checkbox"/> ART	<input type="checkbox"/> ENGINEERING	<input type="checkbox"/> MUSIC	<input type="checkbox"/> THEATER
<input checked="" type="checkbox"/> 1800-1899	<input type="checkbox"/> COMMERCE	<input type="checkbox"/> EXPLORATION/SETTLEMENT	<input type="checkbox"/> PHILOSOPHY	<input type="checkbox"/> TRANSPORTATION
<input type="checkbox"/> 1900-	<input type="checkbox"/> COMMUNICATIONS	<input type="checkbox"/> INDUSTRY	<input type="checkbox"/> POLITICS/GOVERNMENT	<input type="checkbox"/> OTHER (SPECIFY)
		<input type="checkbox"/> INVENTION		

SPECIFIC DATES circa 1806

BUILDER/ARCHITECT

STATEMENT OF SIGNIFICANCE

The William Fralic House is significant to Howard County and the State of Maryland architecturally as a fine example of a unified composition of log, stone and frame, and historically as a building owned by William Hughes, Commissioner for Howard County, in 1847.

This architectural complex is indeed one of the most charming houses along Old Columbia Pike. It is unique, with separate sections which are believed at one time to have been a stone house and a log house on opposite sides of the Old Columbia Pike. The roadway is believed to have been realigned prior to 1860 and sometime after that, the two houses joined together.

Historically, it is believed that the stone section may date to the eighteenth century, while the log house was constructed shortly thereafter. For many years the building was owned by Caleb Dorsey Rogers, whose wife, at one time, used it for a Tea Room, as well as a residence.

Today, it is being totally and thoroughly restored by Mr. and Mrs. William Fralic.

CONTINUE ON SEPARATE SHEET IF NECESSARY

9 MAJOR BIBLIOGRAPHICAL REFERENCES

Howard County Land Records
Interview with Mr. and Mrs. William Fralic on April 21, 1980

CONTINUE ON SEPARATE SHEET IF NECESSARY

10 GEOGRAPHICAL DATA

ACREAGE OF NOMINATED PROPERTY 1.31 acres

Please see Attachment 1, Tax Map 25

VERBAL BOUNDARY DESCRIPTION

Please see Howard County Land Records, Liber 913 Folio 200

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE	Maryland	COUNTY	Howard
STATE		COUNTY	

11 FORM PREPARED BY

NAME / TITLE

Cleora Barnes Thompson, Archivist

ORGANIZATION

Office of Planning & Zoning-Comprehensive Planning Section

DATE

STREET & NUMBER

3450 Court House Drive

TELEPHONE

CITY OR TOWN

Ellicott City

STATE

Maryland

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.

The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: Maryland Historical Trust
The Shaw House, 21 State Circle
Annapolis, Maryland 21401
(301) 267-1438

TITLE SEARCH

HO-555 The William Fralic House

Prepared by Cleora Thompson, AICP

DATE	LIBER FOLIO	GRANTOR	GRANTEE	NO. ACRES
31 Oct 78	913 - 200	Dale R. Carlson & Alys Carlson	William M. & Mary Louise Fralic	1.31 Acres
21 May 46	190 - 78	Dale R. Carlson & Alys Carlson	Henry J. W. Sieling	(Purchase Money Mortgage)
21 May 46	190 - 76	Henry J. W. Sieling	Dale R. Carlson & Alys Carlson	1.31 Acres
11 Apr 36	154 - 91	Caleb D. Rogers & Elizabeth B. Rogers	Edward A. O'Brian & Julianna S. O'Brian	1.31 Acres
16 Sep 31	142 - 113	Kathleen Sullivan	Elizabeth Rogers & Caleb D. Rogers	p/o 5 acres
16 Sep 31	142 - 111	Elizabeth B. Rogers & Caleb D. Rogers	Kathleen Sullivan	p/o 5 acres
1 Feb 28	133 - 238	Caleb D. Rogers & The Eureke-Md Assurance Corp.	Elizabeth B. Rogers	
25 Nov 22	116 - 329	C. Luther Frank & Wife	Caleb D. Rogers	2 certain lots of land - Lots #14 and #15 of Patapsco View
25 Oct 19	108 - 332	Carnett Y. Clark & Robert Biggs, Trustees	Caleb D. Rogers	"This deed mentions the fact that property was the residence of the late Thomas H. Hunt"
4 Jun 78	39 - 400	Louis Meyers, Mortgagee	Thomas H. Hunt	65 acres - 2roads, 20 perches

"by virtue of a power expressed in two mortgages to me from Wm. H. Scott and Hannah Scott dated 9 August, 1875 and 7 February 1876"

TITLE SEARCH

HO-555 The William Fralic House

Prepared by Cleora Thompson, AICP

DATE	LIBER FOLIO	GRANTOR	GRANTEE	NO. ACRES
A public sale on Tuesday, 19 March 1878 was held and the property sold to Thomas H. Hunt for \$3,250.				
9 Aug 1875	35 - 452	William H. Scott and Hannah	Lewis Myers of Balto. City	\$4,000 mortgage 65 acres 2 roads, 20 sq. perches
30 May 1874	33 - 553	William H. Scott	Thomas H. Hunt	\$3,000 mortgage
15 Mar 1867	26 - 340	Elizabeth Hughes, widow of William Hughes	William H. Scott	65 Acres - 2rds, 20 sq.perches

Note: This deed mentions William Hughes, wife Elizabeth and two children, Sarah Elizabeth Tate and Evan Robert Hughes - Mr. Scott paid \$2,000 to Evan Hughes, the son, to share with his sister and mother

18 Apr 1840	1 - 47	Ellen Williams, widow of Ree s Williams, Evan Hughes, David Williams and Jane Williams, his wife John Anthony & Eliz. Anthony et al	William Hughes -- for \$10 to Ellen, \$10 to Evan Hughes, et al	p/o Tract called Timber Neck and p/o Tract called Littleworth
-------------	--------	---	---	---

Note: The verbal boundary describes the third line. "lately fixed by an arbitration in case of Allen Thomas v. Ellicotts.

This deed also mentions Rees Williams, deceased and Ellen Williams as given the property for life, together with all and singular the buildings. . . "

The following family members are mentioned: Evan Hughes, David Williams, James Williams, John Anthony, Elizabeth Anthony, Sarah Ann Hughes





Figure 1
 HO - 555
 The William Fralic House
 First Floor Plan

BRICK CHIMNEY

24



Attachment 1
 HO-555
 The William Fralic House
 Tax Map 25


(SECOND DISTRICT)

HOWARD COUNTY

Scale 2 Inches per Mile




EXPLANATIONS	
Dist. & Co. Lines	-----
County Roads	-----
Private "	-----
Turpike "	-----
Rail Roads	-----
Streams	-----
The figures along the Roads shows the distance in Rods from junction to junction thereof	




Attachment 3
 HO - 555
 The William Fralic House
 Hopkin's Atlas of 1878

Entered according to Act of Congress in the year 1878
 by G.M. Hopkins in the Office of the Librarian of Congress at Washington.



Attachment 2
 HO-555
 The William Fralic House
 U.S. Geological Survey Map
 Ellicott City, Maryland
 Quadrangle



CONTOUR INTERVAL 20 FEET
 NATIONAL GEODETIC VERTICAL DATUM OF 1929





Name: HO-555
The William Fralic House
Location: 3917 Old Columbia Pike
Ellicott City, Maryland 21043
Photographer: Cleora B. Thompson, A.I.C.P.
Date of Photograph: April, 1980
Negatives in possession of the Maryland Historical Trust
View: Southeast
Photographer looking: Northwest
Photograph number: 1 of 1