


Minimum 9" of compacted Bank Run Gravel M.S.R.C. Spec.
 2 lbs. Calcium Chloride per Sq. Yd. - leave 30 days.
 1 1/2" comp. spec. "B" Bit. Concrete Base Course
 1" comp. spec. "B" Bit. Concrete Surface Course
 (This surface type to be constructed in accordance with Article C-31, Howard County Roads Spec.)



APPROVED: HOWARD COUNTY PLANNING COMM.

J.H. Clawson
 Senior Engineer
 Date 3-22-68

OWNER
 ELEANOR E. BAKER, et al
 410 Mt. Hebron Drive
 ELlicott City, MARYLAND

APPROVED: HOWARD COUNTY ROADS DEPT.
B.W. Welland
 Roads Superintendent
 Date 3-12-68

DEVELOPER
 MT. HEBRON INC.
 410 Mt. Hebron Dr.
 ELlicott City, Md.

APPROVED: HOWARD COUNTY METROPOLITAN COMM.
W.O. Silbert
 Chief Engineer
 Date 3-14-68

PURDUM AND JESCHKE ENGINEERS
 24 PARK AVE.
 ELlicott CITY, MD.



PLAN & PROFILE: MOUNT HEBRON DRIVE
 SECTION "10"
 "MT. HEBRON"

2ND ELECTION DIST. HOWARD COUNTY, MD
 NOV. 20, 1967
 REV. JAN. 8, 1968
 SCALE: AS SHOWN
 SHEET N° 1 OF 1

