



SITE DEVELOPMENT PLANS HOWARD BUSINESS PARK PARCEL B-1 FIRST ELECTION DISTRICT HOWARD COUNTY, MARYLAND

| <i>SHEET INDEX</i> | |
|------------------------------------|---|
| COVER SHEET | 1 |
| SITE DEVELOPMENT & GRADING PLAN | 2 |
| SEDIMENT CONTROL DETAILS AND NOTES | 3 |
| STORM DRAIN, WHC & SHC PROFILES | 4 |
| INLET DRAINAGE AREA MAP | 5 |
| LANDSCAPE PLAN | 6 |



VICINITY MAP

SCALE: 1"=1000'



BUILDING ELEVATIONS

GENERAL NOTES

1. ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST STANDARDS AND SPECIFICATIONS OF HOWARD COUNTY PLUS MSHA STANDARDS AND SPECIFICATIONS IF APPLICABLE.
2. THE CONTRACTOR SHALL NOTIFY THE DEPARTMENT OF PUBLIC WORKS/CONSTRUCTION INSPECTIONS DIVISION AT (410) 313-1880 AT LEAST FIVE (5) WORKING DAYS PRIOR TO THE START OF WORK.
3. THE CONTRACTOR SHALL NOTIFY THE FOLLOWING UTILITIES OR AGENCIES AT LEAST FIVE (5) DAYS PRIOR TO ANY EXCAVATION WORK:

| | |
|--|----------------|
| MISS UTILITY | 1-800-257-7777 |
| C&P TELEPHONE COMPANY | (410) 725-9976 |
| HOWARD COUNTY BUREAU OF UTILITIES | (410) 313-4900 |
| AT&T CABLE LOCATION DIVISION | (410) 393-3533 |
| BALTIMORE GAS & ELECTRIC | (410) 685-0123 |
| STATE HIGHWAY ADMINISTRATION | (410) 531-5533 |
| HOWARD COUNTY DEPT. OF PUBLIC WORKS/CONSTRUCTION INSPECTION DIVISION | (410) 313-1880 |
4. PROJECT BACKGROUND:
 - LOCATION: FIRST ELECTION DISTRICT - TAX MAP 43 - L4894/F0101 - PARCEL 321 (PARCEL B-1)
 - ZONING: M-2 PER THE 10/18/93 COMPREHENSIVE ZONING PLAN.
 - TOTAL AREA: 5.62 ACRES ±
 - LIMIT OF DISTURBED AREA: 5.87 ACRES ±
 - DPZ REFERENCE #
 - SDP-95-80 APPROVED ON JUNE 19, 1995.
 - WP-00-23 APPROVED ON AUGUST 31, 1999
 - F-00-27 APPROVED ON SEPTEMBER 23, 1999
 - WP-00-26 APPROVED ON DECEMBER 30, 1999
 - F-00-29 APPROVED ON 4/5/00
 - SDP-00-48 APPROVED ON 6/18/00
 - PROPOSED FLOOR SPACE: 63,700 SF ± (OR 5.62% OF GROSS AREA)
 - PROPOSED USE: WAREHOUSE & DISTRIBUTION
 - PARKING REQUIREMENT -
 - TOTAL NUMBER OF PARKING SPACES REQUIRED: 32 SPACES (63,700 SF @ 0.5 PARKING PER 1,000 SF)
 - TOTAL NUMBER OF PARKING SPACES PROVIDED: 85 (9' x 18') (INCLUDING 5 HANDICAP PARKING SPACES) AND 87 TRUCK PARKING SPACES (11'x24')
5. EXISTING CONTOURS SHOWN HEREON IS BASED ON PROPOSED GRADING UNDER SDP-00-48, HOWARD BUSINESS PARK, PARCELS B-1 THRU B-4 AND TWO FOOT CONTOUR TOPOGRAPHY AND EXISTING CONDITIONS BASED ON AERIAL MAPPING TOPOGRAPHIC SURVEY BY WINGS AERIAL MAPPING CO., INC. IN FEBRUARY 1999. BOUNDARY SHOWN HERE IS BASED ON A FIELD RUN MONUMENTED BOUNDARY SURVEY PERFORMED ON OR ABOUT SEPTEMBER 1999 BY MILDENBERG, BOENDER & ASSOCIATES, INC.
6. HORIZONTAL AND VERTICAL DATUMS BASED ON (NAD'83) MARYLAND STATE COORDINATE SYSTEM AS PROJECTED BY HOWARD COUNTY GEODETIC CONTROL STATIONS.

| | | |
|---------------|-----------------|--------------|
| STA. No. 43B6 | N 550,601.597 | ELEV. 210.54 |
| | E 1,376,866.071 | |
| STA. No. 43B2 | N 551,654.993 | ELEV. 209.59 |
| | E 1,378,176.951 | |
| STA. No. 371A | N 553,315.147 | ELEV. 195.75 |
| | E 1,379,982.153 | |
| STA. No. 43R1 | N 548,305.502 | ELEV. 134.53 |
| | E 1,382,025.818 | |
7. WATER AND SEWER ARE PUBLIC, CONTRACT # 14-3775-D.
8. STORMWATER MANAGEMENT QUANTITY CONTROL IS PROVIDED BY THE METHOD OF RETENTION UNDER SDP-00-48 (HOWARD BUSINESS PARK, PARCELS B-1 THRU B-4)
9. APFO ROAD TEST SATISFIED UNDER F-00-29, HOWARD BUSINESS PARK, PARCELS A-1 & B-1 THRU B-4.
10. WETLAND AND STREAM DELINEATION APPROVED UNDER F-00-29, HOWARD BUSINESS PARK, PARCELS A-1 & B-1 THRU B-4.
11. CONTRACTOR TO VERIFY THE LOCATION OF ALL EXISTING UTILITIES ON SITE PRIOR TO COMMENCING CONSTRUCTION.
12. FOREST CONSERVATION REQUIREMENTS SATISFIED UNDER F-00-29, HOWARD BUSINESS PARK, PARCELS A-1 & B-1 THRU B-4.
14. PROPERTY IS LOCATED WITHIN THE METROPOLITAN DISTRICT.
15. SLOPES IN EXCESS OF 25% EXIST AND ARE IDENTIFIED WHERE THEY EXCEED 20,000 SQ. FT.
16. EXISTING CONTOURS INDICATED WITHIN THE RIGHT OF WAY OF DORSEY RUN ROAD ARE PER THE PROPOSED ROAD GRADES SHOWN ON F-00-29.
17. NO BURIAL GROUNDS OR CEMETERIES ON SITE.
18. ALL CURB TO BE INSTALLED PER STANDARD R 3.01.

PERMIT INFORMATION CHART

| SUBDIVISION NAME | | SECTION/AREA | LOT/PARCEL # | PAR. # |
|----------------------|---------|--------------|--------------|--------------|
| HOWARD BUSINESS PARK | | N/A | | (PARCEL B-1) |
| PLAT # OR L/F | BLOCK # | ZONE | TAX MAP | ELEC. DIST. |
| 4894/0101 | 12 | M-2 | 43 | FIRST |
| WATER CODE | | | CENSUS TRACT | |
| B-01 | | | 6012 | |
| SEWER CODE | | | 2250000 | |

ADDRESS CHART

| BUILDING NO. | STREET ADDRESS |
|--------------|----------------------|
| PARCEL B-1 | 7111 DORSEY RUN ROAD |

DEVELOPER

ATTN : MARK LEVY
DORSEY ROCK, LLC
C/O ROCK REALTY, INC.
25 MAIN STREET
REISTERSTOWN, MARYLAND 21136
(410) 526-4030

APPROVED: DEPARTMENT OF PLANNING AND ZONING

| | |
|---|---------|
| <i>[Signature]</i> | 6/7/00 |
| CHIEF, DEVELOPMENT ENGINEERING DIVISION | DATE |
| <i>[Signature]</i> | 6/18/00 |
| CHIEF, DIVISION OF LAND DEVELOPMENT | DATE |
| <i>[Signature]</i> | 6/19/00 |
| DIRECTOR | DATE |




| | | | |
|--------------|---------|-------------|---------|
| Project | 99087 | date | 5/26/00 |
| Illustration | SID/FCL | engineering | |
| scale | SID/FCL | approval | |
| AS SHOWN | RH | | |


| | | | |
|----------|---------------------------|----------|--|
| DATE | 6/18/00 | DATE | |
| REVISION | REVISE PARKING TABULATION | REVISION | |
| NO. | 1 | NO. | |

HOWARD BUSINESS PARK
PARCEL B-1
TAX MAP 43 - PARCEL 321 - BLOCK 12
FIRST ELECTION DISTRICT
HOWARD COUNTY, MARYLAND
COVER SHEET


MILDENBERG, BOENDER & ASSOC., INC.
Engineers Planners Surveyors
6072 Dorsey Hall Drive, Suite 202, Ellicott City, Maryland 21042
(410) 997-0296 Fax: (301) 621-5521 Wash. (410) 997-0298 Fax.




**STORM DRAIN PROFILE
I-8 TO I-EX**
SCALE V. 1"=5'
H. 1"=50'



**STORM DRAIN PROFILE
I-4 TO MH-1**
SCALE V. 1"=5'
H. 1"=50'




8" SHC PROFILE
SCALE V. 1"=5'
H. 1"=50'



8" WHC PROFILE
SCALE: HOR. 1"=50'
VERT. 1"=5'

PIPE SCHEDULE


| PIPE SIZE | LENGTH |
|-----------|----------|
| 15" HDPE | 100 L.F. |
| 18" HDPE | 27 L.F. |
| 21" HDPE | 174 L.F. |
| 24" HDPE | 153 L.F. |
| 30" HDPE | 761 L.F. |



**STORM DRAIN PROFILE
MH-3 TO MH-2**
SCALE V. 1"=5'
H. 1"=50'

STRUCTURE SCHEDULE

| No. | LOCATION | TOP OF STRUCTURE | INVERT IN | INVERT OUT | COMMENTS |
|--------|----------------------|------------------|------------------------|------------|-----------------------------------|
| I-1 | 20+94.83 LT. 61.00' | 162.50 | 153.46 | 153.36 | TYPE "A-5" INLET STANDARD SD 4.01 |
| I-2 | 19+05.94 LT. 67.00' | 163.10 | 156.48 | 156.38 | TYPE "A-5" INLET STANDARD SD 4.01 |
| I-3 | 18+45.00 LT. 63.84' | 164.75 | 157.17 | 157.07 | TYPE "A-5" INLET STANDARD SD 4.01 |
| I-4 | 17+33.76 LT. 104.12' | 166.00 | --- | 162.75 | TYPE "A-5" INLET STANDARD SD 4.01 |
| I-5 | 15+72.85 RT. 23.41' | 168.40 | 159.91 | 159.81 | TYPE "S" INLET STANDARD SD 4.22 |
| I-6 | 14+56.18 RT. 45.82' | 167.00 | 161.62 | 161.37 | TYPE "S" INLET STANDARD SD 4.22 |
| I-7 | 12+52.18 RT. 45.82' | 167.00 | 163.26 | 163.01 | TYPE "S" INLET STANDARD SD 4.22 |
| I-8 | 12+26.40 RT. 33.00' | 168.45 | --- | 163.53 | TYPE "A-5" INLET STANDARD SD 4.01 |
| MH-1 | 17+68.98 LT. 64.50' | 167.50 | 158.03(NW), 161.75(NE) | 157.93 | MANHOLE STD. G.5.13 |
| MH-2 | 15+12.75 RT. 11.32' | 169.30 | 160.91(SW), 164.97(NW) | 160.41 | MANHOLE STD. G.5.13 |
| MH-3 | 14+78.02 RT. 74.01' | 192.75 | 188.53± | 174.35 | MANHOLE STD. G.5.01 |
| SMH-14 | 21+05.42 RT. 55.00' | 165.90 | 159.94 | 159.84 | STANDARD MANHOLE STD. G.5.12 |
| SMH-15 | 18+11.76 RT. 55.00' | 169.43 | 162.16 | 162.06 | TERMINAL MANHOLE STD. S 1.31 |



APPROVED: DEPARTMENT OF PLANNING AND ZONING
 [Signature] 6/2/00
 CHIEF, DEVELOPMENT ENGINEERING DIVISION
 [Signature] 6/14/00
 CHIEF, DIVISION OF LAND DEVELOPMENT
 [Signature] 6/14/00




* LOCATIONS SHOWN ARE AT & OF INLET AT THE FACE OF CURB.
 NOTE: WIDTH OF INLET TYPE "A-5" FOR I-4 & I-8 IS 2'-6" WHILE I-1, I-2 & I-3 IS 3'.

| | | | |
|--------------|--------|-------------|---------|
| Project | 99087 | Date | 5/26/00 |
| Illustration | FCL | Engineering | FCL |
| Scale | 1"=50' | Approval | RH |

| | | | | |
|----------|---|---------|--|-------------|
| Revision | 1 | DATE | 5/26/00 | DESCRIPTION |
| 2 | 1 | 8/14/00 | REVISED PER APPROVED PLANS DATED 8/14/00 | |
| 3 | 1 | 8/14/00 | REVISED PER APPROVED PLANS DATED 8/14/00 | |
| 4 | 1 | 8/14/00 | REVISED PER APPROVED PLANS DATED 8/14/00 | |
| 5 | 1 | 8/14/00 | REVISED PER APPROVED PLANS DATED 8/14/00 | |

HOWARD BUSINESS PARK
 PARCEL B-1
 TAX MAP 43 - PARCEL 321 - BLOCK 12
 HOWARD COUNTY, MARYLAND
 FIRST ELECTION DISTRICT
 STORM DRAIN, WHC AND SHC PROFILES

MILDENBERG, BOENDER & ASSOC., INC.
 Surveyors
 Planners
 Engineers
 5072 Dorsey Hall Drive, Suite 202, Ellicott City, Maryland 21042
 (410) 997-0286 Fax (301) 621-5521 Wash. (410) 997-0298 Fax



Sfc2 (B)

SUD2

0.60 AC
0.08 HR. I-6 M-2
86%

0.55 AC
0.08 HR. I-9 M-2
86%

0.59 AC
0.08 HR. I-7 M-2
86%

0.68 AC
0.08 HR. I-5 M-2
86%

0.89 AC
0.08 HR. I-8 M-2
86%

WAREHOUSE
63,700 SQ. FT.
F.F. EL. 170.00

ScD (C)

0.96 AC
0.08 HR. I-1 M-2
86%

0.89 AC
0.08 HR. I-2 M-2
86%

0.45 AC
0.08 HR. I-4 M-2
86%

0.25 AC
0.08 HR. I-3 M-2
86%

EvB (A)

LEGEND

- POWER POLE
- OVERHEAD ELEC.
- EX. SANITARY MANHOLE
- EX. STORMDRAIN MANHOLE
- S.H.C. CLEANOUT
- ⊗ WATER VALVE
- ⊕ FIRE HYDRANT
- CURB & GUTTER
- CHAIN LINK FENCE
- WOODLINE
- PROP. CORNER FOUND
- ▭ CONC. SIDEWALK
- ▭ WETLANDS
- FLOW DIRECTION
- HAND RAIL
- HANDICAP PARKING SIGN & POST (SEE DETAIL)

SOILS DESCRIPTION

| SYMBOL | DESCRIPTION |
|--------|---|
| EvB | EVERSBORO LOAMY SAND, 1% TO 5% SLOPES — TYPE A |
| ScD | SANDY AND CLAYEY LAND, MODERATELY SLOPING — TYPE C |
| Sfc2 | SASSAFRAS GRAVELLY SANDY LOAM, 5% TO 10% SLOPES, MODERATELY ERODED — TYPE B |
| SUD2 | SASSAFRAS LOAM, 10% TO 15% SLOPES, MODERATELY ERODED — TYPE B |

THIS PLAN IS FOR THE PURPOSE OF DRAINAGE AREA & SOILS MAP ONLY

APPROVED: DEPARTMENT OF PLANNING AND ZONING
 [Signature] DATE 6/17/00
 CHIEF, DEVELOPMENT ENGINEERING DIVISION
 [Signature] DATE 6/14/00
 CHIEF, DIVISION OF LAND DEVELOPMENT
 [Signature] DATE 6/14/00
 DIRECTOR




T 546.000 E 1,281.000

| | | | |
|--------------|--------|-------------|---------|
| Project | 99087 | Date | 9/27/00 |
| Illustration | FCL | Engineering | FCL |
| Scale | 1"=30' | Approval | RJH |

| | | |
|-----|---|------------|
| No. | Description | Date |
| 1. | ADD FLOWLINE TANK ON CONCRETE PAD & REVISE INLET CHAIN LINK FENCE TO MATCH TO ORIGINAL APPROVED PLANS DATED 6/14/2000 | APRIL 2000 |
| 2. | ADD 8' HIGH CHAIN LINK FENCE TO MATCH TO ORIGINAL APPROVED PLANS DATED 6/14/2000 | MARCH 2004 |
| 3. | REVISE FLOWLINE TANK AND INLET CHAIN LINK FENCE TO MATCH TO ORIGINAL APPROVED PLANS DATED 6/14/2000 | AUG. 2002 |

HOWARD BUSINESS PARK
 PARCEL B-1
 TAX MAP 43 - PARCEL 321 - BLOCK 12
 HOWARD COUNTY, MARYLAND
 FIRST ELECTION DISTRICT
 INLET DRAINAGE AREA & SOILS MAP

MILDENBERG, BOENDER & ASSOC., INC.
 Engineers Planners Surveyors
 5072 Dorsey Hall Drive, Suite 202, Ellicott City, Maryland 21042
 (410) 997-0296 Fax. (301) 621-5521 Wash. (410) 397-0298 Fax.



NOTE: THIS PLAN IS FOR LANDSCAPE PURPOSES ONLY

SCHEDULE B: PARKING LOT INTERNAL LANDSCAPING

| | |
|--|---------------|
| NUMBER OF PARKING SPACES | 113 |
| NUMBER OF PLANTING ISLANDS REQUIRED | 6 |
| NUMBER OF PLANTING ISLANDS PROVIDED | 10 |
| NUMBER OF TREES REQUIRED | 0 SHADE TREES |
| NUMBER OF TREES PROVIDED | 0 SHADE TREES |
| NUMBER OF OTHER TREES (2:1 SUBSTITUTION) | 0 TREES |

PERIMETER EDGE TYPE

| | |
|----------------------------------|------------------|
| PERIMETER 1 | EDGE TYPE |
| PARKING TO ROAD - 521.11 LF | E |
| 1 SHADE TREE / 40 LF | 13 |
| 1 SHRUB / 4 LF | 0* |
| *CREDIT FOR CHANGE IN GRADE | |
| PERIMETER 2 | EDGE TYPE |
| NON-RES TO NON-RES - 92.83 LF | A |
| 1 SHADE TREE / 60 LF | 2 |
| TOTAL PLANTING OBLIGATION | |
| SHADE TREES | 15 |
| EVERGREEN TREES | 0 |
| SHRUBS | 0* |
| *CREDIT FOR CHANGE IN GRADE | |

NOTE: PERIMETER 1 HAS A CHANGE IN GRADE THAT CAUSES THE PARKING LOT TO BE LOCATED LOWER THAN THE ADJACENT DORSEY RUN ROAD BY 6 FEET OR MORE.

LEGEND

- ⊙ POWER POLE
- ⊖ OVERHEAD ELEC.
- ⊙ EX. SANITARY MANHOLE
- ⊙ EX. STORMDRAIN MANHOLE
- ⊙ S.H.C. CLEANOUT
- ⊙ WATER VALVE
- ⊙ FIRE HYDRANT
- CURB & GUTTER
- CHAIN LINK FENCE
- WOODPILE
- PROP. CORNER FOUND
- ▭ CONC. SIDEWALK
- ⊙ WETLANDS
- FLOW DIRECTION
- # DENOTES PERIMETER LANDSCAPED EDGE
- ⊙ EXISTING STREET TREES PER F-00-29
- WALL KEYSTONE WALL (OR EQUAL) (SEE SH. 3 FOR DETAIL)


PERIMETER LANDSCAPED EDGE

| CATEGORY | ADJACENT TO PERIMETER PROPERTIES | ADJACENT TO PERIMETER PROPERTIES |
|---|----------------------------------|----------------------------------|
| LANDSCAPE TYPE | A (PERIMETER 2) | E (PERIMETER 1) |
| LINEAR FEET OF PERIMETER | 92.86 LF | 521.11 LF |
| CREDIT FOR EXISTING VEGETATION (YES, NO, LINEAR FEET) | NO | NO |
| CREDIT FOR WALL, FENCE, BERM OR GRADE CHANGE (YES, NO, LINEAR FEET) | NO | YES, 521.11 LF |
| NUMBER OF PLANTS REQUIRED | | |
| SHADE TREES | 2 SHADE TREES | 13 SHADE TREES |
| EVERGREEN TREES | 0 EVERGREEN TREES | 0 EVERGREEN TREES |
| SHRUBS | 0 SHRUBS | 130 SHRUBS |
| NUMBER OF PLANTS PROVIDED | | |
| SHADE TREES | 2 SHADE TREES | 13 SHADE TREES |
| EVERGREEN TREES | 0 EVERGREEN TREES | 0 EVERGREEN TREES |
| OTHER TREES (2:1 SUBSTITUTION) | 0 SUBSTITUTION TREES | 0 SUBSTITUTION TREES |
| SHRUBS (GRADE CHANGE SUBSTITUTION) | 0 SHRUBS | 0 SHRUBS |

- NOTES:**
- TOPOGRAPHY IS BASED ON FIELD RUN DATA COLLECTED BY WINGS AERIAL MAPPING
 - SOILS SHOWN HEREON WERE BASED ON THE HOWARD COUNTY SOIL SURVEY MAPS
 - ALL PERIMETER LANDSCAPING AND ALL INTERNAL LANDSCAPING IS THE RESPONSIBILITY OF THE DEVELOPER
 - THIS PLAN HAS BEEN PREPARED IN ACCORDANCE WITH THE PROVISIONS OF SECTION 16.124 OF THE HOWARD COUNTY CODE AND THE LANDSCAPE MANUAL. FINANCIAL SURETY FOR THE REQUIRED 15 PERIMETER TREES AND 6 PARKING LOT INTERNAL LANDSCAPE TREES (23 LANDSCAPE TREES TOTAL) IN THE AMOUNT OF \$6,900.00 IS PART OF THE GRADING PERMIT.
 - THE OWNER, TENANT, AND/OR THEIR AGENTS SHALL BE RESPONSIBLE FOR MAINTENANCE OF THE REQUIRED LANDSCAPING, INCLUDING BOTH PLANT MATERIALS AND BERMS, FENCES AND WALLS. ALL PLANT MATERIALS SHALL BE MAINTAINED IN GOOD GROWING CONDITION, AND WHEN NECESSARY, REPLACED WITH NEW MATERIALS TO ENSURE CONTINUED COMPLIANCE WITH APPLICABLE REGULATIONS. ALL OTHER REQUIRED LANDSCAPING SHALL BE PERMANENTLY MAINTAINED IN GOOD CONDITION, AND WHEN NECESSARY, REPAIRED OR REPLACED.

LANDSCAPE REQUIREMENT PLANTING SCHEDULE

| QUANTITY | SYMBOL | BOTANICAL NAME | COMMON NAME | SIZE |
|----------------|--------|--------------------------|------------------------|------------------|
| 6 | ⊙ | FAGUS SYLVATICA | EUROPEAN BEECH | 2 1/2" - 3" CAL. |
| 6 | ⊙ | QUERCUS RUBRA | RED OAK | 2 1/2" - 3" CAL. |
| 11 | ⊙ | ACER RUBRUM 'RED SUNSET' | 'RED SUNSET' RED MAPLE | 2 1/2" - 3" CAL. |
| TOTAL | | | | |
| 23 SHADE TREES | | | | |



APPROVED: DEPARTMENT OF PLANNING AND ZONING
 DATE: 6/7/00
 DATE: 6/14/00
 DATE: 6/17/00

I/WE CERTIFY THAT THE LANDSCAPING SHOWN ON THIS PLAN WILL BE DONE ACCORDING TO THE PLAN, SECTION 16.124 OF THE HOWARD COUNTY CODE AND THE HOWARD COUNTY LANDSCAPE MANUAL. I/WE FURTHER CERTIFY THAT UPON COMPLETION A CERTIFICATION OF LANDSCAPE INSTALLATION, ACCOMPANIED BY AN EXECUTED ONE YEAR GUARANTEE OF PLANT MATERIALS, WILL BE SUBMITTED TO THE DEPARTMENT OF PLANNING AND ZONING.

NAME: *Paul H. King* DATE: *5/26/00*

MILDENBERG, BOENDER & ASSOC., INC.
 Engineers Planners Surveyors
 5072 Dorsey Hall Drive, Suite 202, Ellicott City, Maryland, 21042
 (410) 987-0286 Ext. (301) 621-5521 Wash. (410) 987-0288 Fax

HOWARD BUSINESS PARK
 PARCEL B-1
 TAX MAP 43 - PARCEL 321 - BLOCK 12
 HOWARD COUNTY, MARYLAND
 FIRST ELECTION DISTRICT
 LANDSCAPE PLAN

6 OF 6
 SDP-00-83

| | | | |
|--------------|--------|-------------|---------|
| project | 99087 | date | 5/26/00 |
| illustration | FCL | engineering | FCL |
| scale | 1"=30' | approval | RH |