

SEPTIC SYSTEM - CHURCH
 TANK EX. ELEV. 846.0
 INV. ELEV. 838.50
 DRY WELL EX. ELEV. 843.0
 INV. ELEV. 837.0

SEPTIC SYSTEM - HOUSE
 TANK EX. ELEV. 834.00
 INV. ELEV. 826.50
 DRY WELL EX. ELEV. 832.00
 INV. ELEV. 825.00

SITE ANALYSIS

1. Area of Parcel equals 5.00 acres
2. Present zoning is R-40
3. Total Floor Space Church: 3520 sq. ft. Basement
3520 sq. ft. 1st floor
Parsonage 1300 sq. ft. Basement
1300 sq. ft. 1st floor
4. Seating for church equals 170
5. Parking equals spaces (9'x20' spaces) per four people.

PAVING SPECIFICATIONS

- AREA A: To be constructed in accordance with the Howard County Road Construction code and specifications, for a Collector or Residential Street. See Figure #1
- AREA B: To be constructed in accordance with the Howard County Road Construction code and specifications, for Sidewalks, bus way and parking areas. See Figure #2
- CURBS: To be constructed in accordance with the Howard County Road Construction code and specifications.

FIG. #1

1 1/2" SAND C-3	1 1/2" SAND C-3
5" GRAVEL MIX	5" GRAVEL MIX


Clearing & Grading Article C-1
 Subgrade Article C-2
 Base Course Article C-33
 Surface Course Article C-31-4 (TAKE COAT REQUIRED)

FIG. #2

1 1/2" SAND C-3	1 1/2" SAND C-3
4" SAND C-2 OR C-3	4" SAND C-2 OR C-3


Clearing & Grading Article C-1
 Subgrade Article C-2
 Base Course Article C-31 or C-33
 Surface Course Article C-31-4 (TAKE COAT REQUIRED)

FIG. #3




SEDDIMENT CONTROL NOTES

1. During construction period, the contractor or owner shall maintain existing vegetation other than what is absolutely necessary.
2. Upon completion of foundation walls finished grading around same is to take place and to be stabilized immediately by sodding.
3. The parking area is to be paved within 10 working days of subgrading and any disturbed areas adjacent to parking lot is to be stabilized immediately thereafter by sodding.
4. All erosion and sediment control measures are to be constructed and maintained in accordance with applicable published, Standards and Specifications for Soil Erosion and Sediment Control in Urbanizing Areas.
5. All points of ingress and egress will be protected to prevent the tracking of mud onto public ways.
6. At the beginning of excavation, the contractor or owner shall:
 - A. Excavate the sediment basin with a level spreader and form the berm to direct water into basin all as shown on the drawing.
 - B. Stockpile material from basin (to be put back at completion of project) and stripped topsoil as shown on drawing.
7. During construction period, the contractor or owner shall:
 - A. Periodically clean out soil which has settled in the sediment basin to assure the proper holding capacity.
 - B. Fine grade swales and slopes, etc. seed and mulch as soon as possible.
8. Near the completion of construction the contractor or owner shall:
 - A. Eliminate the earth berm and sediment basin and regrade to existing contours.
 - B. SOO ALL REMAINING EARTH AREAS.
9. SEDIMENT TRAP DESIGNED FOR 1.4 ACRES OF DISTURBED AREA.



LEGEND
 PRESENT GRADE
 FINISHED GRADE



APPROVED FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS
 HOWARD COUNTY HEALTH DEPARTMENT
 DATE: 8/17/73

APPROVED: HOWARD COUNTY OFFICE OF PLANNING AND ZONING
 PLANNING DIRECTOR: [Signature]
 DATE: 8/17/73

APPROVED: FOR PRIVATE WATER, PRIVATE SEWERAGE AND STORM DRAINAGE SYSTEMS AND ROADS
 DIRECTOR: [Signature]
 DATE: 8/13/73

CHIEF, BUREAU OF HIGHWAYS: [Signature]
 DATE: 8/10/73

REVIEWED FOR HOWARD COUNTY S.C.D. AND METRIC TECHNICAL REQUIREMENTS
 U.S. SOIL CONSERVATION SERVICE: [Signature]
 DATE: 8/17/73

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD COUNTY CONSERVATION DISTRICT
 APPROVED: [Signature]
 DATE: 8/17/73

SURVEYOR'S CERTIFICATE AS TO SOIL EROSION AND SEDIMENT CONTROL MEASURES: I certify that this plan for Erosion and Sediment Control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard County Conservation District.

SOIL INVESTIGATION CERTIFICATE: This is shown on Soil Survey (Howard County) are G/Bz MICz Sheet # 1

CERTIFICATION OF THE QUANTITIES OF EXCAVATION AND FILL: I hereby certify that the total amount of excavation and fill as shown on these plans has been computed to be 250 cubic yards of excavation and 250 cubic yards of fill.


DEVELOPERS CERTIFICATION: I certify that all development and/or construction will be done according to this plan of development and plan for Erosion and Sediment Control. I also authorize periodic on-site inspection by the Howard Soil Conservation District or their authorized agents, as are deemed necessary. Deviation from this plan will not be made unless authorized by the Howard County Conservation District.

DAMASCUS ASSEMBLY OF GOD
 Rev. A. W. Hall
 Rev. A. W. Hall, Pastor
 DATE: 8-1-73

DEVELOPER: DAMASCUS ASSEMBLY OF GOD
 c/o Rev. A. W. Hall
 Box 123 Lot 56
 Pleasant Ridge Estates
 Mt. Airy, Maryland 21771
 PH. 829-2508 or 792-8659

ENGINEER: RENT SURVEYS
 BOX 55
 DAMASCUS, MARYLAND 20750
 PH. 253-3591 or 914-8822

APPROVED
 DIVISION OF LAND DEVELOPMENT
 AND TRANSPORTATION PLANNING
 HOWARD COUNTY, MARYLAND
 DATE: 8/17/73




FRONT VIEW
 Scale - 1/8" = 1'-0"

SITE DEVELOPMENT PLAN
DAMASCUS ASSEMBLY OF GOD
PROPERTY
 BEING PART OF A TRACT OF LAND CALLED CHESTNUT HILLS, PARCEL - A
 FOURTH ELECTION DISTRICT
 HOWARD COUNTY, MARYLAND

SCALE: 1" = 40'
 JANUARY 3, 1973
 TAX MAP # 6

REVISED: JUNE 20, 1973
 SDP 73-65 SHEET 1 OF 2




STANDARD ROADSIDE DITCH
LONG CORNER ROAD
HOR. 1"=5' VERT. 1"=5'

1. BASE WILL BE PRIME IN ACCORDANCE WITH SECT. C-30-3 H.C. ROAD CONST. CODE
2. TACK COAT WILL BE PROVIDED IN ACCORDANCE WITH C-31-4 H.C. ROAD CONST. CODE
3. ALL MATERIAL AND CONSTRUCTION SHALL BE IN ACCORDANCE WITH H.C. ROAD CONST. CODE

APPROVED: FOR Private WATER, Private SEWERAGE AND STORM DRAINAGE SYSTEMS AND ROADS
HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS

Director: [Signature] DATE: 8/13/73
 Chief Bureau of Highways: [Signature] DATE: 8/16/73

12/1/73



PLAN SHOWING VERTICAL ALIGNMENT OF LONG CORNER ROAD & PROPOSED DRAINAGE DAMASCUS ASSEMBLY OF GOD PROPERTY FOURTH ELECTION DISTRICT HOWARD COUNTY, MARYLAND VERT. 1"=5' HOR. 1"=5'

CHARLES BRUNING COMPANY
1000 W. BROADWAY, NEW YORK, N.Y. 10011
PLATE 1 - PLAN - PROFILE OF R.R.R.

NO.	DATE	BY	REVISION

NO.	DATE	BY	REVISION