


VILLAGE OF LONGREACH AREA 6 SECTION 1 PLAT BOOK 24 FOLIO 10

Reviewed For - ITC 4324 - Name
and meet Technical Requirements
Signature Date
U.S. Soil Conservation Service

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT.

Approved R.W. Wick Date 2-20-73
Howard S.C.D.

- ### GENERAL NOTES
- All Sediment and Erosion Control Measures will be installed and stabilized according to this plan prior to any other grading, clearing, or disturbance of the existing surface of the site.
 - All structural sediment control measures are to remain in place until permission for their removal has been obtained from the Howard Soil Conservation District, phone 465-3130 or 465-5000, ext 928.
 - Notify the Howard Soil Conservation District at least 24 hours before starting any work.
 - All Sediment Control Practices to conform to the Standards and Specifications for Soil Erosion and Sediment Control in Urbanizing Areas.
 - Stabilization of disturbed ground to be done as soon after construction as possible.
 - All sediment control measures to be adjusted to meet actual field conditions.
 - At all construction entrances to lots, stone filter berms shall be used in lieu of straw bales where shown on plans. See detail of berm on this sheet.
 - In lieu of straw bales being placed along lot lines of Lots 11, 12, & 14, Developer may delay grading in that area until just prior to final stabilization.



DEVELOPER'S CERTIFICATE

I certify that all development and/or construction will be done according to this plan of development and plan for Erosion and Sediment Control, and I also authorize periodic on-site inspection by the Howard Soil Conservation District or their authorized agents, as are deemed necessary. Deviation from this plan will not be made unless authorized by the Howard Soil Conservation District.

2-14-73 Date
Eugen F. Bellis, Vice Pres. Signature

ENGINEER'S CERTIFICATE

I certify that this plan for Erosion and Sediment Control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard Soil Conservation District.

1-17-73 Date
G. Nelson Clark Signature
G. Nelson Clark
REGISTERED PROFESSIONAL ENGINEER

Plat Reference: Plat Book 23 Folio 18

CLARK • FINEFROCK & SACKETT ENGINEERS • PLANNERS • SURVEYORS 11161 NEW HAMPSHIRE AVENUE • SILVER SPRING MARYLAND 20904 • (301) 593 3400	
DESIGNED RJS	SCALE 1"=30'
DRAWN Suzan	DRAWING 10F/1
CHECKED G.N.C.	JOB NO. 72-550
DATE Jan, 1973	FILE NO. 1080-D

FOR: RYLAND HOMES, COLUMBIA DIVISION
Suite 200 VOM Office Building
Columbia, Maryland 21043