

BITUMINOUS CONC. SURFACE	BAND C-3	1"
BITUMINOUS CONC. BASE	BAND C-2 OR C-3	4"

BASE WILL BE PRIMED IN ACCORDANCE WITH SECTION C-30.3 AS PROVIDED IN THE HOWARD COUNTY CONSTRUCTION CODE & STANDARD SPECIFICATIONS.
 *ACK COAT TO BE USED IN ACCORDANCE WITH SECTION C-31.4 OF HOWARD COUNTY ROAD CONSTRUCTION CODE & STANDARD SPECIFICATIONS

REVIEWED FOR Howard S.C.D.
 AND MEETS TECHNICAL REQUIREMENTS.
 Signature: *[Signature]* DATE 11-5-73
 U.S. SOIL CONSERVATION SERVICE

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT
 APPROVED *[Signature]* DATE 11-5-73
 HOWARD S.C.D.

EROSION AND SEDIMENT CONTROL NOTES
 All siltation control work to be in accordance with standards and specifications of the Howard County Soil Conservation District Sediment Control Program and U.S. Soil Conservation Service.

- Total Disturbed Area= 0.49 Ac.
- ESTIMATED PHASING AND SCHEDULING OF DEVELOPMENT**
1. Temporary earth berm and #2 crushed stone siltation trap constructed first. Start July 10, 1973.
 11. Rough grading- Start July 10, 1973.
 111. Final grading and vegetation- July to September, 1973.
 - 1V. Maintenance and Clean-up- After September, 1973.

- SEEDING REQUIREMENTS**
1. Seeded area approx. 2000 sq. ft.
 2. Seed to be Kentucky 31 tall fescue, or equal, with 98% min. purity and 85% min. germination.
 3. Rates
 Seeding: 5-7 lbs/1000 sq ft
 Fertilizer: 10-10-10 25 lbs/1000 sq ft
 Limestone: 50 lbs/1000 sq ft
 4. Top soil to be spread over the areas to be seeded after it has been fine graded.
 5. Contractor to construct and maintain earth berms daily.
 6. Berms and other control measures to be maintained until planting and other permanent improvements are stabilized.
 7. All berms to be machine compacted, and the top width may be wider and the side slopes flatter if desired.

- GENERAL NOTES**
1. Total area of property= 2.4005 acres
 2. Proposed building = 5133.5 sq ft
 3. Vehicle entrance is and is to remain crushed stone.
 4. Orig. grade = 88
 5. Proposed grade = 86
 6. Building to be used for storage of beer.
 7. Two drivers to use this building to pick up beer for their truck routes.
 8. Twenty-one parking spaces provided 10 by 20 feet.
 9. Water and sewer are not needed for the building, and the office building has these facilities.
 10. Concrete monument is control elevation 100.00

I certify that all development or construction will be done according to this plan of erosion and sediment control.

Engineer: *[Signature]* Date 6/11/73
 Developer: *[Signature]* Date 6/14/73

OWNERS
 William C. Birely & Paul H. Jones
 5402 Gradin Avenue
 Baltimore, Maryland 21207

APPROVED: For Public/ Water and /private
 Sewerage Systems, Howard County Health Department
 COUNTY HEALTH OFFICER: *[Signature]* DATE 1/30/73

APPROVED: Howard County Office of Planning and Zoning
 PLANNING DIRECTOR: *[Signature]* DATE 12-4-73

CHIEF, DIVISION OF LAND DEVELOPMENT AND TRANSPORTATION PLANNING
 DATE 12/3/73


APPROVED: For Public Water, Private Sewerage and Storm Drainage Systems and Roads
 Howard County Department of Public Works
 DIRECTOR: *[Signature]* DATE 11/11/73

CHIEF, BUREAU OF HIGHWAYS
 DATE 11/12/73

Reviewed For S.C.D. and meets Technical Requirements
 Signature: *[Signature]* Date 11/12/73
 U.S. Soil Conservation Service

SITE PLAN AND SEDIMENT CONTROL

NEW PROPOSED BUILDING 50' x 102'-8"
 WILLIAM C. BIRELY AND PAUL H. JONES
 5402 GRADIN AVE., BALTIMORE, MARYLAND 21207
 2ND DISTRICT SCALE 1"=30'
 TAX MAP #24 JUNE 11, 1973
 ENGINEER
 JACK S. FEICK
 430 WHITE PLAINS COURT
 BEVERNA PARK, MARYLAND



"I CERTIFY THAT THIS PLAN FOR EROSION AND SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED ON MY PERSONAL KNOWLEDGE OF THE SITE CONDITIONS AND THAT IT WAS PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE HOWARD SOIL CONSERVATION DISTRICT.
 Signature of Engineer: *[Signature]* DATE 7/2/73

ENCHANTED FOREST
 HOWARD HARRISON

"I CERTIFY THAT ALL DEVELOPMENT AND/OR CONSTRUCTION WILL BE DONE ACCORDING TO THIS PLAN OF DEVELOPMENT AND PLAN FOR EROSION CONTROL AND SEDIMENT CONTROL, AND I ALSO AUTHORIZE PERIODIC ON-SITE INSPECTION BY THE HOWARD SOIL CONSERVATION DISTRICT OR THEIR AUTHORIZED AGENTS, AS ARE DEEMED NECESSARY. DEVIATION FROM THIS PLAN WILL NOT BE MADE UNLESS AUTHORIZED BY THE HOWARD SOIL CONSERVATION DISTRICT.
 Signature of Developer: *[Signature]* DATE 7-27-73

APPROVED
 DIVISION OF LAND DEVELOPMENT AND TRANSPORTATION PLANNING
 HOWARD COUNTY, MARYLAND
 DATE 12-4-73