



- STONE OUTLET NOTES**
1. STONE SHALL BE CRUSHED STONE OR GRAVEL. STONE SHALL MEET MIN A SIZE #2 OR ASHTO DESIGNATION M43 SIZE #2 OR 24.
 2. CREST OF DIKE SHALL BE MIN 6" LOWER THAN TOP OF DIKE AND SHALL BE LEVEL.
 3. DIKE TO BE A MIN OF 24" WIDE ACROSS TOP.
 4. EMBED STRUCTURE MIN 4" INTO SOIL.
 5. STONE OUTLET STRUCTURE SHALL BE INSPECTED PERIODICALLY AND REPLACED IF SLOTTED UP.



- STRAW BALE DIKE NOTES**
1. BALES SHALL BE PLACED IN A ROW WITH ENDS TIGHTLY BUTTED.
 2. EACH BALE SHALL BE EMBEDDED IN SOIL A MIN OF 4" - SEE DET. BELOW.
 3. SECURELY ANCHOR BALES IN PLACE BY WOOD STAKES OR REBARS DRIVEN THROUGH BALES. THE FIRST STAKE IN EACH BALE SHALL BE ANGLED TOWARD PREVIOUSLY LAID BALE TO FORCE BALES TOGETHER.
 4. INSPECT DIKE PERIODICALLY FOR DAMAGE, AND REPAIR OR REPLACE BALES AS NEEDED.
 5. REMOVE DIKE COMPLETELY UPON COMPLETION OF THE WORK.



APPROVED
DIVISION OF LAND DEVELOPMENT
HOWARD COUNTY
3-6-79
[Signature]

NOTE: DING CONTRACT NUMBER FOR THE WATER AND SEWER WORK IS # 2806

I CERTIFY THAT ALL DEVELOPMENT AND/OR CONSTRUCTION WILL BE DONE ACCORDING TO THIS PLAN OF DEVELOPMENT AND PLAN FOR SOIL EROSION AND SEDIMENT CONTROL, AND I ALSO AUTHORIZE PERIODIC ON-SITE INSPECTIONS BY THE HOWARD SOIL CONSERVATION DISTRICT OR THEIR AUTHORIZED AGENTS, AS ARE DEEMED NECESSARY.

Robert J. Hearle
OWNER
3/15/79
DATE

I CERTIFY THAT THIS PLAN FOR EROSION AND SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED ON MY PERSONAL KNOWLEDGE OF THE SITE CONDITIONS AND THAT IT WAS PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE HOWARD SOIL CONSERVATION DISTRICT

Craig L. Stewart
ARCHITECT
15/Mar/79
DATE

REVIEWED FOR HOWARD SOIL CONSERVATION DISTRICT AND MEETS TECHNICAL REQUIREMENTS.

P. Wayne Bray
U.S. SOIL CONSERVATION SERVICE
3/20/79
DATE

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT.

Robert W. Zieher
HOWARD SOIL CONSERVATION DISTRICT
3/20/79
DATE

APPROVED: FOR PUBLIC WATER, PUBLIC SEWERAGE AND STORM DRAINAGE SYSTEMS & ROADS

HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS
Mark F. Nemmy
DIRECTOR
4-11-79
DATE

Wolfe
CHIEF, BUREAU OF ENGINEERING
4-11-79
DATE

APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS

HOWARD COUNTY HEALTH DEPARTMENT
Dyce M. Boyd, M.D., P.E.W.
COUNTY HEALTH OFFICER
4-17-79
DATE

APPROVED: HOWARD COUNTY OFFICE OF PLANNING AND ZONING
D. Ronald Hamula
PLANNING DIRECTOR
4-18-79
DATE

APPROVED: DIVISION OF LAND DEVELOPMENT
[Signature]
4-18-79
DATE

SITE ANALYSIS

SITE AREA	14,019 SF	0.3218 AC
ZONING	R-20	
BUILDING COVERAGE	1156 SF	(12.13% OF LOT)
FLOOR AREA		
LOWER LEVEL	1156 SF	
FIRST FLE	1156 SF	
SECOND FLE	1156 SF	
PARKING	2 SPACES	
REQUIRED	3 SPACES	(INCLUDES 1 CAR GARAGE)

SITE INFORMATION

OWEN BROWN ESTATES LOT 28
SECTION 1 AREA 1
PLAT 4001
ELECTION DISTRICT 5TH
TAX MAP 35 PARCEL 370 BLOCK 1C
LIBER 331 FOLIO 332

OWNER
MR & MRS ROBERT HEARLE
7450 DAWN BLUSH COURT
COLUMBIA MARYLAND 21045

ARCHITECT
CRAIG L. STEWART
5341 THUNDER HILL ROAD
COLUMBIA MARYLAND 21045
TEL 801 730-5145 OR 596-5546

DATE 16 MAR 79
SHEET 1 OF ONE
DEAL

SDP-79-95