




- GENERAL NOTES:
1. PLAT SUBJECT TO VP 81-177 REQUIRES P-2 FINISHING REF. NO. 5105
 2. PROPERTY REZONED RA-1 PER ZONING MAP NO. 47
 3. TAX MAP AND ZONING MAP NO. 47
 4. PARCEL AREA: 6,000 SQUARE FEET
 5. NUMBER OF D.U.'S ALLOWED: 15 (D.U.'S ARE 110 SQ. FT. + 90 SQ. FT. GROUND)
 6. NUMBER OF D.U.'S SHOWN: 15 (D.U.'S ARE 110 SQ. FT. + 90 SQ. FT. GROUND)
 7. TWO BEDROOM UNITS - 42 (2492 S.F. UNIT)
 8. THREE BEDROOM UNITS - 13 (1751 S.F. UNIT)
 9. PARKING: REQUIREMENT 189 PROVIDED: 189
 10. STRUCTURAL COVERAGE 18%
 11. OPEN SPACE 19% EXCLUDING ROADS AND PARKING
- THE FOLLOWING ARE IN ACCORDANCE WITH THE HOWARD COUNTY STANDARDS SPECIFICATIONS AND DETAILS FOR CONSTRUCTION AND WILL BE USED IN THIS DEVELOPMENT:
1. CONCRETE SIDEWALKS (UNLESS OTHERWISE SHOWN)
 2. VERTICAL RAMP (MODIFIED TYPE D IN R-3) DEPRESSED CURB
 3. STANDARD 1" COMBINATION CURB AND GUTTER (R-3.01)
 4. PAVING SECTION P-2 GRANULAR BASE ALTERNATE
 5. NORTH LAUREL ROAD APARTMENT ENTRANCE-CONCRETE APRON R-10
 6. PISE SECTION: NORTH LAUREL ROAD-MINOR, COLLECTOR R-101
 7. THE CONTRACTOR OR DEVELOPER SHALL CONTACT THE CONSTRUCTION DEPARTMENT FOR SURVEY INFORMATION IN ADVANCE OF WORK. 410-2417 OR 992-2418.
 8. WATER AND SEWER SERVICE TO THESE D.U.'S WILL BE GRANTED WITH THE PROVISIONS OF SECTION 11-2208 OF HOWARD COUNTY CODE.


APPROVED
DIVISION OF LAND DEVELOPMENT &
ZONING ADMINISTRATION
HOWARD COUNTY, MARYLAND
DATE 9-9-83
[Signature]



BLDG. NUMBER	STREET ADDRESS
1	9005 A-L North Laurel Road
2	9015 A-L North Laurel Road
3	9075 A-P North Laurel Road
4	9065 A-P North Laurel Road
5	9025 A-J North Laurel Road
6	9035 A-L North Laurel Road
7	9045 A-L North Laurel Road



- MODIFICATIONS
1. GRADING CHANGES TO ELIMINATE ALL BASEMENTS & RETAIN A BALANCE CUT & FILL MATERIAL.
 2. BLDG. #5 MOVED APPROX. 10 FT. NORTH.
 3. THE OFFSETS ON BLDGS. #3 & #4 WERE REVERSED.
 4. VERTICAL ADJUSTMENTS & ADDITIONS TO STORM DRAIN SYSTEM.
 5. VERTICAL ADJUSTMENTS TO WATER & SEWER SYSTEMS.



Revision to Approved Site Development Plan #81-177, VP #83-19

SUBDIVISION NAME	SECT./AREA	LOT/PARCEL
Whiskey Bottom Square Apts.	---	A
PLAT # OR L.P. BLOCK #	ZONE	TAX/ZONING MAP
5005 21	RA-1	47
WATER CODE	SEWER CODE	CENSUS TR.
005	7141500	6063

NO.	BY	DATE	REVISIONS

APPROVED FOR PUBLIC WATER & SEWERAGE SYSTEMS, HOWARD CO. HEALTH DEPT.
[Signature] 12-6-83
COUNTY HEALTH OFFICER DATE


APPROVED HOWARD CO. OFFICE OF PLANNING AND ZONING
[Signature] 12-8-83
PLANNING DIRECTOR DATE

APPROVED FOR PUBLIC WATER, PUBLIC SEWERAGE AND STORM DRAINAGE AND ROADS HOWARD CO. DEPT. OF PUBLIC WORKS
[Signature] 12-5-83
DIRECTOR DATE

Johnson, Mirmiran & Thompson, P. A.
ENGINEERS • PLANNERS • SURVEYORS • LANDSCAPE ARCHITECTS
810 GLENEAGLES COURT • BALTIMORE, MARYLAND 21204 • (301) 821-6500

Modification to Site Development Plan
WHISKEY BOTTOM SQUARE APARTMENTS
Part of Parcel A F-81-135 Record Plat #6008
HOWARD COUNTY, MARYLAND



OWNER:
I-95 Enterprises A Limited Partnership
c/o Holladay Corporation
1720 Wisconsin Avenue
Washington, D.C. 20007
DCS






PAVING SECTION (1\"/>

EMERGENCY 18\"/>

See Whiskey Bottom Center Sheet 2 for continuation S.D.P. 01-176




- GENERAL NOTES:
1. See Plans 5.
 2. PLAT SUBJECT TO V.P. 11-100.
 3. RECORD PLAT RECORDING REF. NO. 5115.
 4. TAX MAP AND ZONING MAP NO. 417.
 5. PARCEL AREA: 0.00 ACRES.
 6. NUMBER OF UNITS ALLOWED: 15 UNITS AT 40' x 90' DIMENSIONS.
 7. NUMBER OF UNITS SHOWN: 15 UNITS.
 8. NO. OF ROOMS: 149.
 9. TOTAL AREA COVERED BY UNITS: 14,900 SQ. FT.
 10. OPEN SPACE: 149 SQ. FT.



TYPICAL DUMPSTER SCREEN N.T.S.

APPROVED
 DIVISION OF LAND DEVELOPMENT &
 ZONING ADMINISTRATION
 HOWARD COUNTY, MARYLAND
 DATE 9-9-83
 [Signature]



TYPICAL EXTERIOR LIGHTING (NO SCALE)
 (FROM THIS SITE PLAN)

SITE PLAN
 Scale: 1" = 30'-0"

BUILDING'S NUMBER: 12, 6, 7, 5, 3, 4
 BUILDING DIMENSION: 40'-4" x 133'-4", 49'-4" x 112'-0", 49'-4" x 176'-0"

APPROVED FOR WATER & SEWERAGE SYSTEMS HOWARD COUNTY HEALTH DEPT.
 [Signature] 12-6-83
 COUNTY HEALTH OFFICER P.S. DATE


APPROVED FOR PLANNING AND ZONING
 [Signature] 12-8-83
 PLANNING DIRECTOR DATE

APPROVED FOR PUBLIC WATER, PUBLIC SEWERAGE AND STORM DRAINAGE AND ROADS HOWARD COUNTY DEPT. OF PUBLIC WORKS
 [Signature] 12-7-83
 CHIEF DIVISION OF ENGINEERING DATE

Johnson, Mirmiran & Thompson, P. A.
 ENGINEERS • PLANNERS • SURVEYORS • LANDSCAPE ARCHITECTS
 810 ELEANOR COURT • BALTIMORE, MARYLAND 21204 • (301) 821-6800



Revisions to Approved Site Development Plan #81-177, VP #83-19
Modifications to Storm Drainage & Drainage Divides
WHISKEY BOTTOM SQUARE APARTMENTS
 Part of Parcel A F-81-188 Record Plat #8008
 GUILFORD TOWN ELECTION DISTRICT
 HOWARD COUNTY, MARYLAND

OWNER:
 I-95 Enterprises A Limited Partnership
 c/o Molladay Corporation
 1720 Wisconsin Avenue
 Washington, D.C. 20007




STRUCTURE SCHEDULE				
NO.	TYPE	W	REMARKS	H.C. STD.
13	S	2'-4"	HOWARD CO. STD. W/ LIGHT DUTY FRAME & COVER	4-22
12	S	2'-4"		4-22
11	S	3'-0"		4-22
10	S	3'-0"		4-22
9	A-5	3'-0"	HOWARD CO. STD. W/ LIGHT DUTY FRAME & COVER	4-01
8	A-5	3'-0"	SAME AS NO. 9	4-01
7	S	2'-1 1/2"	HOWARD CO. STD. W/ BKE GRATE	4-22
6	A-10	2'-6"	HOWARD CO. STD. W/ LIGHT DUTY FRAME & COVER	4-02
5	A-5	2'-6"	HOWARD CO. STD. W/ LIGHT DUTY FRAME & COVER	4-01
4	S	2'-1 1/2"	SAME AS NO. 7	4-22
3	S	3'-0"	SAME AS NO. 7	4-22
2	A-5	3'-0"	SAME AS NO. 5	4-01
1	A-5	3'-0"	SAME AS NO. 5	4-01
M-1	A-3	4'-0"	PRECAST CONC. MANHOLE	3-02
M-2	A-3	4'-0"	PRECAST CONC. MANHOLE	3-02
S-1	SEE NOTE 5			
S-2	TYPE A HEADWALL			5-11
S-3	TYPE A HEADWALL			5-11
S-4	MODIFIED TO ACCOMMODATE DATE 4-2-80			4-22

- NOTES:
- 1) ALL CONC. PIPE SHALL BE CLASS III UNLESS OTHERWISE SPECIFIED.
 - 2) ALL CONC. STRUCTURES SHALL BE CLASS 'A' CONC.
 - 3) FOR CLARITY THE PREFIX '2' HAS BEEN OMITTED FROM ELEVATIONS.
 - 4) MIN. 12" CLEARANCE BETWEEN STORM DRAINS & UTILITIES.
 - 5) ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH HOWARD COUNTY STANDARD SPECIFICATIONS AND DETAILS.
 - 6) HYDRAULIC GRADIENT (H.G.L.) IS AT THE CROWN OF THE PIPE, UNLESS OTHERWISE INDICATED.



STORM DRAINAGE PROFILES
 SCALE: 1" = 10'
 VERT. 1" = 4'

APPROVED
 DEPARTMENT OF LAND DEVELOPMENT &
 ZONING ADMINISTRATION
 HOWARD COUNTY, MARYLAND
 DATE 9-9-83
[Signature]



SDP 81-177
 VP 8-19


888115

Modifications to Storm Drainage Profiles
WHISKEY BOTTOM SQUARE APARTMENTS
 GULFORD (6TH) ELECTION DISTRICT
 HOWARD COUNTY, MARYLAND.

OWNER: T-95 Enterprises
 A Limited Partnership
 c/o Holladay Corporation
 1720 Wisconsin Avenue
 Washington, D. C. 20002
 SHEET 3 OF 6
 DATE: JULY 1983
 FILE NO. B88115
 PLOT NO. B88115




Joseph M. Thompson, P.E.
 PROFESSIONAL ENGINEER
 110 GLEAGLES COURT • BALTIMORE, MARYLAND 21204 • (301) 821-1111

UNITY MAP
SCALE: 1"=600'



GENERAL NOTES

- Approximate location of existing mains are shown. The Contractor shall take all necessary precautions to protect existing mains & services and maintain uninterrupted supply. Any damage incurred shall be repaired immediately to the satisfaction of the Engineer at the Contractor's expense.
- All pipe elevations shown are invert elevations.
- Clear all utilities by a minimum of 6". Clear all poles by 2'0" min. or tunnel as required. Any cost incurred to the Contractor for tunneling or bracing at poles shall be included in unit prices bid for Construction of the main.
- For details not shown on the drawings, use Howard Co. Std. Details.
- For materials & construction methods, use Howard Co. Std. Specifications.
- Contractor shall locate ex. utilities a minimum of 2 weeks in advance of construction operations in the vicinity of proposed utilities at his own expense.
- Contractor shall notify the following utilities at least 5 working days before starting work shown on these plans:
 - Baltimore Gas & Electric Co. - Underground Electric Distribution - Customer Service - 685-0123.
 - Engineering - "Damage Control" - 234-5621
 - Miss Utility - 1-559-0100
 - Chesapeake & Potomac (C&P) Telephone Co. - 725-9976
 - Bureau of Utilities, Howard Co. - 992-2366
- All water mains to be D.I.P. unless otherwise noted.
- Top of all water mains to have a min. of 3.5' cover unless otherwise noted.
- Valves adjacent to tees shall be strapped to tees.
- Block all fittings with concrete.
- Bury line elevations on fire hydrants shall be set to the elevations shown on the drawings. All fire hydrants shall be strapped & buttressed with concrete in accordance with Std. Details. Soil around the F.H. to be compacted in accordance with Section 37.01 and 37.05 of the Std. Specifications.
- The Contractor shall not operate any water main valves on the ex. system.
- All sewer mains shall be C.S.P.X., R.C.S.P., V.C.P.X., A.C.P. Class 2400 or P.V.C. Unless noted.
- The Contractor shall provide a joint in all sewer mains within 2' of exterior manhole wall.
- All manholes shall be 4' inside diameter, unless otherwise noted.
- Water main & water house conn. must be placed so as to have at least 1' separation from the sanitary sewer as they pass above it.
- Water and sewer service to these plots will be granted under the provisions of section 18.22B of the Howard Co. Code.
- All sanitary sewers are 8" diameter.
- All sewer house connections are 6" to within 5' of building.
- All water to be 1-1/2" to within 5' of building.
- All sanitary sewer and water mains are privately owned and maintained except as shown.
- All horizontal controls are based on Maryland State Coordinates.
- All vertical controls are based on U.S.G.S. Datum.
- Place regulation "Men Working" and warning signs as required to comply with Maryland State Highway Administration manual of traffic control for highway construction and maintenance operations.
- The Contractor shall install 4" meter vault as per detail shown in Article 4.00 Special provisiond at 40.10



APPROVED
DIVISION OF LAND DEVELOPMENT &
ZONING ADMINISTRATION
HOWARD COUNTY, MARYLAND
DATE 9-9-83
JJM

NO.	BY	DATE	REVISIONS

APPROVED: FOR PUBLIC WATER AND SEWERAGE SYSTEMS HOWARD CO. HEALTH DEPT.
James J. ... 12-6-83
COUNTY HEALTH OFFICER DATE

APPROVED: HOWARD COUNTY OFFICE OF PLANNING AND ZONING
Thomas L. ... 12-8-83
PLANNING DIRECTOR DATE
John W. ... 12-7-83
CHIEF DIV. OF LAND DEV. & ZONING ADMIN. DATE





APPROVED: FOR PUBLIC WATER, PUBLIC SEWERAGE, STORM DRAINAGE AND ROADS HOWARD CO. DEPT. OF PUBLIC WORKS
Joseph F. ... 12-5-83
DIRECTOR DATE
William ... 12-5-83
CHIEF BUREAU OF ENGINEERING DATE

Johnson, Mirmiran & Thompson, P. A.
ENGINEERS • PLANNERS • SURVEYORS • LANDSCAPE ARCHITECTS
810 GLENEAGLES COURT • BALTIMORE, MARYLAND 21204 • (301) 821-6500

Revision to Approved Site Development Plan #81-177, VP #83-19
Modification to Private Water and Sewer Plans:
WHISKEY BOTTOM SQUARE APARTMENTS
Part of Parcel A E-81-136 Record Plat #5005
GUILFORD (6TH) ELECTION DISTRICT
HOWARD COUNTY, MARYLAND

OWNER:
1-95 Enterprises A Limited Partnership
c/o Holladay Corporation
1720 Wisconsin Avenue
Washington, D.C. 20007


DESIGN	SHEET 4 OF 6
DRAWN: DCS	DATE: JULY 1983
APPROVED: TMM	SCALE: AS SHOWN
	FILE NO: SDP-84-13



SANITARY SEWER PROFILES


SCALE: 1"=10' Vert.
1"=100' Horiz.

Note: All Buildings Are Sewered From Slabs Only (No Basements)




PROFILE "C"
SCALE: 1"=10' Vert.
1"=100' Horiz.

APPROVED
DIVISION OF LAND DEVELOPMENT &
ZONING ADMINISTRATION
HOWARD COUNTY, MARYLAND
DATE **9-9-83**
[Signature]




FIRE HYDRANT SERVICE PROFILE

SCALE: 1"=5' Vert.
1"=50' Horiz.




NORTH LAUREL ROAD SERVICE PROFILE

SCALE: 1"=5' Vert.
1"=50' Horiz.




PROFILE "A"
SCALE: 1"=10' Vert.
1"=100' Horiz.



PROFILE "B"
SCALE: 1"=10' Vert.
1"=100' Horiz.

WATER PROFILES



Revision to Approved Site Development Plan #81-177, VP #83-19

APPROVED: FOR PUBLIC WATER AND SEWERAGE SYSTEMS HOWARD CO. HEALTH DEPT. <i>[Signature]</i> 12-6-83 COUNTY HEALTH OFFICER DATE		APPROVED: HOWARD COUNTY OFFICE OF PLANNING AND ZONING <i>[Signature]</i> 12-8-83 PLANNING DIRECTOR DATE		APPROVED: FOR PUBLIC WATER, PUBLIC SEWERAGE, STORM DRAINAGE AND ROADS HOWARD CO. DEPT. OF PUBLIC WORKS <i>[Signature]</i> 12-5-83 DIRECTOR DATE		Modification to Private Water and Sewer Profiles WHISKEY BOTTOM SQUARE APARTMENTS Part of Parcel A F-81-135 Record Plat #6005 GUILFORD (6TH) ELECTION DISTRICT HOWARD COUNTY, MARYLAND		OWNER: I-95 Enterprises A Limited Partnership c/o Holiday Corporation 1720 Wisconsin Avenue Washington, D.C. 20007 DESIGN: SHEET 5 of 6 DRAFT: TLS DATE: JULY, 1983 APPROVED: M.K. SCALE: As shown FILE NO: 88310	
NO. BY DATE REVISIONS		APPROVED: <i>[Signature]</i> 12-7-83 CHIEF DIV. OF LAND DEV. & ZONING ADMIN. DATE		APPROVED: <i>[Signature]</i> 11-16-83 CHIEF BUREAU OF ENGINEERING DATE		JOHNSON, MIRMIAN & THOMPSON, P. A. ENGINEERS • PLANNERS • SURVEYORS • LANDSCAPE ARCHITECTS 810 GLENEAGLES COURT • BALTIMORE, MARYLAND 21204 • (301) 821 6500		SDP-84-13	

PERMITS - INTENT & PURPOSE

IT IS THE INTENT OF THIS PLAN THAT THE PERIMETER SEDIMENT CONTROL SYSTEMS BE INSTALLED AS A PART OF THE PERMITS AND BE OPERATIONAL DURING THE INITIAL PHASES OF SITE DEVELOPMENT. THESE PERMITS ARE ISSUED AS A CONDITION OF THE PERMIT AND THE INSPECTOR IS IN AGREEMENT, THESE PERMITS SHALL BE REMOVED AND THE AREAS STABILIZED AS PER SECTION 51 OF THE STANDARDS & SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL IN DEVELOPING AREAS.

OWNER'S/DEVELOPER'S CERTIFICATION

I/We hereby certify that all clearing, grading, construction and/or development will be done pursuant to this plan and that any responsible personnel involved in the construction project will have a certificate of attendance at a Department of Natural Resources approved training program for the control of sediment and erosion before beginning the project.

10-28-83
Date

THE HULLADAY CORP.
Richard Hulladay, V.P.
Owner/Developer (name & title)


DATE CERTIFICATION

I hereby certify that this plan has been prepared in accordance with "Standards and Specifications for Soil Erosion and Sediment Control in Developing Areas", and Howard Soil Conservation District requirements.

I further certify that the total amount of excavation and fill as shown on these plans have been computed to be 33,500 cubic yards of excavation and 12,000 cubic yards of fill and the total area to be disturbed as shown on these plans has been determined to be a maximum of 261,360 square feet or 6.02 acres.

8/22/83
Date

Gregory J. Johnson
Professional Engineer
Registration Number 0519



APPROVED
DIVISION OF LAND DEVELOPMENT &
ZONING ADMINISTRATION
HOWARD COUNTY, MARYLAND
DATE 9-9-83
[Signature]

- LEGEND**
- [Symbol] STRAWBALE DIKE (SBD-1)
 - [Symbol] DIVERSION DIKE (DD-1)
 - [Symbol] STONE OUTLET STRUCTURE (SOS-1) W/ STRAWBALE COVE
 - [Symbol] SEDIMENT TRAP
 - [Symbol] EXISTING DRAINAGE DIVIDE
 - [Symbol] STABILIZED CONSTRUCTION ENTRANCE (SCE-1)
 - [Symbol] ULTIMATE DRAINAGE DIVIDE
 - [Symbol] EXISTING TREE TO BE SAVED (SEE LANDSCAPE PLAN FOR TYPE)

- CONSTRUCTION SEQUENCE**
- PHASE I**
1. CLEARING FOR SEDIMENT CONTROLS ONLY.
 2. INSTALLATION OF DIKES, FILTERS, CONSTRUCTION ENTRANCE THROUGHOUT AND STRAWBALES FOR POND ONLY.
 3. ROUGH GRADING.
 4. INSTALLATION OF STORM DRAINAGE.
 5. INSTALLATION OF INLET TRAPS.
 6. STABILIZE SITE.
- PHASE II**
7. CONSTRUCT STABILIZED CONSTRUCTION ENTRANCE - PHASE II.
 8. PAVE ENTRANCE AND PARKING LOT FOR BLDGS. 1 & 2.
 9. INSTALL STRAWBALE DIKE - PHASE II SBD.
 10. INSTALLATION OF UTILITIES.
 11. BUILDING & SITE CONSTRUCTION.
 12. REMOVAL OF INLET TRAPS.
 13. REMOVAL OF DIKES & FILTERS AFTER STABILIZATION. (WITH APPROVAL OF HOWARD CO. INSPECTOR)

SEDIMENT TRAP SCHEDULE

TRAP NUMBER	1	2	3	4	5	6	7	8	9	10	11
BOTTOM ELEV	522	521	49.9	479	470	423	463	467	435	435	437
DRAINAGE AREA	0.77	0.43	0.37	0.39	0.59	0.46	0.12	0.4	0.4	0.48	0.05
STORAGE REQ'D	1390	770	670	700	1060	810	220	250	250	140	90
STORAGE PROVIDED	1390	770	670	700	1060	810	220	250	250	140	90
910 CFS	5.27	2.47	2.21	2.20	4.01	3.32	0.77	0.77	0.77	0.51	0.26

SITE PLAN
Scale: 1" = 30'-0"



REVIEWED FOR HOWARD SOIL CONSERVATION DISTRICT AND MEETS TECHNICAL REQUIREMENT.

[Signature] 11-1-83
DATE

U.S. SOIL CONSERVATION SERVICE
THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT.

APPROVED:
[Signature] 10-28-83
DATE

APPROVED FOR PUBLIC WATER & SEWERAGE SYSTEMS, HOWARD CO. HEALTH DEPT.
[Signature] 12-8-83
DATE

APPROVED FOR PUBLIC WATER, P.P. AND STORM DRAINAGE AND ZONING.
[Signature] 12-7-83
DATE

APPROVED FOR PUBLIC WATER, P.P. AND STORM DRAINAGE AND ZONING.
[Signature] 12-15-83
DATE

Johnson, Mirmiran & Thompson, P. A.
ENGINEERS • PLANNERS • SURVEYORS • LANDSCAPE ARCHITECTS
4110 GREENGLADES DRIVE • BALTIMORE, MARYLAND 21204 • (301) 821-8500

**Modification to Sediment Control Plan
WHISKEY BOTTOM SQUARE APARTMENTS**

OWNER
TMM 6 6
TMM 80318
SDP-84-13

Revision to Approved Site Development Plan #81-177, VP #83-19