


**SEWER HOUSE CONNECTIONS**

LOT No.	MIN. BSM'T. ELEV.	INV. AT P.L.
113	251.81	247.61
114	251.52	247.82
115	251.24	247.64
116	250.58	247.28
124	253.98	250.28
125	253.89	250.09
126	257.09	252.91
127	254.47	252.47
128	254.47	250.58
129	254.72	250.28
130	258.00	254.20
131	254.48	250.38
132	254.86	250.73
133	255.17	251.08
134	265.85	261.65
135	266.03	262.06
136	270.19	266.43
137	269.43	265.43
138	268.61	264.60
139	267.85	263.91
140	263.89	259.39
141	267.13	263.43
142	268.25	264.35
143	269.05	265.00
144	273.30	270.18
145	273.20	270.12
146	267.11	262.61
147	267.10	262.40
148	268.04	263.04
149	268.03	262.00
150	264.83	260.63
151	263.95	259.75
152	262.96	258.76
153	262.23	258.03
154	261.24	257.04
155	260.52	256.32
156	259.94	255.74
157	258.29	254.19
158	259.49	255.39
159	261.37	256.27
160	261.22	257.12
161	262.10	258.00
162	262.96	258.86
163	263.82	259.72

PROPERTY OF SECURITY DEVELOPMENT CORP.  
NOTTINGHAM VILLAGE 1427/284  
ZONED: R-MH

50' R/W BALTIMORE GAS & ELECTRIC  
297/476

**VICINITY MAP**  
SCALE: 1" = 2000'



**BENCH MARKS**  
HO. CO. BM# 2444005 EL. 271.249  
CONC. MON. 0.1' BELOW SURFACE  
N 495588.271 E 863126.170  
HO. CO. BM# 2445001 EL. 245.095  
CONC. MON. 0.1' BELOW SURFACE  
N 494663.186 E 864478.479

**MINIMUM LOT SIZE CHART**


LOT No.	GROSS AREA	FLOODPLAIN/STEEP SLOPE	NET AREA	PIPESTEM	MINIMUM LOT SIZE
115	5,199 sf	0	5,199 sf	1,195 sf	4,004 sf
140	8,531 sf	0	8,531 sf	2,972 sf	5,559 sf
147	4,821 sf	0	4,821 sf	500 sf	4,321 sf

**ADDRESS CHART**

LOT No.	STREET ADDRESS
113	7704 TOUCHSTONE WAY
114	7706 TOUCHSTONE WAY
115	7712 TOUCHSTONE WAY
116	7716 TOUCHSTONE WAY
124	7501 MERRYMAKER WAY
125	7505 MERRYMAKER WAY
126	7502 MERRYMAKER WAY
127	7508 MERRYMAKER WAY
128	7504 MERRYMAKER WAY
129	7500 MERRYMAKER WAY
130	7510 MERRYMAKER WAY
131	7526 MERRYMAKER WAY
132	7506 MERRYMAKER WAY
133	7550 MERRYMAKER WAY
134	6200 WOODLAND FOREST DRIVE
135	6206 WOODLAND FOREST DRIVE
136	6202 WOODLAND FOREST DRIVE
137	6218 WOODLAND FOREST DRIVE
138	6212 WOODLAND FOREST DRIVE
139	6208 WOODLAND FOREST DRIVE
140	6204 WOODLAND FOREST DRIVE
141	6200 WOODLAND FOREST DRIVE
142	6207 WOODLAND FOREST DRIVE
143	6211 WOODLAND FOREST DRIVE
144	6215 WOODLAND FOREST DRIVE
145	6219 WOODLAND FOREST DRIVE
146	6223 WOODLAND FOREST DRIVE
147	6227 WOODLAND FOREST DRIVE
148	7520 MERRYMAKER WAY
149	7526 MERRYMAKER WAY
150	7522 MERRYMAKER WAY
151	6201 WOODLAND FOREST DRIVE
152	6205 WOODLAND FOREST DRIVE
153	6209 WOODLAND FOREST DRIVE
154	6213 WOODLAND FOREST DRIVE
155	6217 WOODLAND FOREST DRIVE
156	6221 WOODLAND FOREST DRIVE
157	6225 WOODLAND FOREST DRIVE
158	6229 WOODLAND FOREST DRIVE
159	6216 WOODLAND FOREST DRIVE
160	6212 WOODLAND FOREST DRIVE
161	6208 WOODLAND FOREST DRIVE
162	6204 WOODLAND FOREST DRIVE
163	6200 WOODLAND FOREST DRIVE

- GENERAL NOTES**
- Subject property is zoned R-MH as per 8-2-85 Comprehensive Zoning Plan.
  - The coordinates shown hereon are based upon the Maryland State Grid System, Origin of coordinates: Howard County Geodetic Control Point 2444005 and 2445001.
  - All roadways are public and existing.
  - Total area included in this submission: 4.66 Acres.
  - Total number of lots: 44.
  - Any damage to county owned rights-of-way shall be corrected at the developer's expense.
  - Min. Lot Coverage shall be 40% (see typical houses for min. lot size).
  - Reference plans F-87-156, SDP-88-255, F-92-35, WP-92-110, F-92-35.
  - The contractor shall notify the Department of Public Works/Bureau of Construction Inspection at (410) 792-7272 at least five (5) working days prior to the start of work.
  - The contractor shall notify "Miss Utility" at 1-800-257-7777 at least 48 hours prior to any excavation work.
  - The existing topography shown was aerial surveyed by Mapping Assoc., dated April 1986.
  - SIC & HIC will be abandoned where necessary by Developer.
  - The wetlands and stream buffer indicated on this plan does not affect the initial construction of a residential unit on any lot. It does prohibit subsequent clearing, grading or construction in the buffer area. Maintenance of residences, landscaping and utilities is permitted.
  - Water Pollution WP-92-110 was approved on Feb. 13, 1992 pertaining to Sections 10.119 and 10.120 to waive the requirement of "Sketch & Preliminary Plan for Section 2 and 3 of Nottingham Village."
  - Only Manufactured dwelling units are permitted in this Mob Home Subdivision per section 10.4.3.3 of the Zoning Code.
  - For driveway obutting details, see Howard County Details R-6.02, R-6.03 and R-6.05.
  - Stormwater Management for this section is provided in section 1 by extended detention.

- SHEET INDEX**
- 1 SITE DEVELOPMENT PLAN
  - 2 SITE DEVELOPMENT PLAN
  - 3 SEDIMENT & EROSION CONTROL PLAN
  - 4 SEDIMENT & EROSION CONTROL PLAN
  - 5 SEDIMENT & EROSION CONTROL NOTES & DETAILS



**APPROVED:** HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS FOR PUBLIC WATER & SEWERAGE, STORM DRAINAGE SYSTEMS AND ROADS  
Director: [Signature] 1/19/93  
Chief, Bureau of Engineering: [Signature] 1-19-93



**PLAN APPROVAL**  
OWNER: SECURITY DEVELOPMENT CORP.  
DEVELOPER: CORNERSTONE HOMES, INC.  
ENGINEER: MILDENBERG, MOCHI & ASSOCIATES, INC.

**APPROVED:** HOWARD COUNTY HEALTH DEPARTMENT FOR PUBLIC WATER & SEWERAGE SYSTEMS  
Director: [Signature] 1/21/93

**APPROVED:** HOWARD COUNTY DEPARTMENT OF PLANNING & ZONING  
Director: [Signature] 1/29/93  
Chief, Division of Community Planning and Land Development: [Signature] 1/20/93

**NOTTINGHAM VILLAGE - SECTION 2**  
LOTS 113-116, 124-163

SECT./AREA	LOTS	PREVIOUS FILE
2	113-116, 124-163	SDP-88-255, WP 92-110 F-87-156, F-92-35

PLAT No.	BLOCK No.	ZONE	TAX MAP	ELEC. DIST.	CENSUS
10701-10704	15 & 16	R-MH	37	1 st	6011.01

WATER CODE: 2153000 SEWER CODE: D06


**MILDENBERG, MOCHI & ASSOCIATES, INC.**  
ENGINEERS • ARCHITECTS • PLANNERS  
3300 North Ridge Road, Suite 235, Ellicott City, Maryland 21043-3350  
(410) 461-0078 • D.C. Metro: (301) 621-5768 • Fax: (410) 750-6340

PROJECT: NOTTINGHAM VILLAGE - SECTION 2  
DATE: 1/19/93  
REVISIONS: 1. REVISED PER HO. CO. COMMENTS 1/19/93  
2. REVISIONS 1/19/93

DATE: SEPT. '92  
ENGINEERING: CAM  
ILLUSTRATION: CAM  
SCALE: 1" = 30'  
APPROVAL: RMM

LOTS 113 - 116 & 124 - 163  
**NOTTINGHAM VILLAGE - SECTION 2**  
ELECTION DISTRICT No. 1  
HOWARD COUNTY, MARYLAND  
SITE DEVELOPMENT PLAN  
1 OF 5

MATCH LINE SEE SHEET 1 OF 5



**LOT COVERAGE CHART**

LOT #	LOT COVERAGE (S.F.)	MAX. LOT COVERAGE (AOS)	LOT #	LOT COVERAGE (S.F.)	MAX. LOT COVERAGE (AOS)	LOT #	LOT COVERAGE (S.F.)	MAX. LOT COVERAGE (AOS)	LOT #	LOT COVERAGE (S.F.)	MAX. LOT COVERAGE (AOS)
113	1030.02	2500.05	131	1030.02	2500.05	142	215.02	2030.05	153	1105.10	2212.75
114	1105.10	2212.75	132	1030.02	2500.05	143	1030.02	2500.05	154	1105.10	2212.75
115	1030.02	2500.05	133	1030.02	2500.05	144	1146.00	2865.00	155	1105.10	2212.75
116	215.02	2030.05	134	1105.10	2212.75	145	1030.02	2500.05	156	1105.10	2212.75
124	1105.10	2212.75	135	215.02	2030.05	146	1146.00	2865.00	157	1105.10	2212.75
125	241.10	2392.75	136	1030.02	2500.05	147	241.10	2392.75	158	1105.10	2212.75
126	1105.10	2212.75	137	1146.00	2865.00	148	241.10	2392.75	159	1105.10	2212.75
127	1105.10	2212.75	138	1030.02	2500.05	149	241.10	2392.75	160	1105.10	2212.75
128	1030.02	2500.05	139	1030.02	2500.05	150	1105.10	2212.75	161	1105.10	2212.75
129	241.10	2392.75	140	241.10	2392.75	151	1105.10	2212.75	162	1105.10	2212.75
130	1030.02	2500.05	141	215.02	2030.05	152	1105.10	2212.75	163	1105.10	2212.75

**LEGEND**

CONTOUR INTERVAL 2 FT


EXISTING CONTOUR

PROPOSED CONTOUR

SPOT ELEVATION

DIRECTION OF DRAINAGE



WALKOUT BASEMENT



2 FLOORS - APPROXIMATELY 1,100<sup>sq</sup>/FLOOR

1146 = 2865<sup>sq</sup> MIN. LOT SIZE WITH OPTIONS

NOTE: WHERE THERE IS SIDEWALK TREES SHALL BE PLANTED 2' FROM SIDEWALK, WHERE THERE IS NO SIDEWALK, TREES SHALL BE PLANTED 6' BEHIND CURB.



**HOUSE PLANS & ELEVATIONS**

SCALE: 1" = 20'

APPROVED: HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS FOR PUBLIC WATER & SEWERAGE, STORM DRAINAGE SYSTEMS AND ROADS

*James J. ...* 11/19/93 DATE

*Debra ...* 1-19-93 DATE

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING & ZONING

*Joseph ...* 1/29/93 DATE

*James ...* 1/20/93 DATE

APPROVED: HOWARD COUNTY HEALTH DEPARTMENT FOR PUBLIC WATER & SEWERAGE SYSTEMS

*James ...* 1/21/93 DATE

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING & ZONING

*James ...* 1/20/93 DATE

PLAN APPROVAL

WOODLAND FOREST DRIVE, MERRYMAKER WAY & TOUCHSTONE WAY

NOT TO SCALE

NOTES:

- PROVIDE 5" PIN OAK TREES AS SHOWN, OR EQUAL.
- THE BUILDER WILL BE RESPONSIBLE FOR PLANTINGS.
- THE APPROPRIATE TREE FOR EACH LOT SHALL BE PLANTED DURING THE APPROPRIATE MONTHS.

OWNER: SECURITY DEVELOPMENT CORP. P.O. BOX 417 ELLICOTT CITY, MARYLAND 21043 (410)-425-6105

DEVELOPER: CORNERSTONE HOMES, INC. 1826 BOLTON STREET BALTIMORE, MARYLAND 21217 (410)-570-0157

ENGINEER: MILDENBERG, MOCHI & ASSOCIATES INC. 3300 N. RIDGE ROAD, SUITE 235 ELLICOTT CITY, MARYLAND 21043 (410)-461-0078

**NOTTINGHAM VILLAGE - SECTION 2**

LOTS 113-116, 124-163

SECT./AREA	LOTS	PREVIOUS FILE			
2	113-116, 124-163	SDP-88-255, WP 92-110 P-87-156, P-92-35			
PLAT No.	BLOCK No.	ZONE	TAX MAP	ELEC. DIST.	CENSUS
10701-10704	15 & 16	R-MH	37	1 st	2011.01
WATER CODE			SEWER CODE		
2153000			D06		

PROJECT: 92018-00 SEPT. '92  
 ILLUSTRATION: CAM  
 SCALE: 1" = 30'  
 DATE: 11/16/92  
 REVISION: PER HQ CO. COMMENTS 1/16/92  
 1ST SUBMITTAL TO HQ CO. 10/6/92

REVISIONS

NOTTINGHAM VILLAGE - SECTION 2  
 ELECTION DISTRICT No. 1  
 HOWARD COUNTY, MARYLAND  
 SITE DEVELOPMENT PLAN

LOTS 113 - 116 & 124 - 163


MILDENBERG, MOCHI & ASSOCIATES, INC.  
 ENGINEERS - SURVEYORS - PLANNERS  
 3300 North Ridge Road, Suite 235, Ellicott City, Maryland 21043-3350  
 (410) 461-0078 D.C. Metro: (301) 621-5188 Fax: (410) 750-6340

2 OF 5

SDP-93-31

**LEGEND**


- CONTOUR INTERVAL 2 FT.
- EXISTING CONTOUR
- PROPOSED CONTOUR
- SPOT ELEVATION
- DIRECTION OF DRAINAGE
- WALKOUT BASEMENT
- SILT FENCE
- STABILIZED CONSTRUCTION ENTRANCE
- EXISTING EARTH DIKE
- SDP-88-255
- EXISTING SILT FENCE
- SDP-88-255



PROPERTY OF  
SECURITY DEVELOPMENT CORP.  
NOTTINGHAM VILLAGE 1427/284  
ZONED: R-MH

50' R/W  
BALTIMORE GAS & ELECTRIC  
297/476

EX. SEDIMENT TRAP NO. 5  
DRAINAGE AREA 1.65 AC.  
VOLUME REQUIRED 6970 CU. FT.  
VOLUME PROVIDED 3000 CU. FT.  
BOTTOM ELEVATION 205.0  
TOP ELEVATION 209.0  
CREST ELEVATION 209.0  
CLEANOUT ELEVATION 209.0  
BOTTOM DIMENSION 24' X 40'



**VICINITY MAP**  
SCALE: 1" = 200'



**BENCH MARKS**  
HO. CO. BM# 2444005 EL. 271.249  
CONC. MON. 0.5' BELOW SURFACE  
N 495588.271 E 863126.170  
HO. CO. BM# 2445001 EL. 245.095  
CONC. MON. 0.1' BELOW SURFACE  
N 494663.185 E 864478.479

**NOTE:** STORMWATER MANAGEMENT FOR THIS SITE IS PROVIDED UNDER NOTTINGHAM VILLAGE SECTION I SDP-88-234.

VACANT LOTS 164 - 170  
NOT PART OF THIS SDP

**DEVELOPER'S CERTIFICATE**  
I/We certify that all development and construction will be done in accordance with this plan of development and plan for erosion and sediment control and that all responsible personnel involved in the construction of this project will have a certificate of attendance at a Department of the Environment approved training program for the control of sediment and erosion before beginning the project. I also authorize periodic onsite inspection by the Howard County Soil Conservation District or their authorized agents, as are deemed necessary.  
*D. Boy* 10/6/92  
Signature of Developer Date

**ENGINEER'S CERTIFICATE**  
I hereby certify that this plan for erosion and sediment control represents a practical and feasible plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard County Soil Conservation District.  
*[Signature]* 10/6/92  
Professional Engineer Date

**APPROVED:** REVIEWED FOR HOWARD COUNTY SOIL CONSERVATION DISTRICT AND MEETS TECHNICAL REQUIREMENTS.  
*[Signature]* 1/4/93  
U. S. SOIL CONSERVATION SERVICE DATE

**APPROVED:** THIS DEVELOPMENT IS APPROVED FOR EROSION AND SEDIMENT CONTROL BY THE HOWARD COUNTY SOIL CONSERVATION DISTRICT.  
*[Signature]* 1/1/93  
HOWARD SOIL CONSERVATION DISTRICT DATE

**APPROVED:** HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS FOR PUBLIC WATER & SEWERAGE, STORM DRAINAGE SYSTEMS AND ROADS  
*[Signature]* 1/19/93  
DIRECTOR DATE  
*[Signature]* 1-19-93  
CHIEF, BUREAU OF ENGINEERING DATE



**PLAN APPROVAL**

**EX. SEDIMENT TRAP NO. 4**  
DRAINAGE AREA 0.955 AC.  
VOLUME REQUIRED 12,510 CU. FT.  
VOLUME PROVIDED 12,750 CU. FT.  
BOTTOM ELEVATION 241.0  
TOP ELEVATION 251.0  
CREST ELEVATION 248.5  
CLEANOUT ELEVATION 248.5  
BOTTOM DIMENSION IRREGULAR

**APPROVED:** HOWARD COUNTY HEALTH DEPARTMENT FOR PUBLIC WATER & SEWERAGE SYSTEMS  
*[Signature]* 1/21/93  
COUNTY HEALTH OFFICER DATE

**APPROVED:** HOWARD COUNTY DEPARTMENT OF PLANNING & ZONING  
*[Signature]* 1/29/93  
DIRECTOR DATE  
*[Signature]* 1/29/93  
CHIEF, DIVISION OF COMMUNITY PLANNING AND LAND DEVELOPMENT DATE

**OWNER:** SECURITY DEVELOPMENT CORP.  
P.O. BOX 417  
ELICOTT CITY, MARYLAND 21043  
(410) 465-6195

**DEVELOPER:** CORNERSTONE HOMES, INC.  
1826 BOLTON STREET  
BALTIMORE, MARYLAND 21217  
(410) 371-0157

**ENGINEER:** MILDENBERG, MOCHI & ASSOCIATES, INC.  
3300 N. RIDGE ROAD, SUITE 235  
ELICOTT CITY, MARYLAND 21043  
(410) 461-0078

**NOTTINGHAM VILLAGE - SECTION 2**  
LOTS 113-116, 124-163


SECT./AREA	LOTS	PREVIOUS FILE	TAX MAP	ELEC. DIST.	CENSUS
2	113-116, 124-163	SDP-88-255, WP 92-110 P-87-156, P-92-35	37	1 st	COLL.01
PLAT No.	BLOCK No.	ZONE	TAX MAP	ELEC. DIST.	CENSUS
10701-10704	15 & 16	R-MH	37	1 st	COLL.01
WATER CODE			SEWER CODE		
2153000			D06		

Project	date	SEPT. '92	approval	RAM
Engineering	illustration	CAM	approval	RAM
CAM	CAM	scale	1" = 30'	

1. PREPARED PER SDP COMMENTS DATED 10/29/92  
2. SUBSTITUTION OF DESIGNATION REVISIONS

**NOTTINGHAM VILLAGE - SECTION 2**  
ELECTION DISTRICT No. 1  
HOWARD COUNTY, MARYLAND  
SEDMIMENT & EROSION CONTROL PLAN

MILDENBERG, MOCHI & ASSOCIATES, INC.  
3300 North Ridge Road, Suite 235, Elicott City, Maryland 21043-1350  
(410) 461-0078 D.C. Metro: (301) 621-5768 Fax: (410) 750-6340



**EX. SEDIMENT TRAP NO. 1**


DRAINAGE AREA	1.37 AC.
VOLUME REQUIRED	2466 CU.FT.
VOLUME PROVIDED	2792 CU.FT.
BOTTOM ELEVATION	244.0
TOP ELEVATION	248.0
CREST ELEVATION	247.0
CLEANOUT ELEVATION	249.0
BOTTOM DIMENSION	64' x 16'

**EX. SEDIMENT TRAP NO. 2**

DRAINAGE AREA	1.15 AC.
VOLUME REQUIRED	2070 CU.FT.
VOLUME PROVIDED	2000 CU.FT.
BOTTOM ELEVATION	150.0
TOP ELEVATION	154.0
CREST ELEVATION	153.0
CLEANOUT ELEVATION	151.0
BOTTOM DIMENSION	60' x 12'

**LEGEND**

- CONTOUR INTERVAL 2 FT.
- EXISTING CONTOUR
- PROPOSED CONTOUR
- SPOT ELEVATION
- DIRECTION OF DRAINAGE
- WALKOUT BASEMENT
- SILT FENCE
- STABILIZED CONSTRUCTION ENTRANCE
- EXISTING BATH LAKE
- EXISTING SILT FENCE



**DEVELOPER'S CERTIFICATE**  
 I/We certify that all development and construction will be done in accordance with this plan of development and plan for erosion and sediment control and that all responsible personnel involved in the construction of this project will have a certificate of attendance at a Department of the Environment approved training program for the control of sediment and erosion before beginning the project. I also authorize periodic onsite inspection by the Howard County Soil Conservation District or their authorized agents, as are deemed necessary.

*B. D. Boy* 10/6/92  
 Signature of Developer Date

**ENGINEER'S CERTIFICATE**  
 I hereby certify that this plan for erosion and sediment control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard County Soil Conservation District.

*J. M. Halton* 10/5/92  
 Signature of Engineer Date

APPROVED: REVIEWED FOR HOWARD COUNTY SOIL CONSERVATION DISTRICT AND MEETS TECHNICAL REQUIREMENTS.

*James M. Halton* 11/1/93  
 U.S. SOIL CONSERVATION SERVICE DATE

APPROVED: THIS DEVELOPMENT IS APPROVED FOR EROSION AND SEDIMENT CONTROL BY THE HOWARD COUNTY SOIL CONSERVATION DISTRICT.

*John R. Robertson* 11/1/93  
 HOWARD COUNTY SOIL CONSERVATION DISTRICT DATE

APPROVED: HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS FOR PUBLIC WATER & SEWERAGE, STORM DRAINAGE SYSTEMS AND ROADS

*James M. Halton* 11/8/93  
 DIRECTOR DATE

*William S. Ralston* 1-19-93  
 CHIEF, BUREAU OF ENGINEERING DATE

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING & ZONING

*James M. Halton* 1/29/93  
 DIRECTOR DATE

*Blumwald Halton* 1/28/93  
 CHIEF, DIVISION OF COMMUNITY PLANNING AND LAND DEVELOPMENT DATE

APPROVED: HOWARD COUNTY HEALTH DEPARTMENT FOR PUBLIC WATER & SEWERAGE SYSTEMS

*James M. Halton per J. R. Halton* 1/21/93  
 COUNTY HEALTH OFFICER DATE

**PLAN APPROVAL**

**OWNER**  
 SECURITY DEVELOPMENT CORP.  
 P.O. BOX 417  
 ELLICOTT CITY, MARYLAND 21043

**DEVELOPER**  
 CORNERSTONE HOMES, INC.  
 1826 BOLTON STREET  
 BALTIMORE, MARYLAND 21217

**ENGINEER**  
 MILDENBERG, MOCHI & ASSOCIATES INC.  
 3300 N. RIDGE ROAD, SUITE 235  
 ELLICOTT CITY, MARYLAND 21043

**NOTTINGHAM VILLAGE - SECTION 2**  
 LOTS 113-116, 124-163

SECT./AREA	2	LOTS	113-116, 124-163	PREVIOUS FILE	SDP-88-255, WP 92-110 F-87-156, F-92-35						
PLAT No.	10701-10704	BLOCK No.	15 & 16	ZONE	R-MH	TAX MAP	37	ELEC. DIST.	1 st	CENSUS	6011.01
WATER CODE		2153000		SEWER CODE		D06					

Project	92018-00	date	11/9/92
SBPT	'92	SBPT	10/6/92
Illustration	Engineering	Illustration	10/6/92
CAM	CAM	CAM	10/6/92
Scale	1" = 30'	Scale	1" = 30'
Approval	Approval	Approval	Approval
Revisions		Revisions	

NOTTINGHAM VILLAGE - SECTION 2  
 ELECTION DISTRICT No. 1  
 HOWARD COUNTY, MARYLAND

LOTS 113 - 116 & 124 - 163  
**NOTTINGHAM VILLAGE - SECTION 2**  
 ELECTION DISTRICT No. 1  
 HOWARD COUNTY, MARYLAND  
 SEDIMENT & EROSION CONTROL PLAN

**MILDENBERG, MOCHI & ASSOCIATES, INC.**  
 ENGINEERS - ARCHITECTS - PLANNERS  
 3300 North Ridge Road, Suite 235, Ellicott City, Maryland 21043-3350  
 (410) 461-0078 D.C. Metro: (301) 621-5768 Fax: (410) 750-6340

