




SECTIONS THRU INFILTRATION BASIN

- OPERATION AND MAINTENANCE SCHEDULE FOR INFILTRATION FACILITY**
- TOP AND SIDE SLOPES OF THE EMBANKMENT SHALL BE MOWED A MINIMUM OF TWO (2) TIMES A YEAR, ONCE IN JUNE AND ONCE IN SEPTEMBER. OTHER SIDE SLOPES, AND MAINTENANCE ACCESS SHOULD BE MOWED AS NEEDED. DEBRIS AND LITTER SHALL BE REMOVED DURING REGULAR MOWING OPERATIONS AND AS NEEDED.
 - WHEN DEEMED NECESSARY FOR AESTHETIC REASONS, SEDIMENT SHOULD BE REMOVED FROM THE POND.
 - BOTTOM OF INFILTRATION POND TO BE ROTO-TILLED TO A DEPTH OF 12 INCHES ONCE PER IN THE SPRING.
- SEQUENCE OF CONSTRUCTION**
- 2 DAYS 1. OBTAIN GRADING PERMIT.
 - 1 DAY 2. INSTALL TREE PROTECTION FENCE.
 - 3 DAYS 3. INSTALL SEDIMENT AND EROSION CONTROL AS SHOWN ON PLAN.
 - 3 DAYS 4. CLEAR AND GRUB SITE.
 - 3 DAYS 5. ROUGH GRADE SITE.
 - 2 DAYS 6. RELOCATE EXISTING WATER LINE. CONSTRUCTION STORMWATER MANAGEMENT BASINS AND STABILIZED WITH TEMPORARY SEEDING.
 - 1 DAY 7. INSTALL CURB AND GUTTER.
 - 1 DAY 8. INSTALL LIGHTING POLE FOUNDATION AND CONDUIT.
 - 1 DAY 9. INSTALL BASE COURSE PAVING.
 - 1 DAY 10. FINE GRADE SITE AND INSTALL PERMANENT SEEDING.
 - 2 DAYS 11. FINE GRADE STORMWATER MANAGEMENT BASIN TO PROPOSED GRADE AND PERMANENTLY SEED.
 - 1 DAY 12. INSTALL LANDSCAPE MATERIAL.
 - 1 DAY 13. INSTALL TACK COAT AND FINISH COURSE PAVING.
 - 1 DAY 14. REMOVE SEDIMENT CONTROL DEVICES AS PERMISSION IS GRANTED BY E/S INSPECTOR.



OWNER/DEVELOPER
HOWARD COUNTY BOARD OF EDUCATION
10910 ROUTE 100
ELLCOTT CITY, MARYLAND 21045

FISHER, COLLINS & CARTER, INC.
CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
977 BALTIMORE NATIONAL PK. SUITE 100
ELLCOTT CITY, MARYLAND 21042
(410) 481-2855

ENGINEER'S CERTIFICATE
I HEREBY CERTIFY THAT THIS PLAN FOR EROSION AND SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED ON MY PERSONAL KNOWLEDGE OF THE SITE CONDITIONS AND THAT IT WAS PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE HOWARD SOIL CONSERVATION DISTRICT.

Chelce
SIGNATURE OF ENGINEER

7/28/95
DATE

DEVELOPER'S CERTIFICATE
I/WE CERTIFY THAT ALL DEVELOPMENT AND CONSTRUCTION WILL BE DONE ACCORDING TO THIS PLAN OF DEVELOPMENT AND PLAN FOR EROSION AND SEDIMENT CONTROL, AND THAT ALL RESPONSIBLE PERSONNEL INVOLVED IN THE CONSTRUCTION PROJECT WILL HAVE A CERTIFICATE OF ATTENDANCE AT A DEPARTMENT OF THE ENVIRONMENT APPROVED TRAINING PROGRAM FOR THE CONTROL OF SEDIMENT AND EROSION BEFORE BEGINNING THE PROJECT. I ALSO AUTHORIZE PERIODIC ON-SITE INSPECTION BY THE HOWARD SOIL CONSERVATION DISTRICT OR THEIR AUTHORIZED AGENTS, AS ARE DEEMED NECESSARY.

Richard Blood
SIGNATURE OF DEVELOPER

7/28/95
DATE

REVIEWED FOR HOWARD SOIL CONSERVATION DISTRICT AND MEETS TECHNICAL REQUIREMENTS

Richard Blood
DATE 8/2/95

DATE 8/2/95

DISTRICT HOWARD SOIL CONSERVATION DISTRICT

APPROVED: DEPT. OF PLANNING AND ZONING

Richard Blood
DATE 8/1/95

James S. Smith
DATE 8/7/95

PROPERTY/SUBDIVISION MT. HEBRON HIGH SCHOOL		SECTION/AREA 240	PARCEL/LOT NO. 471
PLAT NO./LF. 400/222 MAY 13, 1974	BLOCK NO. 17	TAX/ZONE 17	ELEC. DIST. 240
WATER CODE H 03	SEWER CODE 1406900	CENSUS TR. 6021	

INFILTRATION BASIN DETAILS

MT. HEBRON HIGH SCHOOL

TAX MAP 17
SECOND ELECTION DIST.
SCALE: 1" = 50'

ZONED R-20

PARCEL 471
HOWARD COUNTY, MARYLAND
DATE: JULY 17, 1995

SHEET 2 OF 4

SEDIMENT CONTROL NOTES

- A MINIMUM OF 24 HOURS NOTICE MUST BE GIVEN TO THE HOWARD COUNTY OFFICE OF INSPECTIONS AND PERMITS PRIOR TO THE START OF ANY CONSTRUCTION (992-2437).
- ALL VEGETATIVE AND STRUCTURAL PRACTICES ARE TO BE INSTALLED ACCORDING TO THE PROVISIONS OF THIS PLAN AND ARE TO BE IN CONFORMANCE WITH THE 1983 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL.
- FOLLOWING INITIAL SOIL DISTURBANCE OR REDISTURBANCE, PERMANENT OR TEMPORARY STABILIZATION SHALL BE COMPLETED WITHIN: a) 7 CALENDAR DAYS FOR ALL PERIMETER SEDIMENT CONTROL STRUCTURES, DIKES, PERIMETER SLOPES AND ALL GREATER THAN 3:1. b) 14 DAYS AS TO ALL OTHER DISTURBED OR GRADED AREAS ON THE PROJECT SITE.
- ALL SEDIMENT TRAPS/BASINS SHOWN MUST BE FENCED AND WARNING SIGNS POSTED AROUND THEIR PERIMETER IN ACCORDANCE WITH VOL. 1, CHAPTER 12, OF THE HOWARD COUNTY DESIGN MANUAL, STORM DRAINAGE.
- ALL DISTURBED AREAS MUST BE STABILIZED WITHIN THE TIME PERIOD SPECIFIED ABOVE IN ACCORDANCE WITH THE 1983 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL FOR PERMANENT SEEDINGS (SEC. 51) SOD (SEC. 54), TEMPORARY SEEDING (SEC. 50) AND MULCHING (SEC. 52). TEMPORARY STABILIZATION WITH MULCH ALONE CAN ONLY BE DONE WHEN RECOMMENDED SEEDING DATES DO NOT ALLOW FOR PROPER GERMINATION AND ESTABLISHMENT OF GRASSES.
- ALL SEDIMENT CONTROL STRUCTURES ARE TO REMAIN IN PLACE AND ARE TO BE MAINTAINED IN OPERATIVE CONDITION UNTIL PERMISSION FOR THEIR REMOVAL HAS BEEN OBTAINED FROM THE HOWARD COUNTY SEDIMENT CONTROL INSPECTOR.
- SITE ANALYSIS:

TOTAL AREA OF SITE	40.05 ACRES
AREA DISTURBED	2.50 ACRES
AREA TO BE ROOFED OR PAVED	2.01 ACRES
AREA TO BE VEGETATIVELY STABILIZED	0.01 ACRES
TOTAL CUT	1000 CU. YDS.
TOTAL FILL	1000 CU. YDS.
- ANY SEDIMENT CONTROL PRACTICE WHICH IS DISTURBED BY GRADING ACTIVITY FOR PLACEMENT OF UTILITIES MUST BE REPAIRED ON THE SAME DAY OF DISTURBANCE.
- ADDITIONAL SEDIMENT CONTROLS MUST BE PROVIDED, IF DEEMED NECESSARY BY THE HOWARD COUNTY DPM SEDIMENT CONTROL INSPECTOR, ON ALL SITES WITH DISTURBED AREAS IN EXCESS OF 2 ACRES.
- APPROVAL OF THE INSPECTION AGENCY SHALL BE REQUESTED UPON COMPLETION OF INSTALLATION OF PERIMETER EROSION AND SEDIMENT CONTROLS, BUT BEFORE PROCEEDING WITH ANY OTHER EARTH DISTURBANCE OR GRADING. OTHER BUILDING OR GRADING INSPECTION APPROVALS MAY NOT BE AUTHORIZED UNTIL THIS INITIAL APPROVAL BY THE INSPECTION AGENCY IS MADE.

PERMANENT SEEDING NOTES:
 APPLY TO GRADED OR CLEARED AREAS NOT SUBJECT TO IMMEDIATE FURTHER DISTURBANCE WHERE A PERMANENT LONG-LIVED VEGETATIVE COVER IS NEEDED.

SEEDBED PREPARATION: LOOSEN UPPER THREE-INCHES OF SOIL BY RAZING, DISCING OR OTHER ACCEPTABLE MEANS BEFORE SEEDING. IF NOT PREVIOUSLY LOOSENED, SOIL AMENDMENTS: IN LIEU OF SOIL TEST RECOMMENDATIONS, USE ONE OF THE FOLLOWING SCHEDULES:

- PREFERRED - APPLY 2 TONS PER ACRE DOLOMITIC LIMESTONE (92 LBS/1000 SQ. FT.) AND 600 LBS PER ACRE 10-10-10 FERTILIZER (14 LBS/1000 SQ. FT.) BEFORE SEEDING.
- ACCEPTABLE - APPLY 2 TONS PER ACRE DOLOMITIC LIMESTONE (92 LBS/1000 SQ. FT.) AND 1000 LBS. PER ACRE 10-10-10 FERTILIZER (23 LBS./1000 SQ. FT.) BEFORE SEEDING. NARROW OR DISC INTO UPPER THREE-INCHES OF SOIL.

SEEDING: FOR THE PERIODS MARCH 1 THRU APRIL 30 AND FROM AUGUST 15 THRU OCTOBER 15, SEED WITH 80 LBS. PER ACRE (1.4 LBS/1000 SQ. FT.) OF KENTUCKY 31 TALL FESCUE. FOR THE PERIOD MAY 1 THRU JULY 31, SEED WITH 60 LBS. KENTUCKY 31 TALL FESCUE PER ACRE AND 2 LBS. PER ACRE (.05 LBS/1000 SQ. FT.) OF WHEATING LOVEGRASS. DURING THE PERIOD OF OCTOBER 16 THRU FEBRUARY 28, PROTECT SITE BY: OPTION (1) 2 TONS PER ACRE OF WELL ANCHORED STRAW MULCH AND SEED AS SOON AS POSSIBLE IN THE SPRING. OPTION (2) USE SOD. OPTION (3) SEED WITH 60 LBS/ACRE KENTUCKY 31 TALL FESCUE AND MULCH WITH 2 TONS/ACRE WELL ANCHORED STRAW.

MULCHING: APPLY 1 1/2 TO 2 TONS PER ACRE (70 TO 90 LBS/1000 SQ. FT.) OF UNROTTED SMALL BRAN STRAW IMMEDIATELY AFTER SEEDING. ANCHOR MULCH IMMEDIATELY AFTER APPLICATION USING MULCH ANCHORING TOOL OR 218 GALLONS PER ACRE (5 GAL/1000 SQ. FT.) OF EMULSIFIED ASPHALT ON FLAT AREAS, OR SLOPES 8 FEET OR HIGHER. USE 348 GALLONS PER ACRE (8 GAL/1000 SQ. FT.) FOR ANCHORS. MAINTENANCE: INSPECT ALL SEEDING AREAS AND MAKE NEEDED REPAIRS, REPLACEMENTS AND RESEEDING.



TEMPORARY SEEDING NOTES:
 APPLY TO GRADED OR CLEARED AREAS LIKELY TO BE REDISTURBED WHERE A SHORT-TERM VEGETATIVE COVER IS NEEDED.

SEEDBED PREPARATION: LOOSEN UPPER THREE-INCHES OF SOIL BY RAZING, DISCING OR OTHER ACCEPTABLE MEANS BEFORE SEEDING. IF NOT PREVIOUSLY LOOSENED, SOIL AMENDMENTS: APPLY 600 LBS PER ACRE 10-10-10 FERTILIZER (14 LBS/1000 SQ. FT.).

SEEDING: FOR PERIODS MARCH 1 THRU APRIL 30 AND FROM AUGUST 15 THRU NOVEMBER 15, SEED WITH 1 1/2 BUSHEL PER ACRE OF ANNUAL RYE (3.2 LBS/1000 SQ. FT.). FOR THE PERIOD MAY 1 THRU AUGUST 14, SEED WITH 3 LBS PER ACRE OF WHEATING LOVEGRASS (.07 LBS/1000 SQ. FT.). FOR THE PERIOD NOVEMBER 16 THRU FEBRUARY 28, PROTECT SITE BY APPLYING 2 TONS PER ACRE OF WELL ANCHORED STRAW MULCH AND SEED AS SOON AS POSSIBLE IN THE SPRING. OR USE SOD.

MULCHING: APPLY 1 1/2 TO 2 TONS PER ACRE (70 TO 90 LBS/1000 SQ. FT.) OF UNROTTED SMALL BRAN STRAW IMMEDIATELY AFTER SEEDING. ANCHOR MULCH IMMEDIATELY AFTER APPLICATION USING MULCH ANCHORING TOOL OR 218 GAL PER ACRE (5 GAL/1000 SQ. FT.) OF EMULSIFIED ASPHALT ON FLAT AREAS, OR SLOPES, 8 FT. OR HIGHER. USE 348 GAL PER ACRE (8 GAL/1000 SQ. FT.) FOR ANCHORS.

REFER TO THE 1983 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL FOR RATE AND METHODS NOT COVERED.




FLOW CHANNEL STABILIZATION

TYPE OF TREATMENT	CHANNEL SIZE	DIKE A	DIKE B
1	5-3.00	SEED AND STRAW MULCH	SEED AND STRAW MULCH
2	3.1-5.00	SEED AND STRAW MULCH	SEED USING LITE. OF EXCELSTON; SOD; 2\"/>
3	5.1-8.00	SEED WITH JUTE, OR SOD; 2\"/>	LINED RIP-RAP 4-8\"/>
4	8.1-200	LINED RIP-RAP 4-8\"/>	ENGINEERING DESIGN

A. STONE TO BE 2 INCH STONE, OR RECYCLED CONCRETE EQUIVALENT, IN A LAYER AT LEAST 3 INCHES IN THICKNESS AND BE PRESSED INTO THE SOIL WITH CONSTRUCTION EQUIPMENT.
 B. RIP-RAP TO BE 3\"/>


7. PERIODIC INSPECTION AND REQUIRED MAINTENANCE MUST BE PROVIDED AFTER EACH RAIN EVENT.

EARTH DIKE
 NOT TO SCALE




TREE PLANTING DETAIL
 NOT TO SCALE


NOTE: CONTRACTOR SHALL VERIFY LOCATION OF UNDERGROUND UTILITIES PRIOR TO DIGGING. FINAL LOCATIONS OF TREES MAY BE ADJUSTED SLIGHTLY TO ACCOMMODATE FIELD CONDITIONS. PLANTING PROCEDURES SHALL COMPLY WITH "LANDSCAPE SPECIFICATIONS FOR BALTIMORE-WASHINGTON METROPOLITAN AREAS". SUBSTITUTIONS TO THE ABOVE SPECIES MAY BE PERMITTED, PROVIDED THAT THE PLANTING IS IN ACCORDANCE WITH THE STREET TREE AND LANDSCAPE REQUIREMENTS AS SPECIFIED IN SECTION 16.131 OF THE HOWARD COUNTY SUBDIVISION REGULATIONS.



P-2 PAVING SECTION
 NOT TO SCALE



BORING PROFILES



STANDARD COMBINATION CURB & GUTTER
 NOT TO SCALE


STABILIZED CONSTRUCTION ENTRANCE
 NOT TO SCALE



OWNER/DEVELOPER
 HOWARD COUNTY BOARD OF EDUCATION
 10910 ROUTE 106
 ELLICOTT CITY, MARYLAND 21043



HANDICAPPED PARKING SIGN DETAIL
 NOT TO SCALE



STANDARD COMBINATION CURB & GUTTER w/ REVERSE SLOPE DETAIL
 NOT TO SCALE

FISHER, COLLINS & CARTER, INC.
 CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 9171 BALTIMORE NATIONAL PIKE, SUITE 100
 ELLICOTT CITY, MARYLAND 21042
 (410) 461-2855

ENGINEER'S CERTIFICATE
 I HEREBY CERTIFY THAT THIS PLAN FOR EROSION AND SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED ON MY PERSONAL KNOWLEDGE OF THE SITE CONDITIONS AND THAT IT WAS PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE HOWARD SOIL CONSERVATION DISTRICT.

Signature
 7/20/95
 DATE

DEVELOPER'S CERTIFICATE
 I/WE CERTIFY THAT ALL DEVELOPMENT AND CONSTRUCTION WILL BE DONE ACCORDING TO THIS PLAN OF DEVELOPMENT AND PLAN FOR EROSION AND SEDIMENT CONTROL AND THAT ALL RESPONSIBLE PERSONNEL INVOLVED IN THE CONSTRUCTION PROJECT WILL HAVE A CERTIFICATE OF ATTENDANCE AT A DEPARTMENT OF THE ENVIRONMENT APPROVED TRAINING PROGRAM FOR THE CONTROL OF SEDIMENT AND EROSION BEFORE BEGINNING THE PROJECT. I ALSO AUTHORIZE PERIODIC ONSITE INSPECTION BY THE HOWARD SOIL CONSERVATION DISTRICT OR THEIR AUTHORIZED AGENTS, AS ARE DEEMED NECESSARY.

Signature
 7/20/95
 DATE

REVIEWED FOR HOWARD SOIL CONSERVATION DISTRICT AND MEETS TECHNICAL REQUIREMENTS.

Signature 8/2/95
 U.S. NATURAL RESOURCES CONSERVATION SERVICE DATE

THIS DEVELOPMENT IS APPROVED FOR EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT.

Signature 8/2/95
 DISTRICT DATE
 HOWARD SOIL CONSERVATION DISTRICT

APPROVED: DEPT. OF PLANNING AND ZONING

Signature 8/2/95
 CHIEF, DEVELOPMENT REGULATIONS DIVISION DATE

Signature 8/4/95
 CHIEF DIVISION OF LAND DEVELOPMENT AND RESEARCH TC 8/4/95

Signature 8/7/95
 DATE

NOTES AND DETAILS



MT. HEBRON HIGH SCHOOL

PROPERTY/SUBDIVISION	SECTION/AREA	PARCEL/LOT NO.
MT HEBRON HIGH SCHOOL		471
PLAT NO./L.F.	BLOCK NO.	ZONE
400/144	9, 10, 15, 16	R-20
TAX MAP 17	ELEC. DIST.	CENSUS TR.
SCALE: 1" = 50'	17	6021
WATER CODE	SEWER CODE	
H03	1406 900	


TAX MAP 17
 SECOND ELECTION DIST.
 SCALE: 1" = 50'

ZONED R-20
 HOWARD COUNTY, MARYLAND
 DATE: JUL. 17 1995

SHEET 2 OF 4



TYPICAL FENCE DETAIL
NOT TO SCALE



MACADAM WALK DETAIL

- SEQUENCE OF CONSTRUCTION FOR PROPOSED SOCCER FIELDS
- 1) Obtain Grading Permit.
 - 2) Notify "Miss Utility" at least 48 hours before beginning any work at 1-800-257-7777. Notify the Howard County Office of Construction/Inspection at 410-313-1330 24 hours before starting work.
 - 3) Install all sediment control measures as shown on the plan.
 - 4) Grade site to grading as shown on plan.
 - 5) Construct macadam walkway.
 - 6) Stabilize all disturbed areas with permanent seeding.
 - 7) Notify Howard County Office of Construction/Inspection for permission for removal of sediment control measures and stabilize disturbed areas with permanent seeding.

- CONSTRUCTION SPECIFICATIONS
1. FENCING SHALL BE 42" HIGH CHAIN LINK CONSTRUCTED IN ACCORDANCE WITH THE LATEST MARYLAND STATE HIGHWAY ADMINISTRATION STANDARD DETAILS 690.01 AND 690.02 FOR CHAIN LINK FENCING. THE SPECIFICATIONS FOR A 6'-0" FENCE SHALL BE USED, SUBSTITUTING 42" FABRIC AND 8" POSTS. POSTS SHALL BE PLACED WITHOUT CONCRETE EMBEDMENT.
 2. CHAIN LINK FENCE SHALL BE FASTENED SECURELY TO FENCE POSTS WITH WIRE TIES OR STAPLES. THE LOWER TENSION WIRE, BRACE AND TRUSS RODS, ANCHORS AND POST CAPS ARE NOT REQUIRED EXCEPT ON THE ENDS OF THE FENCE.
 3. FILTER CLOTH TO BE FASTENED SECURELY TO CHAIN LINK FENCE WITH TIES SPACED EVERY 24" AT TOP AND MID SECTION.
 4. FILTER CLOTH SHALL BE IMBEDDED A MINIMUM OF 9" INTO THE GROUND.
 5. WHEN TWO SECTIONS OF DIVERSION CLOTH ADJOIN EACH OTHER THEY SHALL BE OVERLAPPED BY SIX INCHES AND FOLDED.
 6. MAINTENANCE SHALL BE PERFORMED AS NEEDED.


Fabric Properties	Value	Test Method
Grab Tensile Strength (lbs.)	90	ASTM D1682
Elongation at Failure (%)	50	ASTM D1682
Hullen Burst Strength (PSI)	190	ASTM D3706
Puncture Strength (lbs.)	40	ASTM D751
Shrink Rate (gal/min/ft)	0.3	DOT VTM-51
Equivalent Opening Size	40-60	US #10 Sieve
Ultraviolet Radiation Stability (h)	90	ASTM G-26

Design Criteria


Slope	Slope Steepness	Slope Length (maximum)	Silt Fence Length (maximum)
0 - 10%	0 - 10%	Unlimited	Unlimited
10 - 20%	10 - 5%	400 feet	1500 feet
20 - 33%	5% - 3%	300 feet	1000 feet
33 - 50%	3% - 2%	200 feet	500 feet
50% +	2% +	100 feet	250 feet

SUPER SILT FENCE

NOT TO SCALE



CHAIN LINK FENCE DETAIL
NOT TO SCALE



SYMBOL LEGEND

	UTILITY POLE
	STREET SIGNS
	GUY POLE
	STORM DRAIN MANHOLE
	EXISTING TREE
	LIMITS OF DISTURBANCE
	SUPER-SILT FENCE
	EXISTING CONTOURS
	PROPOSED CONTOURS

Notes:

1. The State Highway Administration has indicated that the recognized right of way for Old Frederick Road is 40' from the centerline of the paved road (80' total width). The Department of Planning and Zoning will only require setbacks to be measured from the SHA recognized right of way boundary.

PURPOSE NOTE:
THIS SHEET IS FOR THE ADDITION OF TWO PROPOSED SOCCER FIELDS AND MACADAM WALKWAY FOR MOUNT HEBRON HIGH SCHOOL.

<p>FISHER, COLLINS & CARTER, INC. CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS NATIONAL SQUARE OFFICE PARK - 10722 BALTIMORE NATIONAL PIKE ELLCOTT CITY, MARYLAND 21114 (410) 461-2855</p>	<p>ENGINEER'S CERTIFICATE</p> <p>I hereby certify that this plan for erosion and sediment control represents a practical and workable plan based on my personal knowledge of the site condition and that it was prepared in accordance with the requirements of the Howard Soil Conservation District.</p> <p><i>Jim Meyer</i> Signature of Engineer 10/16/03 Date</p>	<p>DEVELOPER'S CERTIFICATE</p> <p>"I/We certify that all development and construction will be done according to this plan of development and plan for erosion and sediment control and that all responsible personnel involved in the construction project will have a certificate of attendance at a Department of Natural Resources approved training program for the control of sediment and erosion before beginning the project. I also authorize periodic on-site inspection by the Howard Soil Conservation District or their authorized agents, as are deemed necessary."</p> <p><i>John K. Robertson</i> Signature of Developer 10/16/03 Date</p>	<p>APPROVED: DEPARTMENT OF PLANNING AND ZONING</p> <p><i>David D. Wright</i> Director - Department of Planning and Zoning 11/29/03 Date</p> <p><i>Cindy Hamilton</i> Chief, Division of Land Development 11/29/03 Date</p> <p><i>John K. Robertson</i> 10/16/03 Date</p>	<p>Address Chart</p> <table border="1"> <tr> <td>Parcel Number</td> <td>Street Address</td> </tr> <tr> <td>P. 471</td> <td>9440 ROUTE 99</td> </tr> </table>	Parcel Number	Street Address	P. 471	9440 ROUTE 99	<p>REVISED SITE DEVELOPMENT PLAN</p> <p>MT. HEBRON HIGH SCHOOL GRADING PLAN FOR PROPOSED SOCCER FIELDS</p> <p>TAX MAP No.: 17 ZONED R-20 PARCEL No.: 471 SECOND ELECTION DISTRICT HOWARD COUNTY, MARYLAND SCALE: 1" = 50' DATE: SEPTEMBER 5, 2003</p> <p>SHEET 5 OF 5 SDP 95-127</p>															
	Parcel Number	Street Address																						
P. 471	9440 ROUTE 99																							
<p>Reviewed For Howard County Soil Conservation District And Meets Technical Requirements.</p> <p><i>Jim Meyer</i> U.S. Dept. of Natural Resources Conservation Service 10/16/03 Date</p>	<p>Approved: This Development Is Approved For Erosion And Sediment Control By The Howard Soil Conservation District.</p> <p><i>John K. Robertson</i> District Howard Soil Conservation Dist. 10/16/03 Date</p>	<table border="1"> <thead> <tr> <th>PROJECT</th> <th>SECTION/AREA</th> <th>PARCEL</th> </tr> </thead> <tbody> <tr> <td>MT. HEBRON HIGH SCHOOL</td> <td>N/A</td> <td>471</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>DEED REF.</th> <th>BLOCK NO.</th> <th>ZONE</th> <th>TAX/MAP</th> <th>ELEC. DIST.</th> <th>CENSUS TR.</th> </tr> </thead> <tbody> <tr> <td>406/222</td> <td>9,10,15,16</td> <td>R-20</td> <td>17</td> <td>SECOND</td> <td>6021</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>WATER CODE</th> <th>SEWER CODE</th> </tr> </thead> <tbody> <tr> <td>H03</td> <td>1406900</td> </tr> </tbody> </table>	PROJECT	SECTION/AREA	PARCEL	MT. HEBRON HIGH SCHOOL	N/A	471	DEED REF.	BLOCK NO.	ZONE	TAX/MAP	ELEC. DIST.	CENSUS TR.	406/222	9,10,15,16	R-20	17	SECOND	6021	WATER CODE	SEWER CODE	H03	1406900
PROJECT	SECTION/AREA	PARCEL																						
MT. HEBRON HIGH SCHOOL	N/A	471																						
DEED REF.	BLOCK NO.	ZONE	TAX/MAP	ELEC. DIST.	CENSUS TR.																			
406/222	9,10,15,16	R-20	17	SECOND	6021																			
WATER CODE	SEWER CODE																							
H03	1406900																							