


LEGEND	
SYMBOL	DESCRIPTION
---	EXISTING CONTOUR 2' INTERVAL
---	EXISTING CONTOUR 10' INTERVAL
---	PROPOSED CONTOUR 10' INTERVAL
---	PROPOSED CONTOUR 2' INTERVAL
X 362.2	SPOT ELEVATION
---	PROPOSED STORM DRAIN PIPE
---	PROPOSED SEWER
---	PROPOSED WATER
---	PROPOSED ROAD WIDENING
---	BUILDING AND DRIVES TO BE DEMO
---	LIST OF DISTURBANCE
---	SUPER SALT FENCE
---	SALT FENCE
---	15-24% SLOPES
---	25% SLOPES
---	100 YEAR FLOODPLAIN
---	EXISTING ROAD
---	ERODIBLE SOILS
---	WETLANDS
---	SOIL SURFACE
---	STREAM BUFFER
---	DRAINAGE DIVIDE
---	DRAINAGE SUB DIVIDE
---	DEWELL (H-2)-TYPICAL
---	BIO RETENTION FACILITY (F-6) OR (H-6) AS NOTED
---	EXISTING TREE
X	EXISTING FENCING



FISHER, COLLINS & CARTER, INC.
 CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 CENTENNIAL SQUARE OFFICE PARK - 10272 BALDORGE NATIONAL PIKE
 ELICOTT CITY, MARYLAND 21042
 (410) 461-2255



PROFESSIONAL CERTIFICATION
 I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL LAND SURVEYOR UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 21476, EXPIRATION DATE: 7/14/17.
 Frank John Mankerson Jr. 5/11/16
 SIGNATURE OF PROFESSIONAL LAND SURVEYOR DATE

OWNER/DEVELOPER
 WARFIELD WOODS LLC
 14451 TRIADDELPHIA ROAD
 PO BOX 30
 GLENELG, MARYLAND 21737
 410-442-2337

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING
 [Signature] 5-9-16
 Chief, Division of Land Development Date
 [Signature] 5-16-16
 Chief, Development Engineering Division Date

PROJECT		SECTION	PARCEL NO.
WARFIELD WOODS II		N/A	25
DEED	BLOCK NO.	ZONE	TAX/ZONE
L 5028	6	R-SA-B	16
F 354			
WATER CODE		ELEC. DIST.	CENSUS TR.
		3	603001
		SEWER CODE	

EXISTING CONDITION & DEMOLITION PLAN


WARFIELD WOODS

10501 ROUTE 99
 ZONED: R-SA-B
 TAX MAP NO.: 16 GRID NO.: 6 PARCEL NO.: 25
 THIRD ELECTION DISTRICT HOWARD COUNTY, MARYLAND
 SCALE: AS SHOWN DATE: MAY, 2016

I:\2009\0407\0407\0407-6001\0407-6001\0407-6001 ECP Plan Sheet - 2.dwg, 5/6/2016, 6:29:42 PM, 11


OLD FREDERICK ROAD
(MD. RTE. 99)
MINOR ARTERIAL
100' ULTIMATE RIGHT OF WAY

PROPERTY OF
HOWARD COUNTY
DEPARTMENT OF PUBLIC WORKS
LIBER 2893, FOLIO 227
TAX MAP 10, PARCEL 316
ZONED: RC-DEC



MATCHLINE SEE SHEET 4

LEGEND	
	EXISTING CONTOUR 2' INTERVAL
	EXISTING CONTOUR 10' INTERVAL
	PROPOSED CONTOUR 2' INTERVAL
	PROPOSED CONTOUR 10' INTERVAL
	SPOT ELEVATION
	PROPOSED STORM DRAIN PIPE
	PROPOSED SEWER
	PROPOSED WATER
	PROPOSED ROAD WIDENING
	BUILDING AND DRIVES TO BE DEMO
	LIGHT OF DISTURBANCE
	SUPER SILT FENCE
	SILT FENCE
	15-20% SLOPES
	22% SLOPES
	100 YEAR FLOODPLAIN
	EXISTING ROAD
	ERODIBLE SOILS
	WETLANDS
	POND SURFACE
	STREAM BUFFER
	DRAINAGE DIVIDE
	DRAINAGE SUB DIVIDE
	DETAIL ON 3' TYPICAL
	BIO RETENTION FACILITY (F-6) OR (M-6) AS NOTED
	EXISTING TREE
	EXISTING FENCE LINE



FISHER, COLLINS & CARTER, INC.
CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
CENTENNIAL SQUARE OFFICE PARK - 10272 BALTIMORE NATIONAL PIKE
BALTIMORE CITY, MARYLAND 21104
(410) 461-2295



PROFESSIONAL CERTIFICATION
I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL LAND SURVEYOR UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 21476, EXPIRATION DATE: 7/14/17.
Charles John Dambrosio 5/1/16
SIGNATURE OF PROFESSIONAL LAND SURVEYOR DATE

OWNER/DEVELOPER
WARFIELD WOODS LLC
14451 TRIADAPHIA ROAD
PO BOX 30
GLENELG, MARYLAND 21737
410-442-2337

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING
Kate Shadover 5-9-16
Chief, Division of Land Development Date
W. J. [Signature] 5-16-16
Chief, Development Engineering Division Date

PROJECT	SECTION	PARCEL NO.			
WARFIELD WOODS II	N/A	25			
DEED	BLOCK NO.	ZONE	TAX/ZONE	ELEC. DIST.	CENSUS TR.
L.5828 F.354	6	R-5A-B	16	3	603001
WATER CODE	SEWER CODE				


ENVIRONMENTAL CONCEPT PLAN

WARFIELD WOODS

10501 ROUTE 99
ZONED: R-5A-B
TAX MAP NO.: 16 GRID NO.: 6 PARCEL NO.: 25
THIRD ELECTION DISTRICT HOWARD COUNTY, MARYLAND
SCALE: AS SHOWN DATE: MAY, 2016
SHEET 3 OF 7


ECP-14-072

I:\2016\0407\dwg\0407-6001.dwg - 15-0407-6001.ECP Plan - Sheet 3.DWG 5/6/2016 6:30:24 PM, L1



MATCHLINE SEE SHEET 3

LEGEND	
SYMBOL	DESCRIPTION
---	EXISTING CONTOUR 2' INTERVAL
---	EXISTING CONTOUR 10' INTERVAL
---	PROPOSED CONTOUR 10' INTERVAL
---	PROPOSED CONTOUR 2' INTERVAL
X 360.2	SPOT ELEVATION
---	PROPOSED STORM DRAIN PIPE
---	PROPOSED SEWER
---	PROPOSED WATER
---	PROPOSED ROAD WIDENING
---	BUILDING AND DRIVES TO BE DEMO
---	LIMIT OF DISTURBANCE
---	SUPER SALT FENCE
---	SALT FENCE
---	15-14% SLOPES
---	25% SLOPES
---	100 YEAR FLOODPLAIN
---	EXISTING ROAD
---	EROSION SOILS
---	WETLANDS
---	POND SURFACE
---	STREAM BUFFER
---	DRAINAGE DIVIDE
---	DRAINAGE SUB DIVIDE
---	DEVELOP (R-3)-TYPICAL
---	BIO RETENTION FACILITY (F-6) OR (M-6) AS NOTED
---	EXISTING TREE
X	EXISTING FENCELINE



FISHER, COLLINS & CARTER, INC.
 CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 CENTENNIAL SQUARE OFFICE PARK - 10272 BALTIMORE NATIONAL PIKE
 ELICOTT CITY, MARYLAND 21042
 (410) 461-2295



PROFESSIONAL CERTIFICATION
 I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL LAND SURVEYOR UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 21476, EXPIRATION DATE: 7/14/17.
 Frank John Brundage Jr. 5/7/16
 SIGNATURE OF PROFESSIONAL LAND SURVEYOR DATE

OWNER/DEVELOPER
 WARFIELD WOODS LLC
 14451 TRIADELPHIA ROAD
 PO BOX 30
 GLENELG, MARYLAND 21737
 410-442-2337

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING
 [Signature] 5-9-16
 Chief, Dept. of Land Development gb Date
 [Signature] 5-16-16
 Chief, Development Engineering Division 4 Date

PROJECT		SECTION	PARCEL NO.
WARFIELD WOODS II		N/A	25
DEED	BLOCK NO.	ZONE	TAX/ZONE
L 5928 F 354	6	R-5A-B	16
WATER CODE		ELEC. DIST.	CENSUS TR.
		3	603001
SEWER CODE			

ENVIRONMENTAL CONCEPT PLAN

WARFIELD WOODS
 10501 ROUTE 99
 ZONED: R-5A-B

TAX MAP NO.: 16 GRID NO.: 6 PARCEL NO.: 25
 THIRD ELECTION DISTRICT HOWARD COUNTY, MARYLAND
 SCALE: AS SHOWN DATE: MAY, 2016

SHEET 4 OF 7

ECF-14-072



I:\2004\0407\0407-5001\0407-5001 ECP Plan - 15-04017-5001 ECP Plan - Sheet 3 SDF.dwg, 5/6/2016 6:30:05 PM, 11

OLD FREDERICK ROAD
(MD. RTE. 99)
MINOR ARTERIAL
100' ULTIMATE RIGHT OF WAY

PROPERTY OF
HOWARD COUNTY
DEPARTMENT OF PUBLIC WORKS
LIBER 2883, FOLIO 227
TAX MAP 10, PARCEL 318
ZONED: RC-DEO

PROPERTY OF
HOWARD COUNTY
CONSERVANCY, INC.
LIBER 2841, FOLIO 428
TAX MAP 10, PARCEL 315
ZONED: RC-DEO

MATCHLINE SEE SHEET 5



LEGEND	
SYMBOL	DESCRIPTION
---	EXISTING CONTOUR 2' INTERVAL
---	EXISTING CONTOUR 10' INTERVAL
---	PROPOSED CONTOUR 2' INTERVAL
---	PROPOSED CONTOUR 10' INTERVAL
•	SPOT ELEVATION
---	PROPOSED STORM DRAIN PIPE
---	PROPOSED SEWER
---	PROPOSED WATER
---	PROPOSED ROAD WIDENING
---	BUILDING AND DRIVES TO BE DEMO
---	LIMIT OF DISTURBANCE
---	SUPER SALT FENCE
---	SALT FENCE
---	1% SLOPES
---	2% SLOPES
---	100 YEAR FLOODPLAIN
---	EXISTING ROAD
---	ERODIBLE SOILS
---	WETLANDS
---	POND SURFACE
---	STREAM BUFFER
---	DRAINAGE DIVIDE
---	DRAINAGE SUB DIVIDE
---	ORNAMENT (O-5) TYPICAL
---	BIO RETENTION FACILITY (F-6) OR (F-6) AS NOTED
---	EXISTING TREE
X	EXISTING FENCING

FISHER, COLLINS & CARTER, INC.
CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
CENTENNIAL SQUARE OFFICE PARK - 10272 BALTIMORE NATIONAL PIKE
BLOOMING GATE, MARYLAND 21042
(410) 461-2895



PROFESSIONAL CERTIFICATION
I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL LAND SURVEYOR UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 21476, EXPIRATION DATE: 7/14/17.
Frank John Thoreson 5/17/16
SIGNATURE OF PROFESSIONAL LAND SURVEYOR DATE

OWNER/DEVELOPER
WARFIELD WOODS LLC
14451 TRIADAPLHIA ROAD
PO BOX 30
GLENELG, MARYLAND 21737
410-442-2337

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING
Kurt Belcher 5-9-16
Chief, Division of Land Development Date
John E. ... 5-16-16
Chief, Development Engineering Division Date

PROJECT		SECTION		PARCEL NO.	
WARFIELD WOODS II		N/A		25	
DEED	BLOCK NO.	ZONE	TAX/ZONE	ELEC. DIST.	CENSUS TR.
L-5828 F-354	6	R-5A-B	16	3	603001
WATER CODE			SEWER CODE		

PRELIMINARY SEDIMENT AND EROSION CONTROL PLAN


WARFIELD WOODS
10501 ROUTE 99
ZONED: R-5A-B

TAX MAP NO.: 16 GRID NO.: 6 PARCEL NO.: 25
THIRD ELECTION DISTRICT HOWARD COUNTY, MARYLAND
SCALE: AS SHOWN DATE: MAY, 2016

SHEET 6 OF 7

ECP-14-072

STORMWATER MANAGEMENT PRACTICES											
AREA ID	DRAINAGE AREA	SUB AREA (FILTERRA INLET)	% IMPERVIOUS	ESDY REQUIRED CUFT.	ESDY PROVIDED CUFT.	DISCONNECTION OF ROOFTOP RUNOFF N-1 (Y/N)	DISCONNECTION OF NON-ROOFTOP RUNOFF N-2 (Y/N)	DRY WELLS M-5 (Y/N)	BIO-RETENTION M-6 (Y/N)	BIO-RETENTION F-6 (Y/N)	GRASS SHALE M-8 (NUMBER)
LOT 1	510		100%	81	85						
LOT 2	510		100%	81	85						
LOT 3	510		100%	81	85						
LOT 4	510		100%	81	85						
LOT 5	510		100%	81	85						
LOT 6	510		100%	81	85						
LOT 7	510		100%	81	85						
LOT 8	510		100%	81	85						
LOT 9	510		100%	81	85						
LOT 10	510		100%	81	85						
LOT 11	510		100%	81	85						
LOT 12	510		100%	81	85						
LOT 13	510		100%	81	85						
LOT 14	510		100%	81	85						
LOT 15	510		100%	81	85						
LOT 16	510		100%	81	85						
LOT 17	510		100%	81	85						
LOT 18	510		100%	81	85						
LOT 19	510		100%	81	85						
LOT 20	510		100%	81	85						
LOT 21	550		100%	80	90						
LOT 22	550		100%	80	90						
LOT 23	550		100%	80	90						
LOT 24	550		100%	80	90						
LOT 25	550		100%	80	90						
LOT 26	550		100%	80	90						
LOT 27	550		100%	80	90						
LOT 28	550		100%	80	90						
LOT 29	550		100%	80	90						
LOT 30	550		100%	80	90						
M-6 (1)	55,080	55,080	74%	3,998.56 (STORAGE)	4,069 (STORAGE)				Y		
M-6 (2)	14,246	14,246	51%	471.19 (STORAGE)	930 (STORAGE)				Y		
M-6 (3)	7,600	3A	100%	150.42 (STORAGE)	150.42 (STORAGE)						
INITIAL 1" Pe TREATED BY THREE FILTERRA	8,765	3B	100%	173.47 (STORAGE)	173.47 (STORAGE)						
INLETS REMAINING Pe IN BIO-RETENTION FACILITY	7,546	3C	100%	149.39 (STORAGE)	149.39 (STORAGE)						
	29,607 (TOTAL)		87%	1,542.55 (STORAGE)	1,573 (STORAGE)						
M-6 (4)	6,981	4A	86%	120.35 (STORAGE)	120.35 (STORAGE)				Y		
INITIAL 1" Pe TREATED BY THREE FILTERRA	6,652	4B	90%	119.65 (STORAGE)	119.65 (STORAGE)						
INLETS REMAINING Pe IN BIO-RETENTION FACILITY	16,356 (TOTAL)		77%	762.56 (STORAGE)	769 (STORAGE)						
				1,002.96 (STORAGE)	1,009 (STORAGE)						
F-6 (5)	9,392	5A	75%	142.57 (STORAGE)	142.57 (STORAGE)						
INITIAL 1" Pe TREATED BY THREE FILTERRA	7,888	5B	79%	124.39 (STORAGE)	124.39 (STORAGE)						
INLETS REMAINING Pe IN BIO-RETENTION FACILITY	9,516	5C	85%	162.16 (STORAGE)	162.16 (STORAGE)						
	7,033	5D	91%	126.97 (STORAGE)	126.97 (STORAGE)						
	42,108 (TOTAL)		66%	1,694.16 (STORAGE)	1,767 (STORAGE)						
				2,250.25 (STORAGE)	2,323.09 (STORAGE)						
I-1	5,719	Y	100%	113.18 (STORAGE)	113.18 (STORAGE)						
I-2	5,267	Y	100%	104.24 (STORAGE)	104.24 (STORAGE)						



FILTERRA STANDARD PLAN NOTES

Construction & Installation

A. Each unit shall be constructed at the locations and elevations according to the sizes shown on the approved drawings. Any modifications to the elevation or location shall be at the direction of and approved by the Engineer.

B. If the Filterra is stored before installation, the top slab must be placed on the box using the 2x4 wood provided, to prevent any contamination from the site. All internal fittings supplied (if any), must be left in place as per the delivery.

C. The unit shall be placed on a compacted sub-grade with a minimum 6-inch gravel base matching the final grade of the curb line in the area of the unit. The unit is to be placed such that the unit and top slab match the grade of the curb in the area of the unit. Compact undisturbed sub-grade materials to 95% of maximum density at +/- 2% of optimum moisture. Unusable material below sub-grade shall be replaced to the site engineer's approval.

D. Outlet connections shall be aligned and sealed to meet the approved drawings with modifications necessary to meet site conditions and local regulations.

E. Once the unit is set, the internal wooden forms and protective mesh cover must be left intact. Remove only the temporary wooden shipping blocks between the box and top slab. The top lid should be sealed onto the box section before backfilling, using a non-shrink grout, butyl rubber or similar waterproof seal. The boards on top of the lid and boards sealed in the unit's throat must NOT be removed. The Supplier (Americast or its authorized dealer) will remove these sections at the time of activation. Backfilling should be performed in a careful manner, bringing the appropriate fill material up in 6" lifts on all sides. Precast sections shall be set in a manner that will result in a watertight joint. In all instances, installation of Filterra unit shall conform to ASTM specification C991 'Standard Practice for Installation of Underground Precast Utility Structures', unless directed otherwise in contract documents.

F. The contractor is responsible for inlet protection/sediment control and cleaning around each Filterra unit.

G. Curb and gutter construction (where present) shall ensure that the flow-line of the Filterra units is at a greater elevation than the flow-line of the bypass structure or relief (drop inlet, curb cut or similar). Failure to comply with this guideline may cause failure and/or damage to the Filterra environmental device.

H. Each Filterra unit must receive adequate irrigation to ensure survival of the living system during periods of drier weather. This may be achieved through a piped system, gutter flow or through the tree grate.

Activation

A. Activation of the Filterra unit is performed ONLY by the Supplier. Purchaser is responsible for Filterra inlet protection and subsequent clean out cost. This process cannot commence until the project site is fully stabilized and cleaned (full landscaping, grass cover, final paving and street sweeping completed), negating the chance of construction materials contaminating the Filterra system. Care shall be taken during construction not to damage the protective throat and top plates.

B. Activation includes installation of plant(s) and mulch layers as necessary.

Included Maintenance

A. Each correctly installed Filterra unit is to be maintained by the Supplier, or a Supplier approved contractor for a minimum period of 1 year. The cost of this service is to be included in the price of each Filterra unit. Extended maintenance contracts are available at extra cost upon request.

B. Annual included maintenance consists of a maximum of (2) scheduled visits. The visits are scheduled seasonally: the spring visit aims to clean up after winter loads that may include salts and sands. The fall visit helps the system by removing excessive leaf litter.

C. Each included Maintenance visit consists of the following tasks:

1. Filterra unit inspection
2. Foreign debris, silt, mulch & trash removal
3. Filter media evaluation and recharge as necessary
4. Plant health evaluation and pruning or replacement as necessary
5. Replacement of mulch
6. Disposal of all maintenance refuse items
7. Maintenance records updated and stored (reports available upon request)



D. The beginning and ending date of Supplier's obligation to maintain the installed system shall be determined by the Supplier at the time the system is activated. Owners must promptly notify the Supplier of any damage to the plant(s), which constitute(s) an integral part of the bioretention technology.

UNIT DESIGNATION	INSIDE VAULT DIMENSIONS	FILTERRA TREATMENT AREA	MAXIMUM DRAINAGE AREA TREATED (SF)	HOW STORAGE CAPACITY (CF)
FTSC 6' x 4'	12' x 4'	6' x 4'	5,216	103
FTSC 8' x 4'	16' x 4'	8' x 4'	7,141	141
FTSC 6' x 6'	12' x 6'	6' x 6'	7,847	155
FTSC 8' x 6'	16' x 6'	8' x 6'	10,734	212
FTSC 10' x 6'	19' x 6'	10' x 6'	12,638	250
FTSC 10' x 8'	20' x 8'	10' x 8'	18,178	360
FTSC 11' x 8'	22' x 8'	11' x 8'	20,000	398

NOTE:
 1. MAXIMUM DRAINAGE AREA TREATED ASSUMES 25% WOV AND FILTER SURFACE AREA REQUIREMENTS ARE BOTH MET.
 2. STORAGE CAPACITY ASSUMES 40% Voids IN UNDERDRAIN STONE AND 30% Voids IN MULCH AND MEDIA.
 3. ALL INFORMATION IS BASED ON STANDARD 3.8" RIM TO OUTLET DEPTH. CONTACT CONTECH FOR CUSTOM SIZING IF DEPTH IS NOT 3.8". ACCEPTABLE DEPTH IS 3.33" MIN TO 5.00" MAX. RIM TO INVERT OUT.

CONTECH ENGINEERED SOLUTIONS LLC
 www.contechES.com
 665 Chubbway, Suite 118, Glenelg, MD 21039
 888-740-8318 OFFICE 410-278-8511 FAX

FILTERRA WITH SEDIMENTATION CHAMBER



DESIGN GUIDELINES FOR USING FILTERRA

1. Do not place in a sump condition. The standard Filterra cannot be used as a stand alone inlet - it will need effective bypass during higher intensity rainfall events. For sump conditions please contact Filterra.
- Plans MUST show Filterra Top Curb (TC) and Flow Line (FL) spot elevations and also bypass TC (where applicable) and bypass FL spot elevations.
- The Filterra TC and FL elevations MUST be higher than the bypass TC and FL elevations for effective bypass. Use Drawing FLP-2 (p.24) as a detail on the project plans.
- For proper trash collection ensure a minimum 4" and maximum 6" Filterra throat opening depth and use Drawing CGT-5 (p.25) as a detail on the project plans.
- Do not direct surface flow to the standard Filterra in a 'head-on' configuration. Refer to Guidelines GQ1-A (p.13) and GQ2 (p.18) for grading design that encourages flow to enter a Filterra in a cross linear flow - left-to-right or right-to-left in the gutter in front of the throat, as per a wet curb which prevents system damage. During extreme storm events the excess flow should continue past the Filterra to a bypass inlet or other means of relief. Guideline GUS, Parking Lot Corners, shows common situations (p.19).
- To calculate which size Filterra is required, use Table 1, Filterra Quick Sizing Table, appropriate to the project's geographical region and target treatment regime (p.12). The entire contributing drainage area to the Filterra should be considered and the minimum allowable C factors noted. The maximum contributing drainage area will vary with site conditions, for further information relating to sizing, please contact Filterra.
- To ensure correct installation, include the Standard Filterra Plan Notes (p.26-27) on your Filterra detail project sheet, as well as detailed drawings FLP-2 and CGT-5 (p.24,25).
- Positive drainage of each Filterra unit's effluent treatment pipe is required to prevent free standing water from accumulating in the system or underdrain. This could occur due to tidal influences or improper connection of Filterra's effluent pipe to a bypass structure or other outlet.

FISHER, COLLINS & CARTER, INC.
 CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 CENTRAL OFFICE: 10722 BALTIMORE NATIONAL PIKE
 ELICOTT CITY, MARYLAND 21042
 (410) 461-2895



PROFESSIONAL CERTIFICATION
 I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL LAND SURVEYOR UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 21476, EXPIRATION DATE: 7/14/17.

Signature: Frank John Ramalson
 DATE: 5/7/16

OWNER/DEVELOPER
 WARFIELD WOODS LLC
 14451 TRIADELPHIA ROAD
 PO BOX 30
 GLENELG, MARYLAND 21737
 410-442-2337

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING

Signature: [Signature]
 Chief, Division of Land Development
 Date: 5-9-16

Signature: [Signature]
 Chief, Development Engineering Division
 Date: 5-16-16

PROJECT	SECTION	PARCEL NO.			
WARFIELD WOODS II	N/A	25			
DEED	BLOCK NO.	ZONE	TAX/ZONE	ELEC. DIST.	CENSUS TR.
L5828 F.354	6	R-5A-B	16	3	603001
WATER CODE	SEWER CODE				

DETAIL SHEET

WARFIELD WOODS
 10501 ROUTE 99
 ZONED: R-SA-B
 TAX MAP NO.: 16 GRID NO.: 6 PARCEL NO.: 25
 THIRD ELECTION DISTRICT HOWARD COUNTY, MARYLAND
 SCALE: AS SHOWN DATE: MAY, 2016

SHEET 7 OF 7
 ECP-14-072