

| SHEET INDEX | |
|-------------|---|
| SHEET NO. | DESCRIPTION |
| 1 | TITLE SHEET |
| 2 | ENVIRONMENTAL CONCEPT PLAN |
| 3 | SCHEMATIC GRADING, SEDIMENT & EROSION CONTROL PLAN |
| 4 | STORMWATER MANAGEMENT DETAILS, SEDIMENT & EROSION CONTROL NOTES AND DETAILS |
| 5 | DRAINAGE AREA MAP |

APPROVED: DEPARTMENT OF PLANNING AND ZONING
John M. ... for UES 8/9/17
 CHIEF, DIVISION OF LAND DEVELOPMENT
 DATE
Paul ... 8/14/17
 CHIEF, DEVELOPMENT ENGINEERING DIVISION
 DATE


ENVIRONMENTAL CONCEPT PLAN

SQUARE WOODS

LOTS 1 THRU 3

A Resubdivision of Lot 2, Recorded As "Casasco Property, Lots 1 And 2"
 Plat Nos. 24070 Thru 24071

ZONED: RC-DEO
TAX MAP No. 20 PARCEL No. 140



VICINITY MAP
 SCALE : 1" = 1200'

4th ELECTION DISTRICT

HOWARD COUNTY, MARYLAND

NEGATIVE INTRODUCTION
 This report will demonstrate how the criteria set forth in the Maryland Stormwater Design Manual, Volumes I and II (effective October 2000, revised May 2009) will be satisfied on this project. The goal of creating hydrology similar to that of Woods in Good Condition will be accomplished through the use of the practices contained within Chapter 5 of said manual. The achievement of this goal will remove the requirement of providing Channel Protection Volume.

General Site Conditions
 This property is located on Tax Map #20, Parcel #140 and is zoned RC-DEO in accordance with the Howard County Zoning Regulations. The address of this property is known as 3355 Jennings Chapel Road. The property was previously recorded as plat #24071 on 1/27/17. Lot 2 is mostly forested, a portion of the parcel is open fields and does not contain forest on it. The forest is counting as being cleared because there are no retention easements located on the lots. There are not any wetlands, wetland buffer, stream buffer, floodplain's and steep slopes on-site. The proposed houses will be served by private well and septic. The majority of the runoff drains through existing swales located at the rear of lots 1 and 3 from the south toward an existing off-site stream flowing along the northern boundary. The drainage from this area drains into the Cattail Creek Stream located to the northeast of the site which drains into the Patuxent River Watershed Area. We are treating the proposed houses by 13 (M-5) Drywells and the roadway is treated by (N-1) Non-rooftop disconnection and the remaining roadway and 1 portion of the house on lot 3 is treated by a single micro-bioretentation facility. Per the 2004 web soil survey the soils on-site consist of "GyB and GyC" Glenview loam, Type B soils and "GmB" Glenview silt loam, a type C soil.

- Natural Resource Protection**
Wetlands, wetland and stream buffers, floodplain and steep slopes do not exist on this project.
- Maintenance of Natural Flow Patterns**
Nature flow patterns will be maintained. Runoff from the proposed house will be treated with 13-dry wells (M-5) before entering the existing swale to the rear.
- Reduction of impervious areas through better site design, alternative surfaces and Nonstructural Practices**
A shared driveway is proposed to provide access to the proposed houses. This driveway is treated by a non-rooftop disconnection credit (N-2).
- Integration of Erosion and Sediment Controls into Stormwater Strategy**
Earth Dikes, Stone Outlet Trap and Super Silt Fence will be utilized to provide erosion and sediment control.
- Implementation of ESD Planning Techniques and practices to the Maximum Extent Practicable (MEP)**
The full required ESD volume is being provided.
- Request for Design Manual Waiver**
No Waivers are required.

LEGEND

- EXISTING 2' CONTOURS
- EXISTING 10' CONTOURS
- EXISTING TREE LINE
- EXISTING WOOD FENCE
- EXISTING 15% - 24.99% SLOPES
- SOIL LINES AND TYPES
- DENOTES EXISTING WELL
- DENOTES PROPOSED TREELINE
- DENOTES 1500 Sq.Ft. ALTERNATE WELL SITE
- DENOTES DIVERSION FENCE
- DENOTES SILT FENCE
- DENOTES SUPER SILT FENCE
- DENOTES LIMIT OF DISTURBANCE
- DENOTES BUILDING RESTRICTION LINE

SITE ANALYSIS DATA CHART

- A. TOTAL AREA OF THIS SUBMISSION = 9.774 ac.±
- B. LIMIT OF DEVELOPABLE AREA = 9.774 AC.± (LOTS)
- C. LIMIT OF DISTURBED AREA = 222,504 Sq. Ft. or 5.108 AC.±
- D. PRESENT ZONING DESIGNATION = RC-DEO (PER 10/06/13 COMPREHENSIVE ZONING PLAN)
- E. PROPOSED USE: RESIDENTIAL SUBDIVISION (SINGLE FAMILY DETACHED)
- F. OPEN SPACE ON SITE: N/A
- G. RECREATIONAL AREA PROVIDED: N/A
- H. BUILDING COVERAGE OF SITE: 11,590 SQ.FT. OR 0.265 AC.±
- I. PREVIOUS HOWARD COUNTY FILES: F-16-120
- J. TOTAL AREA OF FLOODPLAIN: 0.00 AC.±
- K. TOTAL AREA OF SLOPES: 25% or GREATER = 0.00 AC.±
15%-24.99% = 0.08 AC.±
- L. NET TRACT AREA = 9.774 AC.±
(TOTAL SITE AREA - FLOODPLAIN - STEEP SLOPES AREA)
- M. TOTAL AREA OF WETLANDS (INCLUDING BUFFER) = 0.00 AC.±
- N. TOTAL AREA OF STREAMS (INCLUDING BUFFER) = 0.00 AC.±
- O. TOTAL AREA OF FOREST = 3.77 AC.±
- P. TOTAL GREEN OPEN AREA = 8.93 AC.±
- Q. TOTAL IMPERVIOUS AREA = 0.84 AC.±
- R. AREA OF ERODIBLE SOILS = 1.01 AC.±

GENERAL NOTES

- PROPERTY ZONED RC-DEO PER 10/6/13 COMPREHENSIVE ZONING PLAN.
- AREA TABULATION:
A. TOTAL TRACT AREA = 9.774 AC.±
B. AREA OF PROPOSED ROAD R/W = 0.00 AC.±
C. AREA OF PROPOSED BUILDABLE LOTS = 9.774 AC.±
- NUMBER OF LOTS/PARCELS PROPOSED = 3
A. BUILDABLE LOTS = 3
- SOILS INFORMATION TAKEN FROM NRCS WEB SOIL SURVEY. SOILS MAP #9.
- FOREST STAND & WETLANDS DELINEATION REPORT DATED JANUARY, 2017 WAS PREPARED BY ECO-SCIENCE PROFESSIONAL, INC.
- THERE ARE NO STEEP SLOPES OF 25% OR GREATER ON SITE.
- NO CEMETERIES EXIST ON SITE BY VISUAL OBSERVATION OR LISTED IN AVAILABLE HOWARD COUNTY CEMETERY INVENTORY MAP.
- THERE ARE NO HISTORIC HOUSE STRUCTURES ON-SITE.
- SITE IS ADJACENT TO ONE SCENIC ROAD (JENNINGS CHAPEL ROAD). A SCENIC ROADS REPORT HAS BEEN PROVIDED BY FISHER, COLLINS & CARTER, INC. DATED 01/20/17.
- A TRAFFIC STUDY IS NOT REQUIRED FOR THIS MINOR SUBDIVISION.
- THERE IS ONE EXISTING STRUCTURE (SHED) AND WOOD FENCING LOCATED ON-SITE. BOTH ARE TO BE REMOVED. 12. ALL LOTS ARE MORE OR LESS.
- MINIMUM REQUIREMENTS:
A) WIDTH - 12 FEET (16 FEET SERVING MORE THAN ONE RESIDENCE);
B) SURFACE - 5/8 (6") INCHES OF COMPACTED CRUSHER RUN BASE WITH TAR AND CHIP COATING (1 - 1/2" MINIMUM);
C) GEOMETRY - MAXIMUM 15% GRADE, MAXIMUM 10% GRADE CHANGE AND 45-FOOT TURNING RADIUS;
D) STRUCTURES (CULVERTS/BOXGULLIES) - CAPABLE OF SUPPORTING 25 GROSS TONS (825-LOADING);
E) DRAINAGE ELEMENTS - CAPABLE OF SAFELY PASSING 100 YEAR FLOOD WITH NO MORE THAN 1 FOOT DEPTH OVER SURFACE;
F) STRUCTURE CLEARANCES - MINIMUM 12 FEET;
G) MAINTENANCE - SUFFICIENT TO ENSURE ALL WEATHER USE.
H) DEED REFERENCE: LIBER 15427, FOLIO 00460.
- ALL EXISTING WELL AND SEPTIC COMPONENTS TO BE ABANDONED OR REPLACED MUST BE PROPERLY ABANDONED AND REPLACEMENT COMPONENTS APPROVED BY THE HEALTH DEPARTMENT PRIOR TO SIGNATURE OF THE FINAL PLAT.
- FOR FLAG OR PRESTEN LOTS, REFUSE COLLECTION, SNOW REMOVAL AND ROAD MAINTENANCE ARE PROVIDED TO THE JUNCTION OF THE FLAG OR PIPESTEM AND ROAD RIGHT-OF-WAY LINE AND NOT TO THE PRESTEN LOT DRIVEWAY.
- ARTICLES OF INCORPORATION FOR THE SQUARE WOODS PROPERTY HOMEOWNERS ASSOCIATION, INC. WILL BE FILED WITH THE STATE DEPARTMENT OF ASSESSMENTS AND TAXATION PRIOR TO RECORDECTION OF THE FINAL PLAT.
- A PRE-SUBMISSION COMMUNITY MEETING WAS HELD FOR THIS PROJECT ON AUGUST 22, 2016.
- THERE IS ONE EXISTING SEPTIC SYSTEM LOCATED ON-SITE (TO BE USED FOR PROPOSED LOT 3). THERE IS ONE EXISTING WELL LOCATED ON LOT 3 (TO BE USED FOR PROPOSED LOT 3).
- THIS AREA DESIGNATES A PRIVATE SEWERAGE EASEMENT OF AT LEAST 10,000 SQUARE FEET AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL IMPROVEMENTS OF ANY NATURE IN THIS AREA RESTRICTED UNTIL PUBLIC SEWERAGE IS AVAILABLE. THESE EASEMENTS SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWERAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO QUANT ADJUSTMENTS TO THE PRIVATE SEWERAGE EASEMENT. RECORDECTION OF A MODIFIED EASEMENT SHALL NOT BE NECESSARY.
- THE LOTS SHOWN HEREON COMPLY WITH THE MINIMUM OWNERSHIP WIDTH AND LOT AREA AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT.
- ANY CHANGES TO THE PRIVATE SEWERAGE AREA SHALL REQUIRE A REVISED PERC CERTIFICATION PLAN.
- NO GRADING, REMOVAL OF VEGETATIVE COVER OR TREES, PAVING AND NEW STRUCTURES SHALL BE PERMITTED WITHIN THE LIMITS OF WETLANDS, STREAMS), OR THEIR REQUIRED BUFFERS, FLOODPLAIN AND FOREST CONSERVATION EASEMENT AREAS.
- THERE ARE NO AREAS OF 100-YEAR FLOODPLAIN ON THIS PROJECT.
- FOREST CONSERVATION REQUIREMENTS PER SECTION 16.1200 OF THE HOWARD COUNTY CODE AND FOREST CONSERVATION MANUAL FOR THIS SUBMISSION WILL BE FULFILLED BY THE USE OF A FOREST BANK.
- PERIMETER LANDSCAPING FOR THIS DEVELOPMENT SHALL BE IN ACCORDANCE WITH SECTION 16.124 OF THE SUBDIVISION AND LAND DEVELOPMENT REGULATIONS AND LANDSCAPE MANUAL. FINAL LANDSCAPING REVIEW AND SURETY IS DEFERRED UNTIL THE FINAL SUBDIVISION PLAN STAGE.
- THE PROJECT IS IN CONFORMANCE WITH THE LATEST HOWARD COUNTY STANDARDS UNLESS WAIVERS HAVE BEEN APPROVED.
- THE EXISTING TOPOGRAPHY INFORMATION SHOWN IS BASED ON HOWARD COUNTY AERIAL CONTOURS AND SUPPLEMENTED WITH A FIELD RUN TOPOGRAPHIC SURVEY PERFORMED ON OR ABOUT 7/21/16 BY FISHER, COLLINS & CARTER, INC.
- BOUNDARY INFORMATION IS BASED ON A SURVEY PERFORMED ON OR ABOUT FEBRUARY, 2016 BY FISHER, COLLINS & CARTER, INC.
- COORDINATES BASED ON NAD '83, MARYLAND COORDINATE SYSTEM AS PROJECTED BY HOWARD COUNTY GEODETIC CONTROL STATIONS NO. CONTROL STATION NO. 2082 N 589,346.30 ELEV. 577.92
E 1,287,505.58
CONTROL STATION NO. 134A N 589,965.19 ELEV. 566.34
E 1,289,964.91
- THIS PROPERTY IS NOT LOCATED WITHIN THE METROPOLITAN DISTRICT. PRIVATE WELL AND SEPTIC WILL BE UTILIZED FOR THIS PROJECT
- STORM WATER MANAGEMENT IS IN ACCORDANCE WITH THE M.D.E. STORM WATER DESIGN MANUAL, VOLUMES I & II, REVISED 2009. STORMWATER MANAGEMENT IS BEING PROVIDED BY THE USE OF THREE AREAS OF (M-5) DRYWELLS, ONE (M-6) MICRO-BIORETENTION FACILITY AND ONE AREA OF (N-1) NON-ROOFTOP DISCONNECTION. FACILITIES TO MEET AND EXCEED THE ESD VOLUME.
- STORM WATER MANAGEMENT DEVICES LOCATED ON INDIVIDUAL LOTS WILL BE OWNED AND MAINTAINED BY THAT PARTICULAR LOT OWNER AND SUBJECT TO THE REQUIREMENTS OF A RECORDED DECLARATION OF COVENANT. SWM DEVICES LOCATED WITHIN THE PUBLIC R/W WILL BE PRIVATELY OWNED AND JOINTLY MAINTAINED, AND SWM DEVICES LOCATED ON PARCELS WILL BE OWNED AND MAINTAINED BY THE H.O.A., SWM FACILITIES SERVING PUBLIC ROADS, BUT LOCATED ON PRIVATE LOTS WILL BE PRIVATELY OWNED AND JOINTLY MAINTAINED.
- A NOISE STUDY IS NOT REQUIRED FOR THIS PROJECT.
- ALL WELLS MUST BE DRILLED PRIOR TO HOWARD COUNTY HEALTH DEPARTMENT SIGNATURE OF THE FINAL PLAT.
- APPROVAL OF THIS ECP DOES NOT CONSTITUTE AN APPROVAL OF ANY SUBSEQUENT AND ASSOCIATED SUBDIVISION PLAN/PLAT AND/OR SITE DEVELOPMENT PLAN AND/OR REDLINE REVISION PLAN. REVIEW OF THIS PROJECT FOR COMPLIANCE WITH THE HOWARD COUNTY SUBDIVISION AND LAND DEVELOPMENT REGULATIONS SHALL OCCUR AT THE SUBDIVISION PLAN/PLAT AND/OR SITE DEVELOPMENT PLAN STAGES AND/OR REDLINE REVISION PROCESS. THE APPLICANT AND CONSULTANT SHOULD EXPECT ADDITIONAL AND MORE DETAILED REVIEW COMMENTS (INCLUDING COMMENTS THAT MAY ALTER THE OVERALL SITE DESIGN) AS THIS PROJECT PROGRESSES THROUGH THE PLAN REVIEW PROCESS.
- THERE IS AN AREA OF ERODIBLE SOILS LOCATED TOWARDS THE REAR OF THE PROPERTY.

PROFESSIONAL CERTIFICATION

I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 36386, EXPIRATION DATE: 01/12/2018.


Angela ... 7/26/17
 Signature of Professional Engineer DATE





FISHER, COLLINS & CARTER, INC.
 CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 CENTRAL SOURCE OFFICE: 10722 BALDWIN NATIONAL FLD
 ELICOTT CITY, MARYLAND 21042
 (410) 461-2895

Owner/Developer

Paul A. Casasco And
 Jennifer K. Casasco
 3355 Jennings Chapel Road
 Woodbine, Maryland 21797
 Phone: # 301-529-5728



TITLE SHEET
ENVIRONMENTAL CONCEPT PLAN
SQUARE WOODS
LOTS 1 THRU 3
 A Resubdivision Of Lot 2, Recorded As "Casasco Property, Lots 1 And 2,"
 Plat Nos. 24070 Thru 24071
 Zoned: RC-DEO
 Tax Map: #20 Parcels: #140
 Howard County, Maryland 4th Election District
 Date: May 11, 2017 Scale: 1"=50'
 Sheet 1 Of 5



PROFESSIONAL CERTIFICATION
 I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 38386, EXPIRATION DATE: 01/12/2018.
 [Signature] DATE 7/26/17
 Signature of Professional Engineer




FISHER, COLLINS & CARTER, INC.
 CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 CENTENNIAL SQUARE OFFICE PARK - 10272 BALTIMORE NATIONAL FLD
 ELLSWORTH CITY, MARYLAND 21046
 (410) 461-2892

Owner/Developer
 Paul A. Casasco And
 Jennifer K. Casasco
 3365 Jennings Chapel Road
 Woodbine, Maryland 21797
 Phone: # 301-529-5728

ENVIRONMENTAL CONCEPT PLAN
SQUARE WOODS
LOTS 1 THRU 3
 A Resubdivision Of Lot 2, Recorded As "Casasco Property, Lots 1 And 2,"
 Plat Nos. 24070 Thru 24071
 Zoned: RC-DEO
 Tax Map: #20 Parcels: #140
 Howard County, Maryland 4th Election District
 Date: May 11, 2017 Scale: 1"=50'
 Sheet 2 of 5

APPROVED: DEPARTMENT OF PLANNING AND ZONING
 3/8/17 DATE
 CHIEF, DIVISION OF LAND DEVELOPMENT
 8/1/17 DATE
 CHIEF, DEVELOPMENT ENGINEERING DIVISION NY




FISHER, COLLINS & CARTER, INC.
 CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 CENTRAL SQUARE OFFICE PARK - 10272 BALTIMORE NATIONAL PIKE
 ELICOTT CITY, MARYLAND 21042
 (410) 451-2895

PROFESSIONAL CERTIFICATION
 I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 38386, EXPIRATION DATE: 01/12/2018.
 Signature: *Stephen J. Jute* 7/26/17
 DATE







| SOILS LEGEND | | | |
|--------------|--|-------|----------|
| SOIL | NAME | CLASS | K FACTOR |
| GgA | Glenelg loam, 0 to 3 percent slopes | B | 0.20 |
| GgB | Glenelg loam, 3 to 8 percent slopes | B | 0.20 |
| GgC | Glenelg loam, 8 to 15 percent slopes | B | 0.20 |
| GmB | Glenville silt loam, 3 to 8 percent slopes | C | 0.37 |

---Denotes Highly Erodible Soils



Owner/Developer
 Paul A. Casasco And
 Jennifer K. Casasco
 3365 Jennings Chapel Road
 Woodbine, Maryland 21797
 Phone: 301-529-5728



SCHEMATIC GRADING, SEDIMENT & EROSION CONTROL PLAN
SQUARE WOODS
 LOTS 1 THRU 3
 A Resubdivision Of Lot 2, Recorded As "Casasco Property, Lots 1 And 2,"
 Plat Nos. 24070 Thru 24071
 Zoned: RC-DEO
 Tax Map: #20 Parcels: #140
 Howard County, Maryland 4th Election District
 Date: May 11, 2017 Scale: 1"=50'
 Sheet 3 Of 5



HOWARD SOIL CONSERVATION DISTRICT STANDARD SEDIMENT CONTROL NOTES

- A MINIMUM OF 48 HOURS NOTICE MUST BE GIVEN TO THE HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS, CONSTRUCTION INSPECTION DIVISION (CID) PRIOR TO THE START OF ANY CONSTRUCTION (410-313-1895).
- ALL VEGETATIVE AND STRUCTURAL PRACTICES ARE TO BE INSTALLED ACCORDING TO THE PROVISIONS OF THIS PLAN AND ARE TO BE IN CONFORMANCE WITH THE MOST CURRENT MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL AND REVISIONS THEREOF.
- FOLLOWING INITIAL SOIL DISTURBANCE OR RE-DISTURBANCE, PERMANENT OR TEMPORARY STABILIZATION SHALL BE COMPLETED WITHIN:
 - 3 CALENDAR DAYS FOR ALL PERIMETER SEDIMENT CONTROL STRUCTURES, DIKES, PERIMETER SLOPES AND ALL SLOPES GREATER THAN 3:1.
 - 7 DAYS AS TO ALL OTHER DISTURBED OR GRADED AREAS ON THE PROJECT SITE.
- ALL DISTURBED AREAS MUST BE STABILIZED WITHIN THE TIME PERIOD SPECIFIED ABOVE IN ACCORDANCE WITH THE 2011 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL FOR PERMANENT SEEDING (SEC. B-4-5), TEMPORARY SEEDING (SEC. B-4-4) AND MULCHING (SEC. B-4-3). TEMPORARY STABILIZATION WITH MULCH ALONE CAN ONLY BE DONE WHEN RECOMMENDED SEEDING DATES DO NOT ALLOW FOR PROPER GERMINATION AND ESTABLISHMENT OF GRASSES.
- ALL SEDIMENT CONTROL STRUCTURES ARE TO REMAIN IN PLACE AND ARE TO BE MAINTAINED IN OPERATIVE CONDITION UNTIL PERMISSION FOR THEIR REMOVAL HAS BEEN OBTAINED FROM THE HOWARD COUNTY SEDIMENT CONTROL INSPECTOR.
- SITE ANALYSIS:

| | |
|--------------------------------------|----------------------------|
| TOTAL AREA OF SITE (THIS SUBMISSION) | 9.774 ACRES |
| AREA DISTURBED | 5.108 ACRES |
| AREA TO BE ROOFED OR PAVED | 0.84 ACRES |
| AREA TO BE VEGETATIVELY STABILIZED | 4.269 ACRES |
| TOTAL CUT | 5,000 CU.YDS. (unadjusted) |
| TOTAL FILL | 5,000 CU.YDS. (unadjusted) |
| WASTE AREA LOCATION | ON-SITE |
- ANY SEDIMENT CONTROL PRACTICE THAT IS DISTURBED BY GRADING ACTIVITY FOR PLACEMENT OF UTILITIES MUST BE REPAIRED ON THE SAME DAY OF DISTURBANCE.
- ADDITIONAL SEDIMENT CONTROL MUST BE PROVIDED, IF DEEMED NECESSARY BY THE HOWARD COUNTY SEDIMENT CONTROL INSPECTOR.
- ON ALL SITES WITH DISTURBED AREAS IN EXCESS OF 2 ACRES, APPROVAL OF THE INSPECTION AGENCY SHALL BE REQUESTED UPON COMPLETION OF INSTALLATION OF PERIMETER EROSION AND SEDIMENT CONTROLS, BUT BEFORE PROCEEDING WITH ANY OTHER EARTH DISTURBANCE OR GRADING OTHER BUILDING OR GRADING INSPECTION APPROVALS MAY NOT BE AUTHORIZED UNTIL THIS INITIAL APPROVAL BY THE INSPECTION AGENCY IS MADE.
- TRENCHES FOR THE CONSTRUCTION OF UTILITIES IS LIMITED TO THREE PIPE LENGTHS OR THAT WHICH SHALL BE BACK-FILLED AND STABILIZED BY THE END OF EACH WORKDAY, WHICHEVER IS SHORTER.
- ANY CHANGES OR REVISIONS TO THE SEQUENCE OF CONSTRUCTION MUST BE REVIEWED AND APPROVED BY THE PLAN APPROVAL AUTHORITY PRIOR TO PROCEEDING WITH CONSTRUCTION. A PROJECT IS TO BE SEQUENCED SO THAT GRADING ACTIVITIES BEGIN ON ONE GRADING UNIT (MAXIMUM ACREAGE OF 20 ACRES PER GRADING UNIT) AT A TIME. WORK MAY PROCEED TO A SUBSEQUENT GRADING UNIT WHEN AT LEAST 90 PERCENT OF THE DISTURBED AREA IN THE PRECEDING GRADING UNIT HAS BEEN STABILIZED AND APPROVED BY THE ENFORCEMENT AUTHORITY. UNLESS OTHERWISE SPECIFIED AND APPROVED BY THE APPROVAL AUTHORITY, NO MORE THAN 30 ACRES CUMULATIVELY MAY BE DISTURBED AT A GIVEN TIME.




DRY WELL CHART

| DRYWELL NO. | AREA OF ROOF TO DRYWELL | VOLUME REQUIRED | VOLUME PROVIDED | AREA OF TREATMENT | L | W | D | REMARKS |
|-------------|-------------------------|-----------------|-----------------|-------------------|-----|----|----|---------|
| 1 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 1 |
| 2 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 1 |
| 3 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 1 |
| 4 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 1 |
| 5 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 1 |
| 6 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 2 |
| 7 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 2 |
| 8 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 2 |
| 9 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 2 |
| 10 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 2 |
| 11 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 3 |
| 12 | 1,000 SQ. FT. | 305 C.F. | 540 C.F. | 100%+ | 15' | 9' | 4' | LOT 3 |

* AREA OF TREATMENT EXCEEDS THAT REQUIRED.
 NOTE: ROOFTOP AREA IS THE MAXIMUM TO EACH DRYWELL ONLY.

- ### STORMWATER MANAGEMENT NOTES
- STORMWATER MANAGEMENT IS PROVIDED IN ACCORDANCE WITH CHAPTER 5, "ENVIRONMENTAL SITE DESIGN" OF THE 2007 MARYLAND STORMWATER MANAGEMENT DESIGN MANUAL, EFFECTIVE MAY 4, 2010.
 - MAXIMUM CONTRIBUTING ROOF TOP AREA TO EACH DOWNSPOUT SHALL BE 1,000 SQ. FT. OR LESS.
 - DRYWELLS SHALL BE PROVIDED AT LOCATIONS WHERE THE LENGTH OF DISCONNECTION IS LESS THAN 75' AT 5% THE SIZE AND CONSTRUCTION OF THE DRYWELL SHALL BE IN ACCORDANCE WITH THE DETAIL SHOWN ON THIS SHEET.
 - FINAL GRADING IS SHOWN ON THIS SITE DEVELOPMENT PLAN.
- ### OPERATION & MAINTENANCE SCHEDULE FOR PRIVATELY OWNED AND MAINTAINED DRY WELLS (M-5)
- THE OWNER SHALL INSPECT THE MONITORING WELLS AND STRUCTURES ON A QUARTERLY BASIS AND AFTER EVERY HEAVY STORM EVENT.
 - THE OWNER SHALL RECORD THE WATER LEVELS AND SEDIMENT BUILD UP IN THE MONITORING WELLS OVER A PERIOD OF SEVERAL DAYS TO ENSURE TRENCH DRAINAGE.
 - THE OWNER SHALL MAINTAIN A LOG BOOK TO DETERMINE THE RATE AT WHICH THE FACILITY DRAINS.
 - WHEN THE FACILITY BECOMES CLOGGED SO THAT IT DOES NOT DRAIN DOWN WITHIN A SEVENTY-TWO (72) HOUR TIME PERIOD, CORRECTIVE ACTION SHALL BE TAKEN.
 - THE MAINTENANCE LOG BOOK SHALL BE AVAILABLE TO HOWARD COUNTY FOR INSPECTION TO INSURE COMPLIANCE WITH OPERATION AND MAINTENANCE CRITERIA.
 - ONCE THE PERFORMANCE CHARACTERISTICS OF THE INFILTRATION FACILITY HAVE BEEN VERIFIED, THE MONITORING SCHEDULE CAN BE REDUCED TO AN ANNUAL BASIS UNLESS THE PERFORMANCE DATA INDICATES THAT A MORE FREQUENT SCHEDULE IS REQUIRED.



- ### OPERATION & MAINTENANCE SCHEDULE FOR PRIVATELY OWNED AND MAINTAINED, DISCONNECTION OF NON-ROOFTOP RUNOFF (N-2)
- MAINTENANCE OF AREAS RECEIVING DISCONNECTION RUNOFF IS GENERALLY NO DIFFERENT THAN THAT REQUIRED FOR OTHER LAWN OR LANDSCAPED AREAS. THE AREAS RECEIVING RUNOFF SHOULD BE PROTECTED FROM FUTURE COMPACTOR OR DEVELOPMENT OF PAVED AREA IN COMMERCIAL AREAS FOOT TRAFFIC SHOULD BE DISCOURAGED AS WELL.

STORMWATER MANAGEMENT DETAILS, SEDIMENT & EROSION CONTROL NOTES AND DETAILS

SQUARE WOODS LOTS 1 THRU 3



A Resubdivision Of Lot 2, Recorded As "Casasco Property, Lots 1 And 2," Plat Nos. 24070 Thru 24071
 Zoned: RC-DEO
 Tax Map: #20 Parcels: #140
 Howard County, Maryland 4th Election District
 Date: May 11, 2017 Scale: 1"=50'
 Sheet 4 Of 5

Owner/Developer
 Paul A. Casasco And
 Jennifer K. Casasco
 3365 Jennings Chapel Road
 Woodbine, Maryland 21797
 Phone: # 301-529-5728


PROFESSIONAL CERTIFICATION

I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 38396, EXPIRATION DATE: 01/12/2018.



[Signature] 7/24/17
 Signature Of Professional Engineer DATE



| DRAINAGE AREA | AREA AC. +/- | % IMP. | REQ. Pe | PROV. Pe | REMARKS |
|---------------|--------------|--------|---------|----------|---------------------------------|
| A | 1.12 | 22% | 1.00' | 1.00' | (N-2) NON-ROOFTOP DISCONNECTION |
| B | 0.71 | 20% | 1.00' | 1.00' | (N-2) NON-ROOFTOP DISCONNECTION |
| B-1 | 0.23 | 46% | 1.00' | 1.90' | (M-6) MICRO-BIORETENTION |




APPROVED: DEPARTMENT OF PLANNING AND ZONING
 Chief, Division of Land Development, MD
 Chief, Development Engineering Division, NY
 8/9/17 DATE
 8/14/17 DATE



| SOIL | NAME | CLASS | E. FACTOR |
|------|--|-------|-----------|
| GgA | Glenelg loam, 0 to 3 percent slopes | B | 0.20 |
| GgB | Glenelg loam, 3 to 8 percent slopes | B | 0.20 |
| GgC | Glenelg loam, 8 to 15 percent slopes | B | 0.20 |
| GmB | Glenville silt loam, 3 to 8 percent slopes | C | 0.37 |

*-Denotes Highly Erodible Soils



PROFESSIONAL CERTIFICATION
 I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 38386, EXPIRATION DATE: 01/12/2018.
 Signature of Professional Engineer: *Anthony J. Smith* 7/26/17
 DATE



FISHER, COLLINS & CARTER, INC.
 CIVIL ENGINEERING CONSULTANTS & LAND SURVEYORS
 CENTRAL SQUARE OFFICE PARK - 10272 BALDORRE NATIONAL PIKE
 ELLSWORTH CITY, MARYLAND 21041
 (410) 461-2895

Owner/Developer
 Paul A. Casasco And
 Jennifer K. Casasco
 3365 Jennings Chapel Road
 Woodbine, Maryland 21797
 Phone: # 301-529-5728

DRAINAGE AREA MAP
SQUARE WOODS
 LOTS 1 THRU 3
 A Resubdivision of Lot 2, Recorded As "Casasco Property, Lots 1 And 2,"
 Plat Nos. 24070 Thru 24071
 Zoned: RC-DEO
 Tax Map: #20 Parcels: #140
 Howard County, Maryland 4th Election District
 Date: May 11, 2017 Scale: 1"=50'
 Sheet 5 of 5