













































**LEGEND**

-  SEPTIC DISPOSAL AREA
-  STEEP SLOPES 15-25%
-  STEEP SLOPES >25%
-  RIPRAP STABILIZATION
-  WETLAND
-  SURFACE SAND FILTER
-  100 YR. FLOODPLAIN
-  LIMIT OF DISTURBANCE
-  LOW (PHASE 1)  
LOW (PHASE 2)
-  STREAM BUFFER
-  WETLAND BUFFER
-  PROPOSED FLOODPLAIN
-  EXISTING FLOODPLAIN
-  DRAINAGE BOUNDARY
-  TREELINE
-  STREAM
-  WETLAND EDGE
-  PROP. 10' CONTOUR
-  EXST. 10' CONTOUR
-  PROPOSED GRADING
-  STORM PIPE
-  SOIL DIVIDE
-  SOIL LABEL
-  SPECIMEN TREE (TO BE REMOVED)
-  CRITICAL ROOT ZONE
-  SPECIMEN TREE (TO REMAIN)
-  PERC. HOLES (PASS)



MATCHLINE (SHEET 8)




MATCHLINE (SHEET 6)

**LYHUS PROPERTY**  
29 SINGLE FAMILY DETACHED UNITS

**CUT/FILL ANALYSIS**  
TOTAL UNADJUSTED RAW CUT = 101,150 CY  
TOTAL UNADJUSTED RAW FILL = 95,552 CY  
TOTAL UNADJUSTED NET (FILL) = 8,598 CY  
20% SHRINKAGE - ADJUSTED CUT = 80,920 CY  
ADJUSTED IMPORT = 29,828 CY  
LIMIT OF DISTURBANCE (PHASE 1): 27.16 AC.  
LIMIT OF DISTURBANCE (PHASE 2): 12.98 AC.  
LIMIT OF WORK (PHASE 1): 20.00 AC.  
LIMIT OF WORK (PHASE 2): 9.73 AC.

**NOTES**  
1. ALL UNDERGROUND ROOF LEADERS WILL BE 6" PVC PIPE.  
2. ALL SURFACE SAND FILTER AND SAND FILTER FACILITIES LEADING TO THEIR OWN OUTFALL POINT WILL HAVE OUTFALL PIPES SIZED TO HANDLE THE 10-YR STORM EVENT.  
3. STORMWATER QUALITY MANAGEMENT WILL BE PROVIDED BY 6 SURFACE SAND FILTER FACILITIES AND 145 DRYWELLS.

NOTE: HAZARD CLASS FOR ALL S.W.M. FACILITIES IS 'A' DUE TO NO LIFE LOSS FOR FAILURE.



APPROVED: DEPARTMENT OF PLANNING AND ZONING  
CHIEF DIVISION OF LAND DEVELOPMENT  
DATE: 4-11-19  
DATE: 4-29-19

SUBDIVISION NAME: LYHUS PROPERTY  
SECTION/AREA: N/A  
DEED #: 1453270469  
PREVIOUS FILE NO.:  
SP-17-010  
WP-18-070

TAX MAP: 40 GRID: 24 ZONED: RR-DEO  
PARCEL: 135  
5TH ELECTION DISTRICT, HOWARD COUNTY, MARYLAND  
OWNER: MITRON PARCEL 1, LLC & MITRON PARCEL 2, LLC  
60 H & H ROCK COMPANIES  
6800 DEERPATH ROAD #100  
ELK RIDGE, MARYLAND 21075  
CONTACT: JAMES FRASER  
PHONE: 410-579-2442  
DEVELOPER: ROCK REALTY INC. c/o H & H ROCK COMPANIES  
6800 DEERPATH ROAD #100  
ELK RIDGE, MARYLAND 21075  
CONTACT: JAMES FRASER  
PHONE: 410-579-2442  
PROFESSIONAL CERTIFICATION  
I, BRANDON R. ROWE, HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND.  
LICENSE NO. 40888 EXPIRATION DATE: 7/31/2019

**BOHLER ENGINEERING**  
SITE CIVIL AND CONSULTING ENGINEERING  
LAND SURVEYING PROGRAM MANAGEMENT LANDSCAPE ARCHITECTURE  
SUSTAINABLE DESIGN PERMITTING SERVICES TRANSPORTATION SERVICES  
NEW ENGLAND WORK CHARLOTTE, NC  
NEW YORK WORK ATLANTA, GA  
BOSTON, MA SOUTH EASTERN PA SOUTH FLORIDA  
NEW JERSEY WORK BEHNSON BEACH, DE  
NORTH CAROLINA WORK NORTHERN VIRGINIA  
FLORIDA WORK DALLAS - FT. WORTH, TX  
THE INFORMATION CONTAINED ON THIS PLAN IS BASED ON RECORDS AND SURVEY DATA PROVIDED BY THE CLIENT. THE ENGINEER HAS CONDUCTED VISUAL GENERAL VERIFICATION OF THE DATA PROVIDED. ENGINEERING SHALL BE BASED ON THE DATA PROVIDED BY THE CLIENT. THE ENGINEER HAS CONDUCTED VISUAL GENERAL VERIFICATION OF THE DATA PROVIDED.

REVISIONS			
REV	DATE	COMMENT	BY

**NOT APPROVED FOR CONSTRUCTION**  
PROJECT NO.: MD142067 JP  
DRAWN BY: BRR  
CHECKED BY: BRR  
DATE: 02/26/19  
SCALE: 1" = 50'  
CAD I.D.: SS2

**ENVIRONMENTAL CONCEPT PLAN**  
FOR  
**LYHUS PROPERTY**  
LOTS 1-28, BUILDABLE PRESERVATION PARCEL B, NON-BUILDABLE PRESERVATION PARCELS A, C & D  
LOCATION OF SITE  
12170 LIME KILN ROAD  
5TH ELECTION DISTRICT  
TAX MAP 40, GRID 24  
PARCEL 135, FULTON, HOWARD COUNTY, MD

**BOHLER ENGINEERING**  
901 DULANEY VALLEY ROAD, SUITE 801  
TOWSON, MARYLAND 21284  
Phone: (410) 821-7900  
Fax: (410) 821-7987  
MD@BohlerEng.com

**B.R. ROWE**  
PROFESSIONAL ENGINEER  
MARYLAND LICENSE NO. 40888  
3/8/19

SHEET TITLE:  
**ENVIRONMENTAL CONCEPT PLAN**  
SHEET NUMBER:  
**5 OF 16**











**LYHUS PROPERTY**

29 SINGLE FAMILY DETACHED UNITS

**CUT/FILL ANALYSIS**

TOTAL UNADJUSTED RAW CUT = 101,150 CY  
 TOTAL UNADJUSTED RAW FILL = 95,552 CY  
 TOTAL UNADJUSTED NET (FILL) = 8,598 CY

20% SHRINKAGE - ADJUSTED CUT = 80,920 CY  
 ADJUSTED IMPORT = 28,828 CY


LIMIT OF DISTURBANCE (PHASE 1): 27.16 AC.  
 LIMIT OF DISTURBANCE (PHASE 2): 12.98 AC.

LIMIT OF WORK (PHASE 1): 20.00 AC.  
 LIMIT OF WORK (PHASE 2): 9.73 AC.

**NOTES**

- ALL UNDERGROUND ROOF LEADERS WILL BE 6" PVC PIPE.
- ALL SURFACE SAND FILTER AND SAND FILTER FACILITIES LEADING TO THEIR OWN OUTFALL POINT WILL HAVE OUTFALL PIPES SIZED TO HANDLE THE 10-YR STORM EVENT.
- STORMWATER QUALITY MANAGEMENT WILL BE PROVIDED BY 8 SURFACE SAND FILTER FACILITIES AND 145 DRYWELLS.

MATCHLINE (SHEET 7)



**LEGEND**

- SEPTIC DISPOSAL AREA
- STEEP SLOPES 15-25%
- STEEP SLOPES >25%
- RIPRAP STABILIZATION
- WETLAND
- SURFACE SAND FILTER
- 100 YR. FLOODPLAIN
- LIMIT OF DISTURBANCE
- LIMIT OF WORK (PHASE I)
- LIMIT OF WORK (PHASE II)
- STREAM BUFFER
- WETLAND BUFFER
- PROPOSED FLOODPLAIN
- EXISTING FLOODPLAIN
- DRAINAGE BOUNDARY
- TREELINE
- STREAM
- STREAM BANK
- WETLAND EDGE
- PROP. 10' CONTOUR
- EXST. 10' CONTOUR
- PROPOSED GRADING
- STORM PIPE
- SOIL DIVIDE
- SOIL LABEL
- SPECIMEN TREE (TO BE REMOVED)
- CRITICAL ROOT ZONE
- SPECIMEN TREE (TO REMAIN)
- PERC. HOLES (PASS)

**BOHLER ENGINEERING**

SITE CIVIL AND CONSULTING ENGINEERING  
 LAND SURVEYING PROGRAM MANAGEMENT LANDSCAPE ARCHITECTURE  
 SUSTAINABLE DESIGN PERMITTING SERVICES TRANSPORTATION SERVICES

RALEIGH, NC  
 LEHIGH VALLEY, PA  
 BOSTON, MA  
 NEW YORK, NY  
 PHILADELPHIA, PA  
 ATLANTA, GA  
 REHOBOTH BEACH, DE  
 BALTIMORE, MD  
 NEW JERSEY  
 CENTRAL VIRGINIA  
 DALLAS - FT. WORTH, TX

**REVISIONS**

REV	DATE	COMMENT	BY

**THE FOLLOWING STATES REQUIRE NOTIFICATION BY EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN THE STATE IN VIRGINIA, MARYLAND, THE DISTRICT OF COLUMBIA, AND DELAWARE CALL: 811**

(WV 1-800-245-4848) (PA 1-800-245-1778) (DC 1-800-257-7777) (VA 1-800-552-7001) (MD 1-800-257-7777) (DE 1-800-292-8555)

**NOT APPROVED FOR CONSTRUCTION**

PROJECT No.: MD142057  
 DRAWN BY: BRR  
 CHECKED BY: 02/26/19  
 DATE: 1" = 50'  
 SCALE: SSS  
 CAD I.D.:

**ENVIRONMENTAL CONCEPT PLAN**

FOR

**LYHUS PROPERTY**

LOTS 1-28, BUILDABLE PRESERVATION PARCEL B, NON-BUILDABLE PRESERVATION PARCELS A, C & D  
 LOCATION OF SITE:  
 12170 LIME KILN ROAD  
 5TH ELECTION DISTRICT  
 TAX MAP 40, GRID 24  
 PARCEL 135, FULTON, HOWARD COUNTY, MD

**BOHLER ENGINEERING**


901 DULANEY VALLEY ROAD, SUITE 801  
 TOWSON, MARYLAND 21284  
 Phone: (410) 821-7900  
 Fax: (410) 821-7987  
 MD@BohlerEng.com

**B.R. ROWE**

PROFESSIONAL ENGINEER  
 MARYLAND LICENSE NO. 48098  
 3/10/19

SHEET TITLE:  
**ENVIRONMENTAL CONCEPT PLAN**

SHEET NUMBER:  
**8 OF 16**



SUBDIVISION NAME: LYHUS PROPERTY  
 SECTION/AREA: N/A  
 DEED #: 14552/00469

PREVIOUS FILE No. :  
 SP-17-010  
 WP-18-070

TAX MAP: 40 GRID: 24 ZONED: RR-DEO  
 PARCEL: 135

5TH ELECTION DISTRICT, HOWARD COUNTY, MARYLAND

OWNER: MITRON PARCEL 1, LLC & MITRON PARCEL 2, LLC  
 c/o H & H ROCK COMPANIES  
 6800 DEERPETH ROAD #100  
 ELK RIDGE, MARYLAND 21075

DEVELOPER: ROCK REALTY INC. c/o H & H ROCK COMPANIES  
 6800 DEERPETH ROAD #100  
 ELK RIDGE, MARYLAND 21075  
 CONTACT: JAMES FRASER  
 PHONE: 410-578-2442

PROFESSIONAL CERTIFICATION  
 I, BRANDON R. ROWE, HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND. LICENSE NO. 48098, EXPIRATION DATE: 7/3/2019

APPROVED: DEPARTMENT OF PLANNING AND ZONING

*[Signature]* 4-8-19  
 CHIEF DIVISION OF LAND DEVELOPMENT DATE

*[Signature]* 4-29-19  
 CHIEF DEVELOPMENT ENGINEERING DIVISION DATE

\\smd\40570\working\plan set\environmental\concept plan\10110555.dwg PRINTED BY: AGAMBRA 3/8/19 @ 1:51 PM LIST LAST USED BY: AGAMBRA









**LEGEND**

- SEPTIC DISPOSAL AREA
- STEEP SLOPES 15-25%
- STEEP SLOPES >25%
- RIPRAP STABILIZATION
- WETLAND
- SURFACE SAND FILTER
- 100 YR. FLOODPLAIN
- LIMIT OF DISTURBANCE
- LIMIT OF WORK (PHASE I)
- LIMIT OF WORK (PHASE II)
- STREAM BUFFER
- WETLAND BUFFER
- PROPOSED FLOODPLAIN
- EXISTING FLOODPLAIN
- DRAINAGE BOUNDARY
- TREELINE
- STREAM
- STREAM BANK
- WETLAND EDGE
- PROP. 10' CONTOUR
- EXST. 10' CONTOUR
- PROPOSED GRADING
- STORM PIPE
- SOIL DIVIDE
- SOIL LABEL
- SPECIMEN TREE (TO BE REMOVED)
- CRITICAL ROOT ZONE
- SPECIMEN TREE (TO REMAIN)
- PERC. HOLES (PASS)

**BOHLER ENGINEERING**

SITE CIVIL AND CONSULTING ENGINEERING  
 LAND SURVEYING PROGRAM MANAGEMENT LANDSCAPE ARCHITECTURE SERVICES  
 SUSTAINABLE DESIGN PERMITTING SERVICES TRANSPORTATION SERVICES

RALEIGH, NC  
 LEHIGH VALLEY, PA  
 BOSTON, MA  
 BALTIMORE, MD  
 NEW YORK, NY  
 PHILADELPHIA, PA

ATLANTA, GA  
 TAMPA, FL  
 REHOBOTH BEACH, DE  
 CHARLOTTE, NC  
 CENTRAL VIRGINIA  
 DALLAS - FT. WORTH, TX

**REVISIONS**

REV	DATE	COMMENT	BY

**NOT APPROVED FOR CONSTRUCTION**

PROJECT No.: MD142067  
 DRAWN BY: JPB  
 CHECKED BY: BRR  
 DATE: 02/26/19  
 SCALE: 1" = 50'  
 CAD I.D.: S53

**ENVIRONMENTAL CONCEPT PLAN**

FOR

**LYHUS PROPERTY**

LOTS 1-28 BUILDABLE PRESERVATION PARCEL B, NON-BUILDABLE PRESERVATION PARCELS A, C & D  
 LOCATION OF SITE  
 12170 LIME KILN ROAD  
 5TH ELECTION DISTRICT  
 TAX MAP 40, GRID 24  
 PARCEL 135, FULTON,  
 HOWARD COUNTY, MD

**BOHLER ENGINEERING**

901 DULANEY VALLEY ROAD, SUITE 801  
 TOWSON, MARYLAND 21284  
 Phone: (410) 821-7900  
 Fax: (410) 821-7987  
 MD@BohlerEng.com

**B.R. ROWE**

PROFESSIONAL ENGINEER  
 MARYLAND LICENSE NO. 49066

3/10/19

SHEET TITLE:  
**ENVIRONMENTAL CONCEPT PLAN**

SHEET NUMBER:  
**10 OF 16**

APPROVED: DEPARTMENT OF PLANNING AND ZONING

*John Schuchman* 4-4-19 DATE  
 CHIEF DIVISION OF LAND DEVELOPMENT #M  
*John Schuchman* 4-29-19 DATE  
 CHIEF, DEVELOPMENT ENGINEERING DIVISION

**LYHUS PROPERTY**  
 29 SINGLE FAMILY DETACHED UNITS

**CUT/FILL ANALYSIS**


TOTAL UNADJUSTED RAW CUT = 101,150 CY  
 TOTAL UNADJUSTED RAW FILL = 95,552 CY  
 TOTAL UNADJUSTED NET (FILL) = 8,598 CY

20% SHRINKAGE - ADJUSTED CUT = 80,920 CY  
 ADJUSTED IMPORT = 28,828 CY

LIMIT OF DISTURBANCE (PHASE 1): 27.16 AC.  
 LIMIT OF DISTURBANCE (PHASE 2): 12.98 AC.  
 LIMIT OF WORK (PHASE 1): 20.00 AC.  
 LIMIT OF WORK (PHASE 2): 9.73 AC.

**NOTES**

- ALL UNDERGROUND ROOF LEADERS WILL BE 6" PVC PIPE.
- ALL SURFACE SAND FILTER AND SAND FILTER FACILITIES LEADING TO THEIR OWN OUTFALL POINT WILL HAVE OUTFALL PIPES SIZED TO HANDLE THE 10-YR STORM EVENT.
- STORMWATER QUALITY MANAGEMENT WILL BE PROVIDED BY 4 SURFACE SAND FILTER FACILITIES AND 145 DRYWELLS.



TAX MAP: 40	GRID: 24	ZONED: RR-DEO
PARCEL: 135	5TH ELECTION DISTRICT, HOWARD COUNTY, MARYLAND	
OWNER: MITRON PARCEL 1, LLC & MITRON PARCEL 2, LLC c/o H & H ROCK COMPANIES 6800 DEERPATH ROAD #100 ELK RIDGE, MARYLAND 21075		
DEVELOPER: ROCK REALTY INC. c/o H & H ROCK COMPANIES 6800 DEERPATH ROAD #100 ELK RIDGE, MARYLAND 21075 CONTACT: JAMES FRASER PHONE: 410-579-2442		
PREVIOUS FILE No.:		
SP-17-010	PROFESSIONAL CERTIFICATION	
WP-18-070	I, BRANDON R. ROWE, HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND. LICENSE NO. 40808 EXPIRATION DATE: 7/31/19	

\\GISDEV\02\DRAWING\PLAN SETS\ENVIRONMENTAL CONCEPT PLAN\101010555.DWG PRINTED BY: AGAMBRA 1:36:19 @ 1:54 PM. LAST SAVED BY: AGAMBRA









MATCHLINE (SHEET 14)

MATCHLINE (SHEET 11)

**NOTES**

- ALL UNDERGROUND ROOF LEADERS WILL BE 6" PVC PIPE.
- ALL BIO-RETENTION FACILITIES LEADING TO THEIR OWN OUTFALL POINT WILL HAVE OUTFALL PIPES SIZED TO HANDLE THE 10-YR STORM EVENT.
- STORMWATER QUALITY MANAGEMENT WILL BE PROVIDED BY 6 SURFACE SAND FILTER FACILITIES AND 145 DRY WELLS.
- THE EXISTING WELL MUST BE PROPERLY ABANDONED BY A LICENSED WELL DRILLER WITH AN ABANDONMENT REPORT SUBMITTED TO THE HEALTH DEPARTMENT. THE EXISTING SEWAGE SYSTEM MUST BE PUMPED OUT BY A LICENSED SEWAGE HAULER AND PROPERLY ABANDONED WITH DOCUMENTATION SUBMITTED TO THE HEALTH DEPARTMENT PRIOR TO HEALTH DEPARTMENT APPROVAL OF THE RECORD PLAT.

**LYHUS PROPERTY**  
29 SINGLE FAMILY DETACHED UNITS

**CUT/FILL ANALYSIS**

TOTAL UNADJUSTED RAW CUT = 101,150 CY  
 TOTAL UNADJUSTED RAW FILL = 85,552 CY  
 TOTAL UNADJUSTED NET (FILL) = 8,598 CY  
 20% SHRINKAGE - ADJUSTED CUT = 80,920 CY  
 ADJUSTED IMPORT = 28,828 CY  
 LIMIT OF DISTURBANCE (PHASE 1): 27.16 AC.  
 LIMIT OF DISTURBANCE (PHASE 2): 12.98 AC.  
 LIMIT OF WORK (PHASE 1): 20.00 AC.  
 LIMIT OF WORK (PHASE 2): 9.73 AC.


**EROSION AND SEDIMENT CONTROL LEGEND**

- SILT FENCE
- SUPER SILT FENCE
- TREE PROTECTION
- ROOT PROTECTION ZONE
- STEEP SLOPES (15%-25%)
- STEEP SLOPES (>25%)
- SOIL DIVIDE
- SOIL LABEL
- RIPRAP STABILIZATION
- LIMIT OF DISTURBANCE
- LIMIT OF WORK (PHASE 1)
- LIMIT OF WORK (PHASE 2)
- CURB INLET PROTECTION
- STANDARD INLET PROTECTION
- EARTH DIKE
- STABILIZED CONSTRUCTION ENTRANCE

**EROSION AND SEDIMENT CONTROL NOTES**

- CONTRACTOR TO ACCOUNT FOR BASEMENT CUT BY LOWERING ELEVATIONS OF LOTS AS REQUIRED. GENERAL GRADING DESIGN SHOULD REMAIN THE SAME. LOTS SHOULD BE BROUGHT TO FINAL GRADE AFTER SDP APPROVAL WHEN HOUSES ARE BUILT AND CUT IN BASEMENTS IS AVAILABLE.
- SEQUENCE OF CONSTRUCTION, SEDIMENT CONTROL NOTES, AND SEDIMENT CONTROL DETAILS WILL BE PROVIDED DURING FINAL PLAN PHASE OF THE PROJECT.
- ALL PROPOSED WORK OUTSIDE OF PERIMETER CONTROLS SHALL BE STABILIZED AT THE END OF EACH WORK DAY.
- PROPOSED SILT FENCE IS TO BE CHANGED TO SUPER SILT FENCE AT THE DIRECTION OF THE SEDIMENT CONTROL INSPECTOR.
- EITHER TEMPORARY OR PERMANENT SEEDING IS TO BE PERFORMED AT THE DIRECTION OF THE SEDIMENT CONTROL INSPECTOR OR AT THE TIME FRAMES REQUIRED BY THE 2011 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL, WHICHEVER IS MORE RESTRICTIVE.
- CONTRACTOR TO INSTALL SOIL STABILIZATION MATTING IN ALL SLOPES 3:1 OR GREATER.
- IF A STOCKPILE EXCEEDS 15 FEET IN HEIGHT, IT MUST BE BENCHED.
- IF A UTILITY CROSSES A PHASING LINE, THAT SECTION OF PIPE OR STRUCTURE CANNOT BE INSTALLED UNTIL THE LATER PHASE.
- WORK LOCATED OUTSIDE OF THE LIMIT OF WORK (LOW) AND WITHIN THE LIMIT OF DISTURBANCE (LOD) SUCH AS DRY WELLS AND SEPTIC FIELDS SHALL BE COMPLETED ALONG WITH HOUSE CONSTRUCTION ON THE SAME LOT. THE MAJORITY THE LOW SHOULD BE STABILIZED AT THIS TIME, KEEPING THE ACTIVE DISTURBANCE AREA UNDER 20 AC.

A MAXIMUM OF 20 ACRES OF ACTIVE DISTURBANCE AREA WITH AN ADDITIONAL 10 ACRES OF RECENTLY STABILIZED OR TRANSITIONAL AREA IS PERMITTED. NO MORE THAN 30 ACRES, CUMULATIVELY, MAY BE DISTURBED AT ANY GIVEN TIME.



MAPPED SOILS		
MAP SYMBOL	MAP UNIT NAME	RATING
BaA	BAILE SILT LOAM, 0 TO 3 PERCENT SLOPES	D
Co	CODORUS AND HATBORO SILT LOAMS, 0 TO 3 PERCENT SLOPES	C
GaC	GAILA LOAM, 8 TO 15 PERCENT SLOPES	B
GbB	GLADSTONE LOAM, 3 TO 8 PERCENT SLOPES	B
GbC	GLADSTONE LOAM, 8 TO 15 PERCENT SLOPES	B
GgB	GLENELG LOAM, 3 TO 8 PERCENT SLOPES	B
GgC	GLENELG LOAM, 8 TO 15 PERCENT SLOPES	B
GmB	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	C
GnB	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	C
MaB	MANOR LOAM, 3 TO 8 PERCENT SLOPES	B
MaC	MANOR LOAM, 8 TO 15 PERCENT SLOPES	B
MaD	MANOR LOAM, 15 TO 25 PERCENT SLOPES	B

**BOHLER ENGINEERING**

SITE CIVIL AND CONSULTING ENGINEERING  
 LAND SURVEYING PROGRAM MANAGEMENT LANDSCAPE ARCHITECTURE  
 SUSTAINABLE DESIGN PERMITTING SERVICES TRANSPORTATION SERVICES

RALEIGH, NC  
 BALTIMORE, MD  
 BOSTON, MA  
 CHARLOTTE, NC  
 CHICAGO, IL  
 COLUMBIA, SC  
 DALLAS, TX  
 DENVER, CO  
 HOUSTON, TX  
 KANSAS CITY, MO  
 LOS ANGELES, CA  
 MIAMI, FL  
 MINNEAPOLIS, MN  
 NEW YORK, NY  
 PHILADELPHIA, PA  
 RICHMOND, VA  
 WASHINGTON, DC

**REVISIONS**

REV	DATE	COMMENT	BY

THE FOLLOWING STATES REQUIRE NOTIFICATION BY EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN THE STATE IN VIRGINIA, MARYLAND, THE DISTRICT OF COLUMBIA, AND DELAWARE: CALL 1-811 (TOLL FREE) OR 1-800-245-4848 (PA 1-800-242-1778) (DC 1-800-257-7777) (VA 1-800-952-7921) (MD 1-800-257-7777) (DC 1-800-252-9549)

**NOT APPROVED FOR CONSTRUCTION**

PROJECT No.: MD1422067  
 DRAWN BY: J.P.  
 CHECKED BY: BRR  
 DATE: 02/26/19  
 SCALE: 1"=60'  
 CAD I.D.: EPS

**ENVIRONMENTAL CONCEPT PLAN**

FOR  
**LYHUS PROPERTY**  
 LOTS 1-28, BUILDABLE PRESERVATION PARCEL, B, NON-BUILDABLE PRESERVATION PARCELS A, C & D  
 LOCATION OF SITE  
 12170 LIME KILN ROAD  
 5TH ELECTION DISTRICT  
 TAX MAP 40, GRID 24  
 PARCEL 135, FULTON, HOWARD COUNTY, MD

**BOHLER ENGINEERING**

901 DULANEY VALLEY ROAD, SUITE 801  
 TOWSON, MARYLAND 21284  
 Phone: (410) 821-7900  
 Fax: (410) 821-7987  
 MD@BohlerEng.com

**B.R. ROWE**

PROFESSIONAL ENGINEER  
 MARYLAND LICENSE NO. 40808

3/1/19

SHEET TITLE:  
**SEDIMENT CONTROL AND ENVIRONMENTAL CONCEPT PLAN**

SHEET NUMBER:  
**12 OF 16**

APPROVED: DEPARTMENT OF PLANNING AND ZONING

*K. School* 4.4.19  
 CHIEF, DIVISION OF LAND DEVELOPMENT DATE

*Chil* 4.29.19  
 CHIEF, DEVELOPMENT ENGINEERING DIVISION DATE


TAX MAP: 40 GRID: 24 ZONED: RR-DEO  
 PARCEL: 135  
 5TH ELECTION DISTRICT, HOWARD COUNTY, MARYLAND

OWNER: MITRON PARCEL 1, LLC & MITRON PARCEL 2, LLC  
 c/o H & H ROCK COMPANIES  
 6800 DEERPATH ROAD #100  
 ELK RIDGE, MARYLAND 21075


DEVELOPER: ROCK REALTY INC. c/o H & H ROCK COMPANIES  
 6800 DEERPATH ROAD #100  
 ELK RIDGE, MARYLAND 21075  
 CONTACT: JAMES FRASER  
 PHONE: 410-579-2442

PROFESSIONAL CERTIFICATION  
 I, BRANDON R. ROWE, HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 40808, EXPIRATION DATE: 7/30/19





MATCHLINE (SHEET 14)



MATCHLINE (SHEET 15)

MATCHLINE (SHEET 11)

**LYHUS PROPERTY**

29 SINGLE FAMILY DETACHED UNITS

**CUT/FILL ANALYSIS**

TOTAL UNADJUSTED RAW CUT = 101,150 CY  
 TOTAL UNADJUSTED RAW FILL = 95,552 CY  
 TOTAL UNADJUSTED NET (FILL) = 6,598 CY  
 20% SHRINKAGE - ADJUSTED CUT = 80,920 CY  
 ADJUSTED IMPORT = 28,628 CY  
 LIMIT OF DISTURBANCE (PHASE 1): 27.16 AC.  
 LIMIT OF DISTURBANCE (PHASE 2): 12.98 AC.  
 LIMIT OF WORK (PHASE 1): 20.00 AC.  
 LIMIT OF WORK (PHASE 2): 9.73 AC.

**NOTES**

- ALL UNDERGROUND ROOF LEADERS WILL BE 8" PVC PIPE.
- ALL SURFACE SAND FILTER FACILITIES LEADING TO THEIR OWN OUTFALL POINT WILL HAVE OUTFALL PIPES SIZED TO HANDLE THE 10-YR STORM EVENT.
- STORMWATER QUALITY MANAGEMENT WILL BE PROVIDED BY 8" SURFACE SAND FILTER AND 145 DRYWELLS.

MAPPED SOILS		
MAP SYMBOL	MAP UNIT NAME	RATING
BaA	BAILE SILT LOAM, 0 TO 3 PERCENT SLOPES	D
Co	CODORUS AND HATBORO SILT LOAMS, 0 TO 3 PERCENT SLOPES	C
GaC	GAILA LOAM, 8 TO 15 PERCENT SLOPES	B
Gbb	GLADSTONE LOAM, 3 TO 8 PERCENT SLOPES	B
GcC	GLADSTONE LOAM, 8 TO 15 PERCENT SLOPES	B
GgB	GLENELG LOAM, 3 TO 8 PERCENT SLOPES	B
GgC	GLENELG LOAM, 3 TO 8 PERCENT SLOPES	B
GhB	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	C
GhC	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	C
MaB	MANOR LOAM, 3 TO 8 PERCENT SLOPES	B
MaC	MANOR LOAM, 8 TO 15 PERCENT SLOPES	B
MaD	MANOR LOAM, 15 TO 25 PERCENT SLOPES	B

**EROSION AND SEDIMENT CONTROL LEGEND**

- SILT FENCE
- SUPER SILT FENCE
- TREE PROTECTION
- ROOT PROTECTION ZONE
- STEEP SLOPES (15%-25%)
- STEEP SLOPES (>25%)
- SOIL DIVIDE
- SOIL LABEL
- RIPRAP STABILIZATION
- LIMIT OF DISTURBANCE
- LIMIT OF WORK (PHASE 1)
- LIMIT OF WORK (PHASE 2)
- CURB INLET PROTECTION
- STANDARD INLET PROTECTION
- EARTH DIKE
- STABILIZED CONSTRUCTION ENTRANCE

**EROSION AND SEDIMENT CONTROL NOTES**

- CONTRACTOR TO ACCOUNT FOR BASEMENT CUT BY LOWERING ELEVATIONS OF LOTS AS REQUIRED. GENERAL GRADING DESIGN SHOULD REMAIN THE SAME. LOTS SHOULD BE BROUGHT TO FINAL GRADE AFTER SDP APPROVAL WHEN HOUSES ARE BUILT AND CUT IN BASEMENTS IS AVAILABLE.
- SEQUENCE OF CONSTRUCTION, SEDIMENT CONTROL NOTES, AND SEDIMENT CONTROL DETAILS WILL BE PROVIDED DURING FINAL PLAN PHASE OF THE PROJECT.
- ALL PROPOSED WORK OUTSIDE OF PERIMETER CONTROLS SHALL BE STABILIZED AT THE END OF EACH WORK DAY.
- PROPOSED SILT FENCE IS TO BE CHANGED TO SUPER SILT FENCE AT THE DIRECTION OF THE SEDIMENT CONTROL INSPECTOR.
- EITHER TEMPORARY OR PERMANENT SEEDING IS TO BE PERFORMED AT THE DIRECTION OF THE SEDIMENT CONTROL INSPECTOR OR AT THE TIME FRAMES REQUIRED BY THE 2011 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL, WHICHEVER IS MORE RESTRICTIVE.
- CONTRACTOR TO INSTALL SOIL STABILIZATION MATTING IN ALL SLOPES 3:1 OR GREATER.
- IF A STOCKPILE EXCEEDS 15 FEET IN HEIGHT, IT MUST BE BENCHED.
- IF A UTILITY CROSSES A PHASING LINE, THAT SECTION OF PIPE OR STRUCTURE CANNOT BE INSTALLED UNTIL THE LATER PHASE.
- WORK LOCATED OUTSIDE OF THE LIMIT OF WORK (LOW) AND WITHIN THE LIMIT OF DISTURBANCE (LOD) SUCH AS DRY WELLS AND SEPTIC FIELDS SHALL BE COMPLETED ALONG WITH HOUSE CONSTRUCTION ON THE SAME LOT. THE MAJORITY LOW SHOULD BE STABILIZED AT THIS TIME, KEEPING THE ACTIVE DISTURBANCE AREA UNDER 20 AC.

A MAXIMUM OF 20 ACRES OF ACTIVE DISTURBANCE AREA WITH AN ADDITIONAL 10 ACRES OF RECENTLY STABILIZED OR TRANSITIONAL AREA IS PERMITTED. NO MORE THAN 30 ACRES, CUMULATIVELY, MAY BE DISTURBED AT ANY GIVEN TIME.

**BOHLER ENGINEERING**

SITE CIVIL AND CONSULTING ENGINEERING  
 LAND SURVEYING  
 SUSTAINABLE DESIGN  
 PROGRAM MANAGEMENT  
 PERMITTING SERVICES  
 LANDSCAPE ARCHITECTURE  
 TRANSPORTATION SERVICES

RALEIGH, NC  
 EDINBURGH, VA  
 HIGHLAND PARK, VA  
 CHARLOTTE, NC  
 BOSTON, MA  
 NEW YORK, NY  
 PHILADELPHIA, PA  
 WASHINGTON, DC

ATLANTA, GA  
 REHOBOTH BEACH, DE  
 SOUTH FLORIDA  
 NORTHERN VIRGINIA  
 CENTRAL VIRGINIA  
 NEW JERSEY  
 NEW YORK, NY  
 DALLAS - FT. WORTH, TX

REVISIONS			
REV	DATE	COMMENT	BY

**BOHLER ENGINEERING**

THE FOLLOWING STATES REQUIRE NOTIFICATION BY EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN THE STATE OF VIRGINIA, MARYLAND, THE DISTRICT OF COLUMBIA, AND DELAWARE CALL 1-811 (WV 1-800-245-4848) (PA 1-800-242-1778) (DC 1-800-257-7777) (VA 1-800-692-7071) (MD 1-800-257-7777) (DE 1-800-292-9500)

**NOT APPROVED FOR CONSTRUCTION**

PROJECT NO.: MD142067  
 DRAWN BY: JIP  
 CHECKED BY: BRR  
 DATE: 02/26/19  
 SCALE: 1"=50'  
 CAD I.D.: EP3

**ENVIRONMENTAL CONCEPT PLAN**

FOR  
**LYHUS PROPERTY**

LOTS 1-28, BUILDABLE PRESERVATION PARCEL B, NON-BUILDABLE PRESERVATION PARCELS A, C & D  
 12170 LIME KILN ROAD  
 5TH ELECTION DISTRICT  
 TAX MAP 40, GRID 24  
 PARCEL 135, FULTON, HOWARD COUNTY, MD

**BOHLER ENGINEERING**

901 DULANEY VALLEY ROAD, SUITE 801  
 TOWSON, MARYLAND 21284  
 Phone: (410) 821-7900  
 Fax: (410) 821-7987  
 MD@BohlerEng.com

**B.R. ROWE**

PROFESSIONAL ENGINEER  
 (M.D. LICENSE NO. 9608)


SHEET TITLE:  
**SEDIMENT CONTROL AND ENVIRONMENTAL CONCEPT PLAN**

SHEET NUMBER:  
**13 OF 16**

APPROVED: DEPARTMENT OF PLANNING AND ZONING

*Christa Leavelle* 4-4-19  
 CHIEF, DIVISION OF LAND DEVELOPMENT DATE

*Chris Elms* 4-29-19  
 CHIEF, DEVELOPMENT ENGINEERING DIVISION DATE



SUBDIVISION NAME: LYHUS PROPERTY  
 SECTION/WARE: N/A  
 DEED #: 14532/00469

PREVIOUS FILE NO.:  
 SP-17-010  
 WP-18-070

TAX MAP: 40 GRID: 24 ZONED: RR-DEO  
 PARCEL: 135


5TH ELECTION DISTRICT, HOWARD COUNTY, MARYLAND

OWNER: MITRON PARCEL 1, LLC & MITRON PARCEL 2, LLC  
 60 H & H ROCK COMPANIES  
 6800 DEERPATH ROAD #100  
 ELKCRIDGE, MARYLAND 21075

DEVELOPER: ROCK REALTY INC. 60 H & H ROCK COMPANIES  
 6800 DEERPATH ROAD #100  
 ELKCRIDGE, MARYLAND 21075  
 CONTACT: JAMES FRASER  
 PHONE: 410-579-2442

PROFESSIONAL CERTIFICATION  
 I, BRANDON R. ROWE, HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 40808, EXPIRATION DATE: 7/3/2019





MATCHLINE (SHEET 12)

**EROSION AND SEDIMENT CONTROL LEGEND**

- SILT FENCE
- SUPER SILT FENCE
- TREE PROTECTION
- ROOT PROTECTION ZONE
- STEEP SLOPES (15%-25%)
- STEEP SLOPES (>25%)
- SOIL DIVIDE
- SOIL LABEL
- RIPRAP STABILIZATION
- LIMIT OF DISTURBANCE
- LIMIT OF WORK (PHASE 1)
- LIMIT OF WORK (PHASE 2)
- CURB INLET PROTECTION
- STANDARD INLET PROTECTION
- EARTH DIKE
- STABILIZED CONSTRUCTION ENTRANCE

MATCHLINE (SHEET 16)

MATCHLINE (SHEET 13)

MAPPED SOILS		
MAP SYMBOL	MAP UNIT NAME	RATING
BaA	BAILE SILT LOAM, 0 TO 3 PERCENT SLOPES	D
Co	CODORUS AND HATBORO SILT LOAMS, 0 TO 3 PERCENT SLOPES	C
GaC	GAILA LOAM, 8 TO 15 PERCENT SLOPES	B
GbB	GLADSTONE LOAM, 3 TO 8 PERCENT SLOPES	B
GbC	GLADSTONE LOAM, 8 TO 15 PERCENT SLOPES	B
GgB	GLENELG LOAM, 3 TO 8 PERCENT SLOPES	B
GgC	GLENELG LOAM, 3 TO 5 PERCENT SLOPES	B
GmB	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	C
GnB	GLENVILLE SILT LOAM, 3 TO 8 PERCENT SLOPES	C
MaB	MANOR LOAM, 3 TO 8 PERCENT SLOPES	B
MaC	MANOR LOAM, 8 TO 15 PERCENT SLOPES	B
MaD	MANOR LOAM, 15 TO 25 PERCENT SLOPES	B

**EROSION AND SEDIMENT CONTROL NOTES**

- CONTRACTOR TO ACCOUNT FOR BASEMENT CUT BY LOWERING ELEVATIONS OF LOTS AS REQUIRED. GENERAL GRADING DESIGN SHOULD REMAIN THE SAME. LOTS SHOULD BE BROUGHT TO FINAL GRADE AFTER SDP APPROVAL WHEN HOUSES ARE BUILT AND CUT IN BASEMENTS IS AVAILABLE.
- SEQUENCE OF CONSTRUCTION, SEDIMENT CONTROL, NOTES, AND SEDIMENT CONTROL DETAILS WILL BE PROVIDED DURING FINAL PLAN PHASE OF THE PROJECT.
- ALL PROPOSED WORK OUTSIDE OF PERIMETER CONTROLS SHALL BE STABILIZED AT THE END OF EACH WORK DAY.
- PROPOSED SILT FENCE IS TO BE CHANGED TO SUPER SILT FENCE AT THE DIRECTION OF THE SEDIMENT CONTROL INSPECTOR.
- EITHER TEMPORARY OR PERMANENT SEEDING IS TO BE PERFORMED AT THE DIRECTION OF THE SEDIMENT CONTROL INSPECTOR OR AT THE TIME FRAMES REQUIRED BY THE 2011 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL, WHICHEVER IS MORE RESTRICTIVE.
- CONTRACTOR TO INSTALL SOIL STABILIZATION MATTING IN ALL SLOPES 3:1 OR GREATER.
- IF A STOCKPILE EXCEEDS 15 FEET IN HEIGHT, IT MUST BE BENCHED.
- IF A UTILITY CROSSES A PHASING LINE, THAT SECTION OF PIPE OR STRUCTURE CANNOT BE INSTALLED UNTIL THE LATER PHASE.
- WORK LOCATED OUTSIDE OF THE LIMIT OF WORK (LOW) AND WITHIN THE LIMIT OF DISTURBANCE (LOD) SUCH AS DRY WELLS AND SEPTIC FIELDS SHALL BE COMPLETED ALONG WITH HOUSE CONSTRUCTION ON THE SAME LOT. THE MAJORITY OF THE WORK SHOULD BE STABILIZED AT THIS TIME, KEEPING THE ACTIVE DISTURBANCE AREA UNDER 20 AC.

**LYHUS PROPERTY**

29 SINGLE FAMILY DETACHED UNITS

**CUT/FILL ANALYSIS**

TOTAL UNADJUSTED RAW CUT = 101,150 CY  
 TOTAL UNADJUSTED RAW FILL = 95,552 CY  
 TOTAL UNADJUSTED NET (FILL) = 8,598 CY

20% SHRINKAGE - ADJUSTED CUT = 80,920 CY  
 ADJUSTED IMPORT = 28,828 CY

LIMIT OF DISTURBANCE (PHASE 1): 27.16 AC.  
 LIMIT OF DISTURBANCE (PHASE 2): 12.98 AC.

LIMIT OF WORK (PHASE 1): 20.00 AC.  
 LIMIT OF WORK (PHASE 2): 9.73 AC.

**NOTES**


- ALL UNDERGROUND ROOF LEADERS WILL BE 6" PVC PIPE.
- ALL SURFACE SAND FILTER FACILITIES LEADING TO THEIR OWN OUTFALL POINT WILL HAVE OUTFALL PIPES SIZED TO HANDLE THE 10-YR STORM EVENT.
- STORMWATER QUALITY MANAGEMENT WILL BE PROVIDED BY 6" SURFACE SAND FILTER AND 145 DRYWELLS.

APPROVED: DEPARTMENT OF PLANNING AND ZONING

*Karl Schaefer* 4-4-19 DATE  
 CHIEF DIVISION OF LAND DEVELOPMENT

*Chris Clark* 4-29-19 DATE  
 CHIEF, DEVELOPMENT ENGINEERING DIVISION

A MAXIMUM OF 20 ACRES OF ACTIVE DISTURBANCE AREA WITH AN ADDITIONAL 10 ACRES OF RECENTLY STABILIZED OR TRANSITIONAL AREA IS PERMITTED. NO MORE THAN 30 ACRES, CUMULATIVELY, MAY BE DISTURBED AT ANY GIVEN TIME.



SUBDIVISION NAME: LYHUS PROPERTY  
 SECTION/AREA: N/A  
 DEED #: 1453200409

PREVIOUS FILE NO.:  
 SP-17-010  
 WP-18-070

TAX MAP: 40 GRID: 24 ZONED: RR-DEO  
 PARCEL: 135  
 5TH ELECTION DISTRICT, HOWARD COUNTY, MARYLAND

OWNER: MITRON PARCEL 1, LLC & MITRON PARCEL 2, LLC  
 c/o H & H ROCK COMPANIES  
 6800 DEERPATH ROAD #100  
 ELK RIDGE, MARYLAND 21075

DEVELOPER: ROCK REALTY INC. c/o H & H ROCK COMPANIES  
 6800 DEERPATH ROAD #100  
 ELK RIDGE, MARYLAND 21075  
 CONTACT: JAMES FRASER  
 PHONE: 410-579-2442

PROFESSIONAL CERTIFICATION  
 I, BRANDON R. ROWE, HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A DAILY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MARYLAND, LICENSE NO. 40888, EXPIRATION DATE: 7/31/2019

**BOHLER ENGINEERING**

SITE CIVIL AND CONSULTING ENGINEERING  
 LAND SURVEYING PROGRAM MANAGEMENT LANDSCAPE ARCHITECTURE  
 SUSTAINABLE DESIGN PERMITTING SERVICES TRANSPORTATION SERVICES

RALEIGH, NC  
 LEHIGH VALLEY, PA  
 NEW YORK, NY  
 BOSTON, MA  
 NEW YORK, NY  
 NEW JERSEY  
 PHILADELPHIA, PA

ATLANTA, GA  
 TAMPA, FLORIDA  
 REHOBOTH BEACH, DE  
 BALTIMORE, MD  
 CHARLOTTE, NC  
 NORTHERN VIRGINIA  
 DALLAS, TX  
 WORTH, TX

**REVISIONS**

REV	DATE	COMMENT	BY

**NOT APPROVED FOR CONSTRUCTION**

THE FOLLOWING STATES REQUIRE NOTIFICATION BY EXCAVATORS, DESIGNERS, OR ANY PERSON PREPARING TO DISTURB THE EARTH'S SURFACE ANYWHERE IN THE STATE IN VIRGINIA, MARYLAND, THE DISTRICT OF COLUMBIA, AND DELAWARE: CALL 1-811 (WV 1-800-245-4348) (PA 1-800-242-1778) (DC 1-800-257-7777) (VA 1-800-952-7931) (MD 1-800-257-7777) (DE 1-800-283-8569)

PROJECT No.: MD142067  
 DRAWN BY: J.P.  
 CHECKED BY: BRR  
 DATE: 02/26/19  
 SCALE: 1"=50'  
 CAD I.D.: EPS

**ENVIRONMENTAL CONCEPT PLAN**

FOR  
**LYHUS PROPERTY**

LOTS 1-28, BUILDABLE PRESERVATION PARCEL B, NON-BUILDABLE PRESERVATION PARCELS A, C & D  
 LOCATION OF SITE  
 12170 LIME KILN ROAD  
 5TH ELECTION DISTRICT  
 TAX MAP 40, GRID 24  
 PARCEL 135, FULTON, HOWARD COUNTY, MD

**BOHLER ENGINEERING**

901 DULANEY VALLEY ROAD, SUITE 801  
 TOWSON, MARYLAND 21284  
 Phone: (410) 821-7900  
 Fax: (410) 821-7987  
 MD@BohlerEng.com

**B.R. ROWE**

PROFESSIONAL ENGINEER  
 MARYLAND LICENSE NO. 40888

4/19

SHEET TITLE:  
**SEDIMENT CONTROL AND ENVIRONMENTAL CONCEPT PLAN**

SHEET NUMBER:  
**14 OF 16**







