U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

ELEVATION CERTIFICATE

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

							SURANCE COMPANY USE	
A1. Building Owner's Name 8398 Court Ave LLC Policy							lumber:	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Comp 8398 Court Ave							ny NAIC Number:	
City Ellicott City			State MD	ZIP Code 2	1043			
A3. Property Description (I Tax Map 25A, Parcel 97	∟ot and Block Nur	mbers, Tax Parcel N	umber, Legal Desc	cription, etc.)			,	
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Non-Residential A5. Latitude/Longitude: Lat. 39°16'06.1"N Long. 76°48'00.1"W Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 4 A8. For a building with a crawlspace or enclosure(s): a) Square footage of crawlspace or enclosure(s): b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade c) Total net area of flood openings? No d) Engineered flood openings? Yes No Horizontal Datum: NAD 1927 NAD 1983 Horizontal Datum: NAD 1927 NAD 1983 NAD 1983 A8. For a building with an attached garage: a) Square footage of attached garage 0 sq ft b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade 0 c) Total net area of flood openings? Sq in d) Engineered flood openings? Yes No								
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION								
B1. NFIP Community Name Howard County 240044	& Community N		B2. County Name Howard County			B3. Stat	te	
B4. Map/Panel Number 240044 0095	B5. Suffix D	B6. FIRM Index Da November 6, 201	3 Effective/I	RM Panel Revised Date per 6, 2013	B8. Flood Zone(s) AE		Base Flood Elevation(s) (Zone AO, use base flood depth) 184.0	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other/Source: FEMA DFIRM GIS Section 1. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source: B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other/Source: B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date:								
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)								
	SECTION	N C – BUILDING E	LEVATION INF	ORMATION (S	URVEY REQUIF	RED)		
A new Elevation Certific	pased on: cate will be requir A30, AE, AH, A (building diagram s ca RTN Network n used for the ele	Construction Dra red when constructio with BFE), VE, V1–V specified in Item A7. vations in items a) th	wings n of the building is 30, V (with BFE), a In Puerto Rico onl Vertical Datum: rough h) below.	Building Under complete. AR, AR/A, AR/AB y, enter meters. 1988	Construction* E, AR/A1–A30, AR/	⊠ F AH, AR/		
C2. Elevations – Zones A1– below according to the b Benchmark Utilized: <u>Lei</u> Indicate elevation datun Datum used for building	pased on: cate will be requir A30, AE, AH, A (building diagram s ca RTN Network n used for the ele elevations must	Construction Dra red when constructio with BFE), VE, V1–V specified in Item A7. vations in items a) th be the same as that	wings* n of the building is 30, V (with BFE), A In Puerto Rico onl Vertical Datum: rough h) below. used for the BFE.	Building Under complete. AR, AR/A, AR/ABy, enter meters. 1988 NGVD 1929 NGVD 1929	Construction* E, AR/A1–A30, AR/ I NAVD 1988 □ C Check	☑ F AH, AR/ Other/Sou	AO. Complete Items C2.a-h urce: asurement used.	
A new Elevation Certific C2. Elevations – Zones A1– below according to the below the below according to the belo	cased on: cate will be requir A30, AE, AH, A (building diagram s ca RTN Network n used for the ele elevations must ncluding basemen r floor horizontal structu	Construction Dra red when constructio with BFE), VE, V1–V specified in Item A7. vations in items a) th be the same as that nt, crawlspace, or en	wings n of the building is (30, V (with BFE), A In Puerto Rico onl Vertical Datum: rough h) below. used for the BFE. closure floor)	Building Under complete. AR, AR/A, AR/AB y, enter meters. 1988	Construction* E, AR/A1–A30, AR/ I NAVD 1988 Check Check	⊠ F AH, AR/ Other/Sou	AO. Complete Items C2.a-h	
A new Elevation Certific C2. Elevations – Zones A1– below according to the below according by Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equit b) Lowest adjacent (finis g) Highest adjacent (finis	cased on: cate will be requir A30, AE, AH, A (building diagram s ca RTN Network n used for the ele elevations must ncluding basemen r floor horizontal structu of slab) nachinery or equip ipment and locat shed) grade next	Construction Dra red when construction with BFE), VE, V1–V specified in Item A7. vations in items a) th be the same as that nt, crawlspace, or en ral member (V Zones pment servicing the b ion in Comments) to building (LAG) to building (HAG)	wings n of the building is i30, V (with BFE), i In Puerto Rico onl Vertical Datum: rough h) below. used for the BFE. closure floor) s only)	Building Under complete. AR, AR/A, AR/AE, y, enter meters. 1988 NGVD 1929 174. 175. 175. 180. 182.	Construction* E, AR/A1–A30, AR/ I NAVD 1988 □ C Check 3 5	☐ FAH, AR/A Other/Sou the mea ☐ feet ☐ feet ☐ feet	AO. Complete Items C2.a-h urce: asurement used.	
A new Elevation Certific C2. Elevations – Zones A1– below according to the below according by Top of bottom floor (ii b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of me (Describe type of equit f) Lowest adjacent (finis	cased on: cate will be requir A30, AE, AH, A (building diagram s ca RTN Network n used for the ele elevations must ncluding basemen r floor horizontal structu of slab) nachinery or equip ipment and locat shed) grade next	Construction Dra red when construction with BFE), VE, V1–V specified in Item A7. vations in items a) th be the same as that nt, crawlspace, or en ral member (V Zones pment servicing the b ion in Comments) to building (LAG) to building (HAG)	wings n of the building is i30, V (with BFE), i In Puerto Rico onl Vertical Datum: rough h) below. used for the BFE. closure floor) s only)	Building Under complete. AR, AR/A, AR/AE, y, enter meters. 1988 NGVD 1929 174. 175. 175. 180. 182.	Construction* E, AR/A1–A30, AR/ I NAVD 1988 □ C Check 3 5	X F	AO. Complete Items C2.a-h urce: asurement used.	
A new Elevation Certific C2. Elevations – Zones A1– below according to the below according by Top of bottom floor (ii b) Top of the next highe c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of m (Describe type of equit b) Lowest adjacent (finis g) Highest adjacent (finis	cased on: cate will be requir A30, AE, AH, A (ca RTN Network n used for the ele elevations must ncluding basement r floor horizontal structu of elab) nachinery or equipipment and locat shed) grade next shed) grade next e at lowest eleva	Construction Dra red when construction with BFE), VE, V1–V specified in Item A7. vations in items a) th be the same as that nt, crawlspace, or en ral member (V Zones pment servicing the b ion in Comments) to building (LAG) to building (HAG)	wings n of the building is (30, V (with BFE), and Puerto Rico onlead Vertical Datum: rough h) below. closure floor) sonly) building	Building Under complete. AR, AR/A, AR/AE, y, enter meters. 1988 NGVD 1929 174. 175. 180. 182. al support 171.	Construction* E, AR/A1–A30, AR/ I NAVD 1988	AH, AR/	AO. Complete Items C2.a-h urce: asurement used.	
A new Elevation Certific C2. Elevations – Zones A1– below according to the below according by Top of bottom floor (ii b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of me (Describe type of equit b) Lowest adjacent (finis g) Highest adjacent (finis	cased on: cate will be requir A30, AE, AH, A (puilding diagrams ca RTN Network n used for the ele elevations must ncluding basemen r floor horizontal structu of slab) nachinery or equip ipment and locat shed) grade next e at lowest eleva SECTIO Inde and sealed to information on to statement may be ts are provided of ents. augh	Construction Drared when construction with BFE), VE, V1–V specified in Item A7. vations in items a) the bethe same as that ont, crawlspace, or entral member (V Zones) or comment servicing the bin in Comments) to building (LAG) to building (LAG) to building (HAG) tion of deck or stairs on Surveyor, entral servicing the bin control of the control of	wings n of the building is 30, V (with BFE), In Puerto Rico onl Vertical Datum: rough h) below. used for the BFE. closure floor) s only) puilding including structur R, ENGINEER, C ngineer, or archite ents my best effort or imprisonment un Were latitude and licensed land surv Lic CI Technologies, I	Building Under complete. AR, AR/A, AR/AB, enter meters. 1988 NGVD 1929 174. 175. 180. 182. al support 171. DR ARCHITEC ct authorized by the sto interpret the inder 18 U.S. Coolongitude in Section 18 Coolongitude in Section 18 Coolongitude in Section 18 Coolongitude in Section 18 U.S. Coolongitude In Section 18 U.	Construction* E, AR/A1–A30, AR/ I NAVD 1988 □ C Check 3 5 Check Chec	AH, AR/A other/Sou other mea other mea other feet feet feet feet feet feet feet	AO. Complete Items C2.a-h urce: asurement used.	

ELEVATION CERTIFICATE, page 2 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 8398 Court Ave City Ellicott City State MD ZIP Code 21043 Company NAIC Number: SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED) Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner. Comments The hot water heater is the lowest machinery in item c2.e. The deck is supported by the steel beams that cross the creek. The main floor of this

building is at elevation 183.0 feet when entering from street through the front door. Signature C. ALLEN PAUGH Date 05/28/14 SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1-E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is ☐ feet ☐ meters ☐ above or ☐ below the HAG. b) Top of bottom floor (including basement, crawlspace, or enclosure) is ______. ☐ feet ☐ meters ☐ above or ☐ below the LAG. E2. For Building Diagrams 6-9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 8-9 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is ☐ feet ☐ meters ☐ above or ☐ below the HAG. Attached garage (top of slab) is ☐ feet ☐ meters ☐ above or ☐ below the HAG. E4. Top of platform of machinery and/or equipment servicing the building is ___ _.___ feet meters above or below the HAG. E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance? Yes No Unknown. The local official must certify this information in Section G. SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner's or Owner's Authorized Representative's Name Address City State ZIP Code Signature Date Telephone Comments Check here if attachments. SECTION G - COMMUNITY INFORMATION (OPTIONAL) The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8-G10. In Puerto Rico only, enter meters. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.) G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO. The following information (Items G4-G10) is provided for community floodplain management purposes. G3. □ G4. Permit Number G6. Date Certificate Of Compliance/Occupancy Issued G5. Date Permit Issued G7. This permit has been issued for: ☐ New Construction ■ Substantial Improvement G8. Elevation of as-built lowest floor (including basement) of the building: ☐ meters ☐ feet Datum G9. BFE or (in Zone AO) depth of flooding at the building site: ☐ feet ☐ meters Datum __ G10. Community's design flood elevation: feet ☐ meters Datum Local Official's Name Title Community Name Telephone Signature Date Comments Check here if attachments.

Building Photographs

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding info	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or 8398 Court Ave			
City Ellicott City	State MD	ZIP Code 21043	Company NAIC Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Front View



Front View

Building Photographs

Continuation Page

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 8398 Court Ave

Policy Number:

City Ellicott City

State MD

ZIP Code 21043

Company NAIC Number:

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



Side View



Stream view under deck