Page 1 of 2 Date: April 30, 2020 Case No.: 20-03-0989A LOMA-DEN



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (NON-REMOVAL)

| COMMUNITY AND MAP PANEL INFORMATION | | LEGAL PROPERTY DESCRIPTION | | | |
|-------------------------------------|--|---|--|--|--|
| COMMUNITY | HOWARD COUNTY, MARYLAND (Unincorporated Areas) | Lot 4, Nottingham Village, Section One, as described in the Corporate Deed recorded in Liber 2411, Folios 651 through 660, in the Office of the Clerk of Circuit Court, Howard County, Maryland | | | |
| AFFECTED MAP PANEL | NUMBER: 24027C0160D | | | | |
| | DATE: 11/6/2013 | | | | |
| FLOODING SOURCE. STREAM DR-3 | | APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY:39.193247, -76.772293 SOURCE OF LAT & LONG: LOMA LOGIC DATUM: NAD 83 | | | |

DETERMINATION

| LOT | BLOCK/ SECTION | SUBDIVISION | STREET | OUTCOME WHAT IS NOT REMOVED FROM THE SFHA | FLOOD ZONE | 1% ANNUAL CHANCE FLOOD ELEVATION (NAVD 88) | LOWEST ADJACENT GRADE ELEVATION (NAVD 88) | LOWEST LOT ELEVATION (NAVD 88) |
|-----|-------------------|-----------------------|----------------------|--|---------------|--|---|---|
| 4 | -/1 | Nottingham Village | 6530 Huntshire Drive | Structure (Residence) | AE | 234.0 feet | 232.9 feet | - |

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

SUPERSEDES PREVIOUS DETERMINATION

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). Therefore, flood insurance is required for the property described above. The lowest adjacent grade elevation to a structure must be at or above the Base Flood Elevation for a structure to be outside of the SFHA.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination and information regarding your options for obtaining a Letter of Map Amendment. If you have any questions about this document, please contact the FEMA Map Information eXchange (FMIX) toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 3601 Eisenhower Ave Ste 500, Alexandria, VA 22304-6426.

Luis V. Rodriguez, P.E., Director Engineering and Modeling Division

Federal Insurance and Mitigation Administration

Page 2 of 2 Date: April 30, 2020 Case No.: 20-03-0989A LOMA-DEN



Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (NON-REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

SUPERSEDES OUR PREVIOUS DETERMINATION (This Additional Consideration applies to all properties in the LOMA-DEN DETERMINATION DOCUMENT (NON-REMOVAL))

This Determination Document supersedes our previous determination dated 6/11/1996, for the subject property.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Information eXchange (FMIX) toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, Engineering Library, 3601 Eisenhower Ave Ste 500, Alexandria, VA 22304-6426.

Luis V. Rodriguez, P.E., Director
Engineering and Modeling Division
Federal Insurance and Mitigation Administration