GENERAL NOTES

- 1. The subject property is zoned RR-DEO per the 10-18-93 Comprehensive Zoning Plan
- 2. Coordinates are based on NAD 83 (91) Maryland Coordinate System as projected by Howard County, Maryland Geodetic Survey Stations 28AA and 28EA.
- 3. O Indicates an Iron Pin with Cap Set
- 4. All areas are more or less.
- 5. 345.7 Denotes 100 Year Flood Plain elevations.
- 6. This plat is based on a field-run boundary survey performed on or about December, 2000 by Clark, Finefrock & Sackett, Inc.
- 7. See County File No: S-00-08, P-01-07 (BUCKSKIN RIDGE)
 ROMITI PROPERTY TM 2 PARCEL 61 (offsite planting area)
- 8. Non-tidal wetlands are per Wetland Delineation by Environmental Systems Inc., dated December, 1999.
- 9. Driveways shall be provided prior to issuance of a use and occupancy permit for any new dwellings to insure safe access for fire and emergency vehicles per the following minimum
 - Width --12' (14' serving more than one residence);
 - Surface --6" of compacted crusher run base w/tar and chip coating (1-1/2" min.);
- Geometry -- Max. 15 % grade, max. 10% grade change and min. 45' turning radius; Structures (culvert/bridges) — capable of supporting 25 gross tons (H25 loading);
- Drainage Elements -- capable of safety passing 100-year flood with no more than 1
- foot depth over driveway surface;

AREA TABULATION (ALL SHEETS)

1. TOTAL NUMBER OF LOTS TO BE RECORDED:
2. TOTAL NUMBER OF BUILDABLE LOTS:
3. TOTAL NUMBER OF PRESERVATION PARCELS:

4. TOTAL AREA OF BUILDABLE LOTS TO BE RECORDED:

7. TOTAL AREA OF SUBDIVISION TO BE RECORDED: 8. TOTAL AREA OF FLOODPLAIN TO BE RECORDED:

5. TOTAL AREA OF PRESERVATION PARCELS TO BE RECORDED: _______
6. TOTAL AREA OF ROAD RIGHT-OF-WAY TO BE RECORDED: ______

APPROVED: FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING


HOWARD COUNTY HEALTH DEPARTMENT

- Maintenance -- sufficient to insure all weather use.
- 10. All driveways will be private and all maintenance will be shared with each homeowner using a common driveway. The use-in-common driveway maintenance agreements for Lots 1, 2, 46, and 47, Lots 14 and 15, Lots 27 and 28 and Lots 39, 40, 41, 42 and 43 will be recorded among the Land Records of Howard County, Maryland concurrently with the recordation of the plats.
- 11. No clearing, grading, or contruction is permitted within the wetlands, stream(s), or their buffers except as determined by the Department of Planning and Zoning to be essential for the purpose of a road crossing.
- 12. For flag or pipestem lots, refuse collection, snow removal and road maintenance are provided to the junction of the flag or pipestem and road right-of-way line and not to the pipeline lot driveway.
- 13. The Forest Conservation Easement has been established to fulfill the requirements of Section 16.1200 of the Howard County Code and Forest Conservation Act. No clearing, grading or construction is permitted within the Forest Conservation Easement; however, Forest Manage ment Practices as defined in the Deed of Forest Conservation Easement are allowed.
- 14. Reservation of Public Utility and Forest Conservation Easements Developer reserves unto itself, its successors and assigns, all easements shown on this plan for water, sewer, storm drainage, other public utilities and forest conservation (designated as "Forest Conservation Area"), located in, on, over and through lots/parcels, any conveyances of the aforesaid lots/parcels shall be subject to the easements herein reserved, whether or not expressly stated in the deed(s) conveying said lot(s)/parcels. Developer shall execute and deliver deeds for the easements herein reserved to Howard County with a metes and bounds description of the forest conservation area. Upon completion of the public utilities and their acceptance by Howard County, and in the case of the forest conservation easement(s), upon completion of the developer's obligations under the forest conservation installation and maintenance agreement executed by the developer and the County, and the release of the developer's surety posted with said agreement. The County shall accept the easements and record the deed(s) of easement in the Land Records of Howard County. This plat complies with the requirements of Section 16.1200 of Howard County Code for Forest Conservation by retention of onsite areas, reforestation of onsite areas, and reforestation of offsite areas.
- 15. The 65 dBA noise contour line drawn on this subdivision plan is advisory as required by the Howard County Design Manual, Chapter 5, revised February, 1992 and cannot be considered to exactly locate the 65 dBA noise exposure. The 65 dBA noise line was established by Howard County to alert developers, builders and future residents that areas beyond this threshold may exceed generally accepted noise levels established by the U.S. Department of Housing and Urban Development

96.9366 AC.

13.4501 AC.

11/20-62



VICINITY MAP SCALE: 1" = 2000'

BENCH MARKS

MONUMENT	DESCRIPTION	ELEVATION	NORTHING	EASTING
 28AA	HO. CO. MONUMENT HO. CO. MONUMENT	568.338 485.757	576548.454 572158.938	1318268.852 1319400.734

- 16. This area designates a private sewage easement of at least 10,000 square feet (or 10,000 square feet per lot for shared drain fields associated with a shared sewage disposal facility) as required by the Maryland State Department of the Environment for individual sewage disposal (COMAR 26.04.03). Improvements of any nature in this area are restricted until public sewage is available. These easements shall become null and void upon connection to a public sewage system. The County Health Officer shall have the authority to grant variances for encroachments inito the private sewage easement. Recordation of a modified sewage easement shall not be necessary.
- 17. Stormwater management facilities for this project are to be privately owned and maintained by the Buckskin Ridge Homeowners' Association, Inc., as per the Operation and Maintenance Guide lines as stated in the Developer's Agreement.
- 18. Articles of Incorporation of Buckskin Ridge Homeowners' Association, Inc., were filed with the Maryland State Department of Assessments and Taxation on June 12, 2001 as Account
- 19. Financial surety for the required 177 street trees in the amount of \$53,100.00 as part of Developer's Agreement. The landscape buffer obligations are met by retention of existing forest, which constitute equivalent buffers. This plan has been prepared in accordance with the provisions of Section 16.124 of the Howard County Code and the Landscape Manual, with no surety required for retention of existing buffer trees.
- 20. A Tree Maintenance Easement, ten feet in width, running along the edge of the public road right—of—way as shown on this plat of subdivision is reserved upon all lots fronting on said public road right-of-way. This easement allows the Howard County the right to access the property when necessary, for the specific purpose of installation, repair and maintenance of the trees located within the boundaries of private lots. No building or structure of any kind shall be located on or over the said easement area. The Tree Maintenance Easement shall be

OWNERS:

JARED T. HEALY M. CHARLOTTE POWEL

10715 CHARTER DRIVE

COLUMBIA, MARYLAND 21044

MINIMUM LOT SIZE CHART LOT NO. | GROSS AREA | PIPESTEM AREA | MIN. LOT SIZE 1,247 SF 49,564 SF 50,811 SF 40,965 SF 2,428 SF 43,393 SF 14 42,397 SF 5,493 SF 47,890 SF 15 40,318 SF 2,393 SF 42,711 SF 25 56,747 SF 2,359 SF 59,106 SF 27 48,409 SF 4,890 SF 53,299 SF 28 46,126 SF 6,441 SF 39 52,567 SF 3,377 SF 48,306 SF 51,683 SF 40 43,385 SF 4,950 SF 41 48.335 SF 3,270 SF 48,793 SF 52,063 SF 42 46,173 SF 1,780 SF 47,953 SF 47

DEN	SITY EXCHANGE
PARCEL INFORMATION	BUCKSKIN RIDGE LOTS 1 - 47 TAX MAP 22 BLOCK 20 PARCELS 74, 77, 283
TOTAL AREA OF SUBDIVISION	96.93 AC.±
ALLOWED DENSITY UNITS	96.93 AC.± @ IDU/4.25 AC.=22 D.U.
MAXIMUM DEO DENSITY UNITS ALLOWED	96.93 AC.± @ IDU/2.00 AC.=48 D.U.
PROPOSED DENSITY UNITS	47
NUMBER OF DEO UNITS REQUIRED	25 (47-22 = 25)
SENDING PARCEL INFORMATION	PAYNE PROPERTY 17-DEO FROM TAX MAP NO. 6, BLOCK 16, PARCEL 57 PENN SHOP ROAD PROPERTY 7-DEO FROM TAX MAP NO. 6, BLOCK 2, PARCEL 10 BLY PROPERTY 1-DEO FROM TAX MAP No. 2, BLOCK 10, PARCELS 23 & 61

NOTE: DENSITY WAS SENT VIA RE-02-01.

- THE REQUIREMENTS OF § 3-108, THE REAL PROPERTY ARTICLE, ANNOTATED CODE OF MARYLAND, 1988 REPLACE—MENT VOLUME, (AS SUPPLEMENTED), AS FAR AS THEY RELATE TO THE MAKING OF THIS PLAT AND THE SETTING OF MARKERS, HAVE BEEN COMPLIED WITH.
- William Thochen 195est or WILLIAM L. MACHEN PROFESSIONAL LAND SURVEYOR MD. REG. #9011

JARED T. HEALY / LISTEE swell

RESERVATION OF PUBLIC UTILITY AND FOREST CONSERVATION EASEMENTS RESERVATION OF PUBLIC UTILITY AND FOREST CONSERVATION EASEMENTS

"DEVELOPER RESERVES UNTO ITSELF, ITS SUCCESSORS AND ASSIGNS, ALL EASEMENTS SHOWN ON THIS PLAT FOR WATER, SEWER, STORM DRAINAGE, OTHER PUBLIC UTILITIES AND FOREST CONSERVATION (DESIGNATED AS "FOREST CONSERVATION AREA"), LOCATED IN, ON, OVER AND THROUGH PRESERVATION PARCEL A. ANY CONVEYANCES OF THE AFORESAID PARCEL SHALL BE SUBJECT TO THE EASEMENTS HEREIN RESERVED, WHETHER OR NOT EXPRESSLY STATED IN THE DEED(S) CONVEYING SAID PARCEL (A). DEVELOPER SHALL EXECUTE AND DELIVER DEEDS FOR THE EASEMENTS HEREIN RESERVED TO HOWARD COUNTY, WITH A METES AND BOUNDS DESCRIPTION OF THE FOREST CONSERVATION AREA. UPON COMPLETION OF THE PUBLIC UTILITIES AND THEIR ACCEPTANCE BY HOWARD COUNTY, AND, IN THE CASE OF THE FOREST CONSERVATION SUSPENDENT ON COMPLETION OF THE DEVELOPER'S OBLIGATIONS UNDER THE FOREST CONSERVATION INSTALLATION AND MAINTENANCE AGREEMENT EXECUTED BY THE DEVELOPER AND THE COUNTY, AND RELEASE OF THE DEVELOPER'S SURETY POSTED WITH SAID AGREEMENT, THE COUNTY SHALL ACCEPT THE EASEMENTS AND RECORD THE DEED(S) OF EASEMENT IN THE LAND RECORDS OF HOWARD COUNTY."

- 21. MDE NTW Permit Tracking Number is CENAB-OP-RMS (Columbia Builders/Buckskin Ridge) 01-64713-5, for reconstruction of the existing pond, and road crossing.
- 22. Financial surety for the onsite Forest Conservation obligations for this subdivision are \$239,849.00 for retention of 27.5308 acres of forest and \$19,219.00 for 0.8824 acres of reforestation. Financial surety for the offsite Forest Conservation obligations for this subdivision are \$138,521.00 for 6.36 acres of reforestation. Off—site location is Romiti Property, TM 2, Parcel 61.
- 23. Preservation Parcel A will be owned by the Buckskin Ridge Preservation LLC. Preservation Parcel A is encumbered by an easement agreement with Howard County, Maryland and The Buckskin Ridge Homeowners Association, Inc. This agreement prohibits further subdivision of this parcel, outlines the maintenance responsibilities of their owners and enumerates the uses permitted on the parcel.
- 24. The Grantor acknowledges that the dedication of the Storm Water Management Credit Easement area to the County has benefitted the Grantor by reducing the size of the storm water management facility required by the development of the property associated with the Easement Area. Accordingly, the Grantor for itself and its successors and assigns, shall not and shall not permit others to grade within the Easement Area or mow grassy vegetation within the Easement Area. The Grantor and its successors and assigns shall periodically inspect the Easement Area and take necessary steps to remove debris and trash, and control the growth of noxious weeds. The Grantor shall post and maintain markers at regular intervals no more than fifty (50) feet apart identifying the boundary of the Easement Area. The markers shall contain a statement of the prohibited activities within the Easement Area. The penalties for a violation of the terms of this Easement are set forth in Howard County Code Section 18.907.
- 25. As a consequence of the submission of this project for County review prior to November 15, 2002, this plan is subject to compliance with the Fourth Edition of the Subdivision Regulations. In addition, because the preliminary plan was approved prior to November 1, 2001, it is subject to the 1993 Zoning Regulations (as amended 7-12-01).

THE PURPOSE OF THIS PLAT IS TO CHANGE THE TREE MAINTENANCE EASEMENT NOTATION

FROM PRIVATE TO PUBLIC. 15702 RECORDED AS PLAT

RECORDS OF HOWARD COUNTY, MARYLAND.

SURVEYOR'S CERTIFICATE

CLARK · FINEFROCK & SACKETT, INC. **ENGINEERS • PLANNERS • SURVEYORS**

7135 MINSTREL WAY . COLUMBIA, MD 21045 . (410) 381-7500 BALT. . (301) 621-8100 WASH.

OWNERS' CERTIFICATE

We, Jared T. Healy, Trustee and M. Charlotte Powel, Trustee, owners of the property shown and described hereon, hereby adopt this plan of subdivision, and in consideration of the approval of this Final Plat by the Department of Planning and Zoning, establish the minimum building restriction lines, grant unto Howard County, Maryland, its successors and assigns; (1) the right to lay, construct and maintain sewers, drains, water pipes and other municipal utilities and services in and under all roads and street rights of way and the specific easements shown hereon; (2) the right to require dedication for public use the beds of the streets and/or easements snown nereon; (2) the right to require dedication for public use the beds of the streets didyon, roads, floodplains and preservation parcels where applicable, and for good and other valuable consideration, hereby grant the right and option to Howard County, Maryland, to acquire the fee simple title to the beds of the streets and/or roads, floodplains, storm drainage facilities and preservation parcel, where applicable; (3) the right to require dedication of waterways and drainage easements for the specific purpose of their construction, repair and maintenance and (4) that no building or similar structure of any kind shall be erected on or over the said easements and rights of way.

Witness our hands this 20th day of SEPTEMBER 2002.

Inus TEE

I hereby certify that the Final Plat shown and described hereon is correct; that it is a subdivision of all the land conveyed by Joel Marc Abramson to Jared T. Healy, Trustee and M. Charlotte Powel, Trustee by deed dated January 19, 2000 and recorded in Liber 4997 at Folio 647 among the Land Records of Howard County, Maryland, and all of the land conveyed by G. William Floyd and Myrna W. Floyd to Jared T. Healy, Trustee and M. Charlotte Powell, Trustee by deed dated January 19, 2000 and recorded in Liber 4997 at Folio 657 among the Land Records of Howard County, Maryland and in Liber 4997 at Folio 657 among the Land Records of Howard County, Maryland and that all monuments are in place or will be in place prior to the acceptance of the streets in the subdivision by Howard County, Maryland, as shown in accordance with the Howard County Subdivision Regulations.

WILLIAM L. MACHEN PROFESSIONAL LAND SURVEYOR MARYLAND #9011

REVISION PLAT **BUCKSKIN RIDGE**

LOTS 1-47 & PRESERVATION PARCEL A

TAX MAP 22 GRID 20 PARCELS 74, 77, 283 & 543 FIFTH (5th) ELECTION DISTRICT HOWARD COUNTY, MARYLAND


SCALE: 1" = 100'


DATE: SEPTEMBER, 2002


AMONG THE LAND


SHEET 1 OF 6 CAD FILE: #10 C:\DRAWING FILES\99153\PLATS\99153RPCOVER.DWG

CHKD: WLM DRAWN: LAI JOB NO.: 00-008 FILE NO.: 00-008 R F03-56









	COORDINATE	TABLE
NO.	NORTH	EAST
1	582,686.88	1,358,836.93
. 2	582,765.39	1,358,697.50
8	582,992.34	1,358,892.53
9	582,660.80	1,358,632.56
10	582,692.90	1,358,575.57
11	582,758.99	1,358,613.05
12	582,838.90	1,358,472.13
13	582,887.68	1,358,506.95
14	582,922.72	1,358,557.75
15	582,977.09	1,358,677.61
16	583,028.34	1,358,675.50

FL	00	DPL	.AIN	CHA	RT

	FLOODPLAIN CHA	<u>KI</u>
LINE	BEARING	DISTANCE
FP1	S 67'34'14''E S 51'20'04''E	41.62
FP2	S 51'20'04"E	64.31
FP3	S 68'05'08''E	26.58
FP4	S 87'32'43"E	36.84'
FP5	N 79°52'05''E	40.65'
FP6	S 84'41'18"E	58.94'
FP7	N 89'58'55"E	30.37
FP8	S 77'54'45''E	78.18'
FP9	N 74°50'43"E	48.98
FP10	N 69'39'16''E	53.32'
FP11	S 67'22'12"E	49.56'
FP12	S 89'41'42''E	60.56'
FP13	N 71°10'03''E	52.06'
FP14	S 84'04'31"E	52.44'
FP15	S 84*04'31"E N 28*13'25"E	78.92'
FP16	N 47'43'49"E	24.52'
FP17	S 88'31'38''E	35.13'
FP18	N 79°16'49''E	59.80'
FP19	N 37'21'44''W	61.57
FP20	N 22.51.32. E	60.15'
FP21	N 63'57'49''E	30.68'
FP22	S 51°02'37''W	23.49
FP23	S 71'24'00"W	41.21
FP24	S 52'02'13''W	42.59
FP25	S 69'24'10''W	50.39
FP26	N 69'14'13''W	61.09
FP27	N 47'06'16''W	26.93
FP28	N 86°04'22''W	28.25
FP29	S 53'06'14''W	25.77
FP30	S 28'38'00''W	25.48
FP31		28.81
FP32	S 07*00'34''W S 15*48'30''W S 31*15'06''W	22.76
FP33	S 31'15'06''W	44.47'
FP34	S 37'14'18''W	46.57
FP35	N 22'45'34''W	48.81
FP36	N 40°26'48''W	48.85'
FP37	N 09*16'14''W	78.92'
FP38	N 28'55'09"W	34.91
FP39	N 63°24'29''W	47.36'
FP40	S 88°04'49''W	41.65
FP41	N 67'22'29"W	80.14
FP42	N 67'22'29''W N 57'24'05''W	80.14' 58.53'
FP43	N 73'19'46''W	67.17
FP44	N 58'19'09''W	66.24
FP45	N 81'45'41''W	64.53'
FP46	N 68'44'00''W	51.72'
FP47	N 89'56'21"W	77.21
FP48	N 77'17'25''W	87.31
FP49	N 88'30'01''W	30.83'
FP50	S 86'17'55"E	33.69
FP51	S 58'20'34''E	55.01
FP52	S 06'22'06''E	30.64
FP53	N 55'41'31"W	41.14
FP53	N 39'37'12''W	20.41
FP55		30.03
FP56	N 48*43'56''W N 01*34'15''E	30.03 32.06'
6671	N UI 34 IS E	32.00

CURVE DATA								
CURVE	RADIUS	DELTA	LENGTH	TANGENT	CHORD	BEARING		
8 – 1	475.15'	38'08'18"	316.28'	164.25'	310.47'	S.10°18'56"W.		

RESERVATION OF PUBLIC UTILITY AND FOREST CONSERVATION EASEMENTS

"DEVELOPER RESERVES UNTO ITSELF, ITS SUCCESSORS AND ASSIGNS, ALL EASEMENTS SHOWN ON THIS PLAT FOR WATER, SEWER, STORM DRAINAGE, OTHER PUBLIC UTILITIES AND FOREST CONSERVATION (DESIGNATED AS "FOREST CONSERVATION AREA"), LOCATED IN, ON, OVER AND THROUGH PRESERVATION PARCEL A. ANY CONVEYANCES OF THE AFORESAID PARCEL SHALL BE SUBJECT TO THE EASEMENTS HEREIN RESERVED, WHETHER OR NOT EXPRESSLY STATED IN THE DEED(S) CONVEYING SAID PARCEL (A).
DEVELOPER SHALL EXECUTE AND DELIVER DEEDS FOR THE EASEMENTS HEREIN RESERVED TO HOWARD COUNTY, WITH A METES AND BOUNDS DESCRIPTION OF THE FOREST CONSERVATION AREA. UPON COMPLETION OF THE PUBLIC UTILITIES AND THEIR ACCEPTANCE BY HOWARD COUNTY, AND, IN THE CASE OF THE FOREST CONSERVATION EASEMENT(S), UPON COMPLETION OF THE DEVELOPER'S OBLIGATIONS UNDER THE FOREST CON-SERVATION INSTALLATION AND MAINTENANCE AGREEMENT EXECUTED BY THE DEVELOPER AND THE COUNTY, AND RELEASE OF THE DEVELOPER'S SURETY POSTED WITH SAID AGREEMENT, THE COUNTY SHALL ACCEPT THE EASE-MENTS AND RECORD THE DEED(S) OF EASEMENT IN THE LAND RECORDS

FOREST CONSERVATION PLANTING EASEMENT CURVE TABLE-SHEET 2

CURVE DELTA ANGLE RADIUS ARC TANGENT CHORD CHORD BEARING 115.42' 58.57' 114.57' S 60'13'42''E 24'02'48" 275.00

FOREST CONSERVATION PLANTING EASEMENT—SHEET 2			F(PLAN		T CONSERV	
LINE	BEARING	DISTANCE	LINE		BEARING	DISTANCE
P2	S 48'12'36	"E 30.59'	P10	s	64'05'26"W	25.54
P3	N 55'24'32	."E 81.06"	P11	S	49'01'34''W	13.93'
P4	N 88'29'02		P12	N	47'43'26''E	11.86'
P5	S 49°50'14		P13		74'13'22"E	25.66'
P6	S 76'38'26		P14	Ν	07'47'45''W	15.72 '
P7	S 56'20'30	''E 30.80'	P15	S	46'20'21"E	15.39°
P8	S 58'52'48	"E 32.81"	P16	S	04°52'17"E	33.19'
P9	S 41'47'36	"W 17.16"	P17	S	32°58'10"W	49.52
			P18	N	68'20'28''W	40.89'
		*	P19	S	73°53'43''W	19.71
			P20	N	46'30'48''W	47.10'
			P21	S	88°25'28"W	17. 36'
			P22	S	55'41'04''W	17.99'
			P23	S	20°30'42''W	40.63'
			P24	N	73'37'30''W	16.82'
			P25		41'47'23"W	5.30'

THE REQUIREMENTS OF § 3-108, THE REAL PROPERTY ARTICLE, ANNOTATED CODE OF MARYLAND, 1988 REPLACE-MENT VOLUME, (AS SUPPLEMENTED), AS FAR AS THEY RELATE TO THE MAKING OF THIS PLAT AND THE SETTING OF MARKERS, HAVE BEEN COMPLIED WITH.

WILLIAM L. MACHEN PROFESSIONAL LAND SURVEYOR

JARED T. HEALY, Trustee

ONSITE FOREST CONSERVATION EASEMENT TABULATION							
SHEET	NUMBER	RETENTION	PLANTING				
2	1		0.2439 AC.				
2	2		0.0596 AC.				
2 2	3		0.0145 AC.				
2	4	2.9812 AC.					
2	5	2.0485 AC.					
	6	1.2769 AC.					
2 2 3	7	0.2963 AC.					
2	8		0.0225 AC.				
	9		0.0341 AC.				
3	10	0.5774 AC.					
3	11		0.0164 AC.				
3	12	4.9605 AC.					
4	13	9.6786 AC.					
4	14	0.9628 AC.					
5	15	0.3013 AC.					
5	16	0.5567 AC.					
5	17	1.8070 AC.					
5	18	1.2360 AC.					
5	19	0.5670 AC.					
5	20		0.3197 AC.				
5	21		0.0241 AC.				
5	22*		0.0951 AC.				
5	23*		0.0525 AC.				
5	24	0.2806 AC.					
TO	TAL	27.5308 AC.	0.8824 AC.				

* LOCATED WITHIN THE BOUNDARY OF THE 100-YEAR FLOODPLAIN

NOTE: THERE IS AN OFF-SITE 6.36 ACRE PLANTING AREA (ROMITI PROPERTY). SEE NOTE 22 ON SHEET 1.

WETLANDS CURVE TABLE

CURVE	DELTA ANGLE	RADIUS	ARC	TANGENT	CHORD	CHORD BEARING
W1C	08'47'09''	325.00'	49.84'	24.97'	49.79'	N 78'29'06''W
W2C	03'02'50''	275.00'	14.63'	7.31'	14.62	S 61'16'49''E
W3C	01*22'26''	275.00'	6.59'	3.30'	6.59'	S 73°40'45''E

WETLAND CHART-SHEET 5 OF 6

DISTANCE

22.37

5.82

17.74

31.16

6.63

17.43

19.16

14.47

43.17

29.75

14.69

24.67

19.88 11.35

15.78

23.18

12.84

9.69

33.37

28.28

13.67

35.96

7.08

21.06

2.89

15.46

15.15

21.40'

31.09

8.91

28.77

87.23'

20.35

22.98

38.23

30.95

BEARING

N 28'13'25"E

N 71'20'25"E

N 51°49'30''E

N 28'13'25"E

N 64°25'06"E

S 66'32'51''E

S 48'45'45"E

S 14'23'01''W

S 35'07'44"W

S 25'42'54''W

S 19'20'02''W

S 32'32'04''W

N 68*14'37''W N 47'42'44''W

N 00°56'14''W

N 12'46'02"W

N 17'05'37''W

N 45°54'55''W

N 28'34'13''E

N 13'18'19''E

N 35'03'49''E

S 69'59'28''E

N 32°31'48''E

S 47'58'24''E

N 49'04'58''E

N 19'13'03"W

N 57'28'12''E

N 38'46'21''E

S 49'52'41"E

S 38'57'57''E

S 80'38'14"W

N 55'08'13''W

N 59'10'59"E

S 86'27'08"E

N 59'54'58''E

N 7'23'58"E

LINE

W2

W3

W4 W5

W6

W7

W9

W10

W11

W12

W13

W14

W16

W17

W18

W19

W20

W21

W22

W23

W24

W25

W26

W27

W28

W29

W30

W31

W32

W33

W34

W35

		WETLANDS	CHART- SH	EETS 2,	4	&	5 OF 6	<u> </u>	
LINE		BEARING	DISTANCE	LINE			BEARING		DISTANCE
W1	S	44'09'26"E	21.32'	W53		Ν	08'23'00)"E	52.44'
W2	Ν	87'28'43"E	63.67'	W54			59'36'54		11.90′
W3	Ν	36'14'51''E	71.14	W55			12'08'58		42.09
W4		81'56'08''E	13.84	W56			00'48'37		34.13
W5	N	49°43'42''E	32.42'	W57			00'48'37		14.19'
W6	S	53'46'39''E	36.14'	W58 W59		N N	08'59'55 14'04'36		17.06' 21.87'
W7 W8	S	24'55'13''E 62'39'02''E	17.49' 19.72'	W59 W60		N	37'44'32		27.53'
WO W9	S	73'56'44''E	63.68	W61		N	12'47'22		86.13'
W10	S	57°01'09''E	24.56	W62			50'16'15		14.58'
W11	Š	20'42'44''E	39.11	W63		S	66'20'59		37.86'
W12	Š	62'33'33''E	37.58'	W64		S	46'09'31	"W	74.37'
W13	S	85'56'03"E	58.46'	W65	,	S	81'02'20		33.27'
W14	S	61°58'08''E	74.24'	W66		S	69'35'28		26.89
W15		88'46'53''E	24.03	W67		S	57'21'15		32.93'
W16		55'13'07''E	20.32'	W68		S	77'52'57		51.17
W17	S	26'18'35''E	24.27'	W69		S	47*25'28		28.76'
W18	S	09'36'52''E	28.52'	W70 W71			61'06'45 83'34'22		33.45' 24.23'
W19	N	74*08'25''E 68*09'51''E	49.65' 40.21'	W71 W72		S	80'00'28		52.98'
W20 W21	N	80'00'10''E	15.66'	W73			33'37'20		20.53
W22	N	65'51'45"E	41.91	W74		N	04'26'33		14.49'
W23	N	81'08'02''E	46.93'	W75		N			39.94'
W24	N	87'03'05''E	59.50'	W76			63'26'32		29.19'
W25	S	85'47'30"E	66,56'	W77			82*22'07		38.06
W26	S	79'48'41''E	79.65	W78			83'18'47		40.83
W27	S	45°44'54''E	52.80'	W79		Ν	39'16'11		23.18'
W28	N	64'55'23''E	28.98'	W80			85'48'36		82.93
W29	N	12'58'34''E	29.98'	W81			81'36'13		43.91'
W30	S	43'14'10''E 85'51'52''E	24.60' 71.91'	W82 W83		N	66°12'34 70°41'09		22.93' 36.79'
W31 W32	S	66'03'45"E	44.48'	W84		N	51*11'40		41.43
W32 W33	S	55'33'12"E	58.58'	W85		N	77'27'15		36.57
W34	N	54'25'36"E	51.03'	W86		s	73'37'02		26.74'
W35	s	77'04'52''E	44.15'	W87		Ν	79'17'27		69.54'
W36	N	79°19'55''E	28.34'	W88		S			30.44'
W37	Ν	73'29'13''E	35.80	W89			81'38'28		60.25
W38	S	02'01'23''E	44.31	W90		N	63'26'47		64.55
W38A	S	15'27'08''W	19.54	W91			87'11'54		46.92
W38B	S	35'38'51''W	20.38' 27.91'	W92 W93		S	23'43'25 02'06'27		5.26 ' 32.11'
W38C W39	S	63'49'36''W 58'41'55''W	38.88'	W93		S	22'06'32		42.56'
W40	S	25'14'09''W	42.10	W95		N	08'38'19		40.07
W41	Š	06'19'08''W	49.13'	W96		N	02'10'23		34.03'
W42	s	02'07'04"E	29.07'	W97		N	27'23'28		10.98'
W43	S	02'07'04"E	6.64	W98		S	02'45'11	''W	22.67
W44	\$	12°41'25"E	32.00'	W99		S	21'09'57		17.60'
W45	S	12°31'34"E	51.48	W100		S	45'19'17		16.94
W46	S	29°56'58''E	18.62	W101		S	29.37,02		22.14
W47	S	05'50'40''W	32.23	W102		S	43'23'16		34.11'
W48	S	50'20'08''E	45.47°	W103		S	65'18'18 84'54'20		18.81' 27.60'
W49	S	35'20'50''E 34'57'57''W	48.10' 24.44'	W104 W105		N S	50'18'17		27.60 37.04'
W50 W51	N		49.86°	W105		S	36'46'19		37.0 4 77.73'
W51 W52	N		22.54	W107		S	59*46'15		23.52
1100	, 1			1		-		• • •	

THE PURPOSE OF THIS PLAT IS TO CHANGE THE TREE MAINTENANCE EASEMENT NOTATION FROM PRIVATE TO PUBLIC.

RECORDED AS PLAT 15707 AMONG THE LAND DEC. 4, 2002

RECORDS OF HOWARD COUNTY, MARYLAND.

REVISION PLAT

BUCKSKIN RIDGE

LOTS 1-47 & PRESERVATION PARCEL A

TAX MAP 22 GRID 20 PARCELS 74, 77, 283 & 543 FIFTH (5th) ELECTION DISTRICT HOWARD COUNTY, MARYLAND

SCALE: 1" = 100'

DATE: SEPTEMBER, 2002

SHEET 6 OF 6

CAD FILE: #10 C:\DRAWING FILES\99153\PLATS\99153RPTABLES.DWG

APPROVED: FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS HOWARD COUNTY HEALTH DEPARTMENT

11-20-02

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING

CLARK · FINEFROCK & SACKETT, INC. **ENGINEERS • PLANNERS • SURVEYORS**

7135 MINSTREL WAY . COLUMBIA, MD 21045 . (410) 381-7500 BALT. . (301) 621-8100 WASH.

OWNERS' CERTIFICATE

We, Jared T. Healy, Trustee and M. Charlotte Powel, Trustee, owners of the property shown and described hereon, hereby adopt this plan of subdivision, and in consideration of the approval of this Final Plat by the Department of Planning and Zoning, establish the minimum building restriction lines, grant unto Howard County, Maryland, its successors and assigns; (1) the right to lay, construct and maintain sewers, drains, water pipes and other municipal utilities and services in and under all roads and street rights of way and the specific easements shown hereon; (2) the right to require dedication for public use the beds of the streets and/or roads, floodplains and preservation parcels where applicable, and for good and other valuable consideration, hereby grant the right and option to Howard County, Maryland, to acquire the fee simple title to the beds of the streets and/or roads, floodplains, storm drainage facilities and preservation parcel, where applicable; (3) the right to require dedication of waterways and drainage easements for the specific purpose of their con-struction, repair and maintenance and (4) that no building or similar structure of any kind shall be erected on or over the said easements and rights of way.

Witness our hands this **20th** day of **SEPTEMBER** 2002.

HEALY, Trus M. CHARLOTTE POWEL, Trustee

SURVEYOR'S CERTIFICATE

I hereby certify that the Final Plat shown and described hereon is correct; that it is a subdivision of all the land conveyed by Joel Marc Abramson to Jared T. Healy, Trustee and M. Charlotte Powel, Trustee by deed dated January 19, 2000 and recorded in Liber 4997 at Folio 647 among the Land Records of Howard County, Maryland, and all of the land conveyed by G. William Floyd and Myrna W. Floyd to Jared T. Healy, Trustee and M. Charlotte Powell, Trustee by deed dated January 19, 2000 and recorded in Liber 4997 at Folio 657 among the Land Records of Howard County, Maryland and that all monuments are in place or will be in place prior to the acceptance of the streets in the subdivision by Howard County, Maryland, as shown in accordance with the Howard County Subdivision Regulations.

WILLIAM L. MACHEN PROFESSIONAL LAND/SURVEYOR MARYLAND #9011

WLM DRAWN: LAI JOB NO.: 00-008 FILE NO.: 00-008 F