IRON PINS SHOWN THUS:

2. CONCRETE MONUMENTS SHOWN THUS: 3. THIS PLAT AND THE COORDINATES SHOWN HEREON, ARE BASED UPON A FIELD RUN BOUNDARY SURVEY PREPARED BY GUTSCHICK, LITTLE & WEBER, P.A. IN MARCH, 2002.

4. PROPERTY IS ZONED RC-DEO PER THE 2-2-04 COMPREHENSIVE ZONING PLAN AND THE COMP LITE ZONING AMENDMENTS EFFECTIVE 7/28/06.

5. SEE DEPARTMENT OF PLANNING & ZONING FILE NUMBERS: S-01-31, WP-02-14(\*), P-05-05, RE-06-11(R) &

6. USING THE DENSITY/CLUSTER EXCHANGE OPTION DESCRIBED IN SECTION 106 OF THE ZONING REGULATIONS, THE DEVELOPMENT RIGHTS FOR 42 OF THE RESIDENTIAL LOTS/PARCELS ON THE SUBDIVISION PLAN FOR WALNUT GROVE, P-05-05 HAVE BEEN TRANSFERRED FROM 13 CEO UNITS FROM LOT 18, WILLOW HIGHLANDS AT WILLOW SPRINGS GOLF COURSE, TAX MAP 15, PARCEL 145, 3 CEO UNITS FROM C. BARRE COOK, et al PROPERTY, TAX MAP 14, PARCEL 4, 3 CEO UNITS FROM PARCEL 'A', WILLIS LAMBERT CISSEL, JR. PROPERTY, TAX MAP 7, PARCEL 136, 5 CEO UNITS FROM NON-BUILDABLE PARCEL 'A', CATTAIL CREEK OVERLOOK, TAX MAP 21, PARCEL 26, 8 CEO UNITS FROM DAVIS PROPERTY, TAX MAP 8, GRID 2, PARCEL 7, 3 CEO UNITS FROM TIMOTHY W. FEAGA, TAX MAP 6, PARCEL 56, 3 CEO UNITS FROM JON ALLEN MILLER & ELLEN S. MILLER'S PROPERTY, TAX MAP 14, PARCEL 83, AND 4 CEO UNITS LOT 10, LAUKENMANN PROPERTY, TAX MAP 10, PARCEL 300.

7. COORDINATES BASED ON NAD '83 MARYLAND COORDINATE SYSTEM AS PROJECTED BY HOWARD COUNTY GEODETIC CONTROL STATIONS No. 28FB AND No. 35A2.

8. AREAS SHOWN ARE TO BE TAKEN AS MORE OR LESS.

9. THIS PROPERTY WILL BE SERVED BY PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS. THE PUBLIC SHARED SEWERAGE SYSTEMS WILL BE MAINTAINED BY HOWARD COUNTY. LOTS 1 -- 15, 17-32, 34-88 AND BUILDABLE PRESERVATION PARCEL "A" WILL USE THE PUBLIC SHARED SEWERAGE SYSTEMS ON NON-BUILDABLE PRESERVATION PARCELS "F", "H" AND "I" AND LOTS 16 AND 33 WILL USE THE INDIVIDUAL PRIVATE SEWERAGE SYSTEM ON THE INDIVIDUAL LOTS.

10. NO GRADING, REMOVAL OF VEGETATION COVER OR TREES, OR PLACEMENT OF NEW STRUCTURES IS PERMITTED WITHIN THE LIMITS OF WETLANDS, STREAMS, OR THEIR BUFFERS AND FOREST CONSERVATION EASEMENTS. 11. THE FOREST CONSERVATION EASEMENT HAS BEEN ESTABLISHED TO FULFILL THE REQUIREMENTS OF SECTION 16.1200 OF THE HOWARD COUNTY CODE AND FOREST CONSERVATION ACT. NO CLEARING, GRADING OR CONSTRUCTION IS PERMITTED WITHIN THE FOREST CONSERVATION EASEMENT; HOWEVER, FOREST MANAGEMENT PRACTICES AS DEFINED IN THE DEED OF FOREST CONSERVATION EASEMENT ARE ALLOHED.

12. FOR FLAG OR PIPESTEM LOTS, REFUSE COLLECTION, SNOW REMOVAL AND ROAD MAINTENANCE ARE PROVIDED TO THE JUNCTION OF THE FLAG OR PIPESTEM AND ROAD RIGHT OF WAY LINE AND NOT ONTO THE PIPESTEM LOT

13. ON 10-3-01, THE HOWARD COUNTY PLANNING BOARD APPROVED THE CEMETERY BOUNDARY DOCUMENTATION AND ACCOMMODATION PLAN FOR THE PROTECTION OF THE "WATKINS CEMETERY", LOCATED ON SITE, IS LISTED AS SITE NO. 28-4 ON THE HOWARD COUNTY CEMETERIES AND GRAVE SITES INVENTORY. THE EXISTING CEMETERY WILL BE

CONTAINED WITHIN PRESERVATION PARCEL "G". 14. WALNUT GROVE FARM IS LISTED AS SITE NO. 18 ON THE HOWARD COUNTY INVENTORY OF HISTORIC SITES. THE EXISTING HISTORIC STRUCTURES WILL REMAIN AS PART OF PRESERVATION PARCEL. "A". NO NEW BUILDINGS, EXTENSIONS OR ADDITIONS TO THE EXISTING DWELLING ARE TO BE CONSTRUCTED AT A DISTANCE LESS THAN THE ZONING

REGULATIONS REQUIRE. 15. SHEPPARD LANE IS LISTED AS A SCENIC ROAD ON THE HOWARD COUNTY SCENIC ROADS MAP 16. DRIVEWAYS SHALL BE CONSTRUCTED PRIOR TO RESIDENTIAL OCCUPANCY TO INSURE SAFE ACCESS FOR FIRE AND

EMERGENCY VEHICLES PER THE FOLLOWING MINIMUM REQUIREMENTS: a) WIDTH - 12 FEET (14 FEET SERVING MORE THAN ONE RESIDENCE).

b) SURFACE - 6 INCHES OF COMPACTED CRUSHER RUN BASE WITH TAR AND CHIP COATING (11/2" MIN.). c) GEOMETRY - MAXIMUM 15% GRADE, MAXIMUM 10% GRADE CHANGE AND MINIMUM 45' TURNING RADIUS. d) STRUCTURES (CULVERT/BRIDGES) - CAPABLE OF SUPPORTING 25 GROSS TON (H25 LOADING).

e) DRAINAGE ELEMENTS - CAPABLE OF SAFELY PASSING 100-YEAR FLOOD WITH NO MORE

THAN 1 FOOT DEPTH OVER DRIVEWAY SURFACE.

f) MAINTENANCE - SUFFICIENT TO INSURE ALL WEATHER USE. Í. RESERVATION OF PUBLIC UTILITY AND FOREST CONSERVATION EASEMENTS, DEVELOPER RESERVES UNTO ITSELF, ITS SUCCESSORS AND ASSIGNS, ALL EASEMENTS SHOWN ON THIS PLAN FOR STORM DRAINAGE, SITE DISTANCE, SHARED COMMUNITY SEWERAGE SYSTEM, OTHER PUBLIC UTILITIES AND FOREST CONSERVATION (DESIGNATED AS "FOREST CONSERVATION AREA", LOCATED IN, ON, OVER AND THROUGH LOTS/ PARCELS, ANY CONVEYANCES OF THE AFORESAID LOTS/PARCELS SHALL BE SUBJECT TO THE EASEMENTS HEREIN RESERVED, WHETHER OR NOT EXPRESSLY STATED IN DEED(S) CONVEYING SAID LOT(S)/ PARCELS. DEVELOPER SHALL EXECUTE AND DELIVER DEEDS FOR THE EASEMENTS HEREIN RESERVED TO HOWARD COUNTY WITH METES AND BOUNDS DESCRIPTION OF THE FOREST CONSERVATION AREA. UPON COMPLETION OF THE PUBLIC UTILITIES AND THEIR ACCEPTANCE BY HOWARD COUNTY, AND IN THE CASE OF THE FOREST CONSERVATION EASEMENT(S), UPON COMPLETION OF THE DEVELOPER'S OBLIGATIONS UNDER THE FOREST CONSERVATION INSTALLATION AND MAINTENANCE AGREEMENT EXECUTED BY THE DEVELOPER AND THE COUNTY, AND THE RELEASE OF DEVELOPER'S SURETY POSTED WITH SAID AGREEMENT. THE COUNTY SHALL ACCEPT THE EASEMENTS AND RECORD THE DEED(S) OF EASEMENT IN THE LAND RECORDS OF HOWARD COUNTY.

#### (GENERAL NOTES CONTINUE)

18. THIS SUBDIVISION WAS GRANDFATHERED TO THE FOURTH EDITION OF THE SUBDIVISION REGULATIONS SINCE S-01-31 RECEIVED SIGNATURE APPROVAL PRIOR TO OCTOBER 23, 2001. DEVELOPMENT OR CONSTRUCTION ON THESE LOTS/PARCELS MUST COMPLY WITH SETBACK AND BUFFER REGULATIONS IN EFFECT AT THE TIME OF SUBMISSION OF THE BUILDING OR GRADING PERMITS

THIS AREA DESIGNATES A PRIVATE SEWAGE EASEMENT OF AT LEAST 10,000 SQUARE FEET AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL (COMAR 26.04.03). IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWAGE IS AVAILABLE. THESE EASEMENTS SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT VARIANCES FOR ENCROACHMENTS INTO THE PRIVATE SEWAGE EASEMENT. RECORDATION OF A MODIFIED SEWAGE EASEMENT SHALL

20. THIS AREA DESIGNATES A PRIVATE SEWAGE EASEMENT OF AT LEAST 10,000 SQUARE FEET PER LOT FOR SHARED DRAIN FIELDS ASSOCIATED WITH A SHARED SEWAGE DISPOSAL FACILITY AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL (COMAR 26.04.03). IMPROVEMENTS OF ANY NATURE IN THIS AREA ARE RESTRICTED UNTIL PUBLIC SEWAGE IS AVAILABLE, THESE EASEMENTS SHALL BECOME NULL AND VOID UPON CONNECTION TO A PUBLIC SEWAGE SYSTEM. THE COUNTY HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT VARIANCES FOR ENCROACHMENTS INTO THE PRIVATE SEWAGE EASEMENT. RECORDATION OF A MODIFIED SEWAGE EASEMENT SHALL


NOT BE NECESSARY. 21. THE LOTS SHOWN HEREON COMPLIES WITH THE MINIMUM LOT WIDTH AND LOT AREA AS REQUIRED BY THE MARYLAND STATE DEPARTMENT OF THE ENVIRONMENT.

22.. STORM WATER MANAGEMENT FOR THIS SITE IS PROVIDED BY 5 PONDS (A, B, C, D, & E). A. STORMWATER MANAGEMENT 'POND A' IS A WET ED POND (TYPE P3). 'POND A' RESTS ENTIRELY UPON PRESERVATION PARCEL C. 'POND A' IS TO BE PRIVATELY OWNED AND MAINTAINED JOINTLY BY HOWARD COUNTY

B. STORMWATER MANAGEMENT 'POND B' IS A WET ED POND (TYPE P3). 'POND B' RESTS ENTIRELY UPON PRESERVATION PARCEL D. 'POND B' IS TO BE PRIVATELY OWNED AND MAINTAINED JOINTLY BY HOWARD COUNTY AND THE HOA.

C. STORMWATER MANAGEMENT 'POND C' IS A BIORETENTION POND (TYPE F6). 'POND C' RESTS ENTIRELY UPON PRESERVATION PARCEL K. 'POND C' IS TO BE PRIVATELY OWNED AND MAINTAINED BY THE HOA. D. STORMWATER MANAGEMENT 'POND D' IS A WET ED POND (TYPE P3). 'POND D' RESTS ENTIRELY UPON PRESERVATION PARCEL B. 'POND D' IS TO BE PRIVATELY OWNED AND MAINTAINED JOINTLY BY HOWARD COUNTY

E, STORMWATER MANAGEMENT 'POND E' IS A WET ED POND (TYPE P3). 'POND E' RESTS ENTIRELY UPON PRESERVATION PARCEL A. 'POND E' IS TO BE PRIVATELY OWNED AND MAINTAINED JOINTLY BY HOWARD COUNTY



#### (GENERAL NOTES CONTINUE)

23. THE INTENDED USE OF BUILDABLE PRESERVATION PARCEL "A" IS EQUESTRIAN FARM AND WILL BE PRIVATELY OWNED WITH HOWARD COUNTY AND THE HOMEOWNERS ASSOCIATION AS THE TWO EASEMENTS HOLDERS. THE INTENDED USE OF NON-BUILDABLE PRESERVATION PARCELS "B" THROUGH "D" AND "K" IS ENVIRONMENTAL PROTECTION & STORMWATER MANAGEMENT AND WILL BE OWNED BY THE HOMEOWNERS ASSOCIATION WITH HOWARD COUNTY AND PATUXENT CONSERVATION CORP. AS THE TWO EASEMENTS HOLDERS. THE INTENDED USE OF PARCELS "E" AND "L" IS ENVIRONMENTAL PROTECTION AND WILL BE PRIVATELY OWNED WITH HOWARD COUNTY AND THE HOMEOWNERS ASSOCIATION AS THE TWO EASEMENT HOLDERS. THE INTENDED USE OF NON-BUILDABLE PARCEL "G" IS CEMETERY PRESERVATION AND WILL BE OWNED BY THE HOMEOWNERS ASSOCIATION WITH HOWARD COUNTY AND PATUXENT CONSERVATION CORP. AS THE TWO EASEMENTS HOLDERS, THE INTENDED USE OF NON-BUILDABLE PRESERVATION PARCELS "H", "I" AND "F" IS ENVIRONMENTAL PROTECTION & SHARED SEWERAGE SYSTEM AND WILL BE OWNED BY HOWARD COUNTY. THE EASEMENT HOLDER AGREEMENT PROHIBITS FURTHER SUBDIVISION OF THE PRESERVATION PARCEL, OUTLINES THE MAINTENANCE RESPONSIBILITIES OF ITS OWNER AND ENUMERATES THE USES PERMITTED ON THE PRESERVATION PARCEL 24 THIS PLAN HAS BEEN PREPARED IN ACCORDANCE WITH SECTION 16.124 OF THE HOWARD COUNTY CODE AND THE LANDSCAPE MANUAL REQUIRING 326 SHADE TREES AND 201 EVERGREEN TREES PROVIDED WITH LANDSCAPE SURETY IN THE AMOUNT OF

\$127,950.00 WITH THE DPW, DEVELOPER'S AGREEMENT. 25. WETLANDS DELINEATION BY EXPLORATION RESEARCH, INC. APRIL, 2001. NOTICE OF INTENT TO ISSUE A PERMIT IS COVERED BY

MDE TRACKING NO. 200661163.

26. TRAFFIC STUDY IS BY THE TRAFFIC GROUP, INC. MARCH/APRIL 2001. 27. A NOISE STUDY IS NOT REQUIRED AS PER SECTION 5.2.9. OF THE HOWARD COUNTY VOLUME III DESIGN MANUAL

28. THIS PROPERTY IS NOT WITHIN THE METROPOLITAN DISTRICT. 29. WATER AND SEWER ARE PRIVATE AND PROVIDED BY PROPOSED WELL AND SEPTIC SYSTEMS.

30. PARCEL "J" DEDICATED TO ADJACENT PARCEL 49 FOR THE PURPOSE OF A PUBLIC ROAD. THE DENSITY FOR BULK PARCEL "J" IS UTILIZED WITHIN THIS SUBDIVISION AND WILL NOT BE TRANSFERRED TO PARCEL 49. NON-BUILDABLE PARCEL "J" SHALL BE CONVEYED TO ADJOINING PARCEL 49 (BASSLERS, INC.) UPON RECORDATION OF THE FINAL PLAT.

31. WALVER PETITION, HP-02-14, TO WALVE SECTION 16.116(A) TO ALLOW GRADING AND REMOVAL OF VEGETATIVE COVER WITHIN 25 FEET OF A WETLAND AND WITHIN 75 FEET OF A PERENNIAL STREAM, AND SECTION 16.115(C)(2) TO ALLOW CONSTRUCTION ACTIVITY AND DISTURBANCE WITHIN THE 100 YEAR FLOODPLAIN, FOR THE PURPOSE OF CONSTRUCTING A PUBLIC ACCESS PLACE ROAD CROSSING TO SERVE 21 RESIDENTIAL BUILDING LOTS, WAS APPROVED SUBJECT TO CONDITIONS AS STATED IN THE WAIVER PETITION APPROVAL LETTER DATED SEPTEMBER 13, 2001.

32. ARTICLES OF INCORPORATION FOR THE WALNUT GROVE HOMEOWNER'S ASSOCIATION WAS FILED WITH THE MARYLAND STATE

DEPARTMENT OF ASSESSMENT AND TAXATION ON FEBRUARY 22, 2007, RECEIPT # 1000361994361883.

33. A TREE MAINTENANCE EASEMENT RUNNING ALONG THE EDGE OF THE PUBLIC ROAD RIGHT OF WAY AS SHOWN ON THIS PLAT OF SUBDIVISION IS RESERVED UPON ALL LOTS FRONTING ON THE SAID PUBLIC ROAD RIGHT OF WAY. THIS EASEMENT ALLOWS HOWARD COUNTY THE RIGHT TO ACCESS THE PROPERTY, WHEN NECESSARY, FOR THE SPECIFIC PURPOSE OF THE INSTALLATION, REPAIR AND MAINTENANCE OF COUNTY OWNED TREES LOCATED WITHIN THE BOUNDARIES OF THE PRIVATE LOTS. NO BUILDING OR STRUCTURE OF ANY KIND SHALL BE LOCATED ON OR OVER THE SAID EASEMENT AREA.

34. THIS PROJECT COMPLIES WITH THE REQUIREMENTS OF SECTION 16.1200 OF THE HOWARD COUNTY CODE FOR FOREST CONSERVATION WITH AN OBLIGATION OF 41.34 ACRES PROVIDED BY 4.65 ACRES OF ON SITE NET TRACT RETENTION, AND 36.69 ACRES OF REQUIRED SUPPLEMENTAL REFORESTATION & AFFORESTATION PLANTING. HOWEVER, 37.18 ACRES (EXTRA 0.49 OF AN ACRE) OF SUPPLEMENTAL PLANTING IS PROVIDED. THE FOREST CONSERVATION SURETY AMOUNT OF \$839,619.00 POSTED WITH THE DPW DEVELOPER'S AGREEMENT IS FOR THE REQUIRED ACRES OF RETENTION AND SUPPLEMENTAL PLANTING ONLY.

35. LOTS 1-15, 17-32, 34-88 AND BUILDABLE PRESERVATION PARCEL "A" OF THIS SUBDIVISION ARE CONNECTED TO THE SHARED SEWAGE DISPOSAL FACILITY GOVERNED BY SECTIONS 18.1200 et seq. OF THE HOWARD COUNTY CODE. THE DEVELOPER IS OBLIGATED TO CONSTRUCT THE FACILITY UNDER PROVISIONS OF THE DEVELOPER AGREEMENT NUMBER 50-4330-D & 50-4359 DATED APRIL 13,2007 A BUILDING PERMIT FOR LOTS 1-15, 17-32, 34-88 AND BUILDABLE PRESERVATION PARCEL "A"
MAY NOT BE ISSUED UNTIL THE CONSTRUCTION OF THE FACILITY IS COMPLETED. ACTIVITY ON THESE LOTS IS RESTRICTED AND

SUBJECT TO THE DECLARATION OF COVENANTS, RIGHT-OF-ENTRY, AND RESTRICTIONS FOR SHARED SEWAGE DISPOSAL FACILITY INTENDED TO BE RECORDED AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND. LOTS 1-15, 17-32, 34-88 AND BUILDABLE PRESERVATION PARCEL "A" SHALL BE ASSESSED SHARED DISPOSAL FACILITIES CHARGES AND ASSESSMENTS PURSUANT TO SECTIONS 20.800 et seg. OF THE HOWARD COUNTY CODE.

36. PRIVATE DRAINAGE EASEMENTS AND PRIVATE SURFACE DRAINAGE EASEMENTS ARE THE RESPONSIBILITY OF THE HOMEOWNER'S


37. THE ENVIRONMENTAL DISTURBANCE CREATED BY THE SYM OUTFALLS OF POND B (ON THE ADJACENT BASSLER PROPERTY) AND POND D HAVE BEEN DETERMINED TO BE NECESSARY DISTURBANCES BY HSCD IN ACCORDANCE WITH SECTION 16.116(c) OF THE SUBDIVISION REGULATIONS.

38. THE DESIGN FLOW FOR THE SHARED SEPTIC SYSTEM EQUALS 65,250 GPD.

(87 LOTS X 5 BEDROOMS X 150 GALS. PER BEDROOM)

THE SHARED SEWERAGE SYSTEM WILL BE AVAILABLE TO LOTS 1-15, 17-32, 34-88 AND BUILDABLE PRESERVATION PARCEL A. PLANS FOR THE FACILITY INCLUDING ANY NECESSARY POINT DISCHARGE HAVE BEEN APPROVED BY THE DEPARTMENT OF THE

WALNUT GROVE HOLDING LLC BY: WALNUT GROVE FARM DEVELOPMENT, INC., ITS MEMBER



# VICINITY MAP

SCALE: 1'' = 2000'

DENSITY EXCHANGE CHART (SEE RECEIVING PARCEL UNDER RE-06-11(R) - PLAT Nos. 18576 & 18577 AND RE-07-01 - PLAT Nos. 18994 & 18995 202.44 ACRES TOTAL AREA OF SUBDIVISION ALLOWED DENSITY UNITS NET ACREAGE OF SUBDIVISION 191.17 ACRES MAXIMUM DENSITY UNITS PROPOSED DENSITY UNITS NUMBER OF CEO UNITS REQUIRED 3 CEO UNITS FROM PROPERTY OF TIMOTHY W. FEAGA, TAX MAP 6, GRID 21, PARCEL 56, LIBER 8674 FOLIO 284. SENDING PARCEL INFORMATION RE-06-11 (S1) P.N. 18575 5 CEO UNITS FROM NON-BUILDABLE PARCEL 'A', CATTAIL CREEK OVERLOOK, F-05-72, TAX MAP 2 GRID 15, PARCEL 26, LIBER 2571 FOUO 102. SENDING PARCEL INFORMATION RE-07-01 (S1) P.N. 18985-1998( G CEO UNITS FROM PARCEL "A", PROPERTY OF WILLIS LAMBERT CISSEL, JR., TAX MAP 7, GRID 17, PARCEL 136, LIBER 4272 FOLIO 307. SENDING PARCEL INFORMATION RE-07-01 (S2) P.N. 18987 G CEO UNITS FROM PROPERTY OF C. BARRIE COOK, GILES C. COOK & BARBARA B. COOK, TAX MAP 1-GRID 7, PARCEL 4, LIBER 4409 FOLIO 224. SENDING PARCEL INFORMATION RE-07-01 (S3) P.N. 18988 SENDING PARCEL INFORMATION RE-07-01 (S4) P.N. 18989 CEO UNITS FROM THE DAVIS PROPERTY, TAX MAP 8, GRID 2, PARCEL 7, LIBER 9147 FOLIO 580. CEO UNITS FROM LOT 10, LAUKENMANN PROPERTY F-05-157, TAX MAP 10, GRID 4, PARCEL 300, LIBER 670 FOLIO 175. CEO UNITS FROM PROPERTY OF JON ALLEN MILLER & ELLEN S. MILLER, TAX MAP 14, GRID 7, PARCEL 83, LIBER 932 FOLIO 255. SENDING PARCEL INFORMATION RE-07-01 (S6) P.N. 18991 25 / DENDING PARCEL INFORMATION 13 CEO UNITS FROM LOT 18, WILLOW HIGHLANDS AT WILLOW SPRINGS GOLF COURSE, F-06-199, TAX MAP 15, GRID 4, PARCEL 145, LIBER 1561 FOLIO 713. RE-07-01 (ST) P.N. 18992-18993

### MINIMUM LOT SIZE CHART LOT NO. GROSS AREA PIPESTEM AREA MINIMUM LOT SIZE 31 49,396 S.F. 2,076 S.F. 47,320 S.F.

TABULATION OF FINAL PLAT - ALL SHEETS

1. TOTAL NUMBER OF LOTS AND PARCELS TO BE RECORDED: 2. TOTAL NUMBER OF BUILDABLE LOTS TO BE RECORDED: 3. TOTAL AREA OF BUILDABLE LOTS TO BE RECORDED: 4. TOTAL NUMBER OF NON-BUILDABLE PARCELS TO BE RECORDED:

5. TOTAL AREA OF NON-BUILDABLE PARCELS TO BE RECORDED: 6. TOTAL NUMBER OF BUILDABLE PARCEL TO BE RECORDED: 7. TOTAL AREA OF BUILDABLE PARCEL TO BE RECORDED: 8. TOTAL AREA OF ROADWAYS TO BE RECORDED:

9. TOTAL AREA OF SUBDIVISION TO BE RECORDED:

OWNER KARIN MARIE VAN DYKE AND WALNUT GROVE HOLDING LLC P.O. BOX 152 STEVENSON, MD 21153 74 49,856 S.F. 2,617 S.F. 47,239 S.F.

•
100
<i>88</i>
85.5990 AC.
11
66.0258 AC.
1
<i>37.3239 AC</i> .
13.4912 AC.

202.4399 AC.

FOREST CONSE	RVATION	EASEME	NT AREA	TABUL	A TION					
FOREST CONSERVATION EASEMENT (FCE) AREA	1	2	3	4	5	6	7	8	9	
PARCEL WHERE FCE IS LOCATED	A	D	D	D	C	В	A	A	А	TOTAL
CREDITED FOREST RETENTION AREA ON NET TRACT (IN AC.)	N/A	N/A	N/A	N/A	0.27	4.38	N/A	N/A	N/A	4.65
NON-CREDITED FOREST RETENTION AREA IN FLOODPLAIN (IN AC.)	N/A	N/A	N/A	N/A	0.86	4.07	N/A	N/A	N/A	4.93
FOREST PLANTING AREA (IN AC.)	0.24	0.35	0.73	1.22	0.63	11.20	0.79	17.68	0.61	33.45
FOREST PLANTING AREA WITHIN THE FLOODPLAIN (IN AC.)	N/A	N/A	N/A	N/A	0.76	0.15	N/A	2.82	N/A	3.73
NATURAL REGENERATION AREA (IN AC.)	N/A	N/A	N/A	N/A	N/A	0.04	N/A	0.01	N/A	0.05
MINIMUM TOTAL AREA IN CONSERVATION EASEMENT (IN AC.)	0.24	0.35	0.73	1.22	2.52	19.84	0.79	20.51	0.61	46.81

DENSITY CALCULATIONS: GROSS AREA: BASE DENSITY: 47 UNITS (GROSS AREA/4.25) FLOODPLAIN AREA: 8.78± ACRES STEEP SLOPES (OUTSIDE OF FLOODPLAIN): 2.49± ACRES NET AREA: 191.17 ACRES MAXIMUM DENSITY: 95 UNITS (MAXIMUM ALLOWABLE FOR RC-CEO

CLUSTER.: NET AREA/2) C.E.O. UNITS REQUIRED: 42 UNITS (89-47=42) 88 + 1 BÙILDABLE PRÉSERVATION PARCEL UNITS PROPOSED: EXISTING HOUSE TO REMAIN)

THE REQUIREMENTS OF SECTION 3-108, THE REAL PROPERTY ARTICLE, ANNOTATED CODE OF MARYLAND, 1996 REPLACEMENT VOLUME, (AS SUPPLEMENTED) AS FAR AS THEY RELATE TO THE MAKING OF THIS PLAT AND THE SETTING OF MARKERS, HAVE BEEN COMPLIED WATH. Danie Eleber 25 JUNE 2007

DAVID S. WEBER PROFESSIONAL LAND SURVEYOR MD. REG. NO. 10852 Kaimai KARIN MARIE VAN DYKE

WALNUT GROVE HOLDING LLC BY: WALNUT GROVE, FARM DEVELOPMENT, INC., ITS MEMBER ROBERT VAN DYKE, PRESIDENT

SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF, THAT THE FINAL PLAT SHOWN HEREON IS CORRECT: THAT IT IS A SUBDIVISION OF PART OF THE LAND CONVEYED BY JOSEPH A. DE FRANCIS, TRUSTEE OF THE FRANK J. DE FRANCIS REVOCABLE TRUST DATED JULY 25, 1989, AND KARIN M. DE FRANCIS VAN DYKE, BENEFICIARY UNDER FRANK J. DE FRANCIS REVOCABLE TRUST DATED JUNE 25, 1989 TO KARIN MARIE VAN DYKE, BY A DEED DATED JUNE 13. 1996 AND RECORDED IN LIBER 7161 AT FOLIO 86 AND PART OF THE LAND CONVEYED BY KARIN MARIE VAN DYKE TO WALNUT GROVE HOLDING LLC, A MARYLAND LIMITED LIABILITY COMPANY, BY DEED DATED DECEMBER 23, 2005 AND RECORDED IN LIBER 9737 AT FOLIO 237, ALL AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND; AND THAT ALL MONUMENTS ARE IN PLACE OR WILL BE IN PLACE PRIOR TO ACCEPTANCE OF THE STREETS IN THE SUBDIVISION BY HOWARD COUNTY, IN ACCORDANCE WITH THE ANNOTATED CODE OF MARYLAND, AS AMENDED.

then 25 June 2007

RECORDED AS PLAT NUMBER 19220 COSTO , AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND

## WALNUT GROVE

LOTS 1 THRU 88, BUILDABLE PRESERVATION PARCEL "A". NON-BUILDABLE PRESERVATION PARCELS "B" THRU "I", "K" & "L" AND NON-BUILDABLE BULK PARCEL "J"

5TH ELECTION DISTRICT SCALE: AS SHOWN

TM 28, GRIDS 17, 18 AND 24, PARCEL 74 HOWARD COUNTY, MARYLAND MARCH 2007

GLW GUTSCHICK LITTLE & WEBER, P.A. CIVIL ENGINEERS, LAND SURVEYORS, LAND PLANNERS, LANDSCAPE ARCHITECTS
3909 NATIONAL DRIVE - SUITE 250 - BURTONSVILLE OFFICE PARK
BURTONSVILLE, MARYLAND 20868
TEL: 301-421-4024 BALT: 410-880-1820 DC/VA: 301-988-2524 FAX: 301-421-4188 CHECK BY: 157 DRAWN BY: PWC

PRIVATE SEWERAGE SYSTEM ON THE INDIVIDUAL LOTS.) 6/26/07

APPROVED: FOR PRIVATE WATER & PRIVATE SEWERAGE SYSTEMS

(LOTS 1 - 15, 17-32, 34-88 AND BUILDABLE PRESERVATION PARCEL "A" WILL

USE THE SHARED SEVERAGE SYSTEMS ON NON-BUILDABLE PRESERVATION

PARCELS "F", "H" AND "I" AND LOTS 16 AND 33 WILL USE THE INDIVIDUAL

IN CONFORMANCE WITH THE MASTER PLAN OF

WATER & SEWERAGE FOR HOWARD COUNTY, MD.

000 APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING

& ZONING

MITNESS OUR HANDS THIS 2 DAY OF APRIL, 2007

OWNER'S DEDICATION

FARM DEVELOPMENT, INC., ITS MEMBER, BY ROBERT VAN DYKE, PRESIDENT, OWNERS OF THE PROPERTY SHOWN AND DESCRIBED

HEREON, HEREBY ADOPTS THIS PLAN OF SUBDIVISION, AND IN CONSIDERATION OF THE APPROVAL OF THIS FINAL PLAT BY THE

KARIN MARIE VAN DYKE AND, WALNUT GROVE HOLDING LLC, A MARYLAND LIMITED LIABILITY COMPANY, BY WALNUT GROVE

DEPARTMENT OF PLANNING AND ZONING, ESTABLISHES THE MINIMUM BUILDING RESTRICTION LINES AND GRANTS UNTO HOWARD COUNTY,

MARYLAND, ITS SUCCESSORS AND ASSIGNS: (1) THE RIGHT TO LAY, CONSTRUCT AND MAINTAIN SEWERS, DRAINS, WATER PIPES AND

OTHER MUNICIPAL UTILITIES AND SERVICES, IN AND UNDER ALL ROADS AND STREET RIGHTS-OF-WAY AND THE SPECIFIC EASEMENT

AREAS SHOWN HEREON; (2) THE RIGHT TO REQUIRE DEDICATION FOR PUBLIC USE, THE BEDS OF THE STREETS AND/OR ROADS,

FLOODPLAINS AND OPEN SPACE WHERE APPLICABLE AND FOR GOOD AND OTHER VALUABLE CONSIDERATION, HEREBY GRANTS THE

WATERWAYS AND DRAINAGE EASEMENTS FOR THE SPECIFIC PURPOSE OF THEIR CONSTRUCTION, REPAIR AND MAINTENANCE; AND (4)

THAT NO BUILDING OR SIMILAR STRUCTURE OF ANY KIND SHALL BE ERECTED ON OR OVER THE SAID EASEMENTS AND RIGHTS-OF-WAY.

RIGHT AND OPTION TO HOWARD COUNTY TO ACQUIRE THE FEE SIMPLE TITLE TO THE BEDS OF THE STREETS AND/OR ROADS,

FLOODPLAINS, STORM DRAINAGE FACILITIES AND OPEN SPACE WHERE APPLICABLE; (3) THE RIGHT TO REQUIRE DEDICATION OF

WALNUT GROVE HOLDING LLC BY: WALNUT GROVE FARM DEVELOPMENT, INC., ITS MEMBER

DAVID S. WEBER REGISTERED LAND SURVEYOR MARYLAND REGISTRATION NO. 10852

	CUDV	ETADI	II ATIO	N EOD C	TIPPY & AP O	
CURVE	RADIUS	LENGTH	TANGENT	CHORD	SHEET 5 OF 8	DELTA
18021407	625.00°	199.10'	100.40'	198.26'	S 77'03'43" E	1875'09*
1408-1832	370.00'	37.61'	18.82'	37.59'	S 25'03'33" W	5*49'24"
1938-1689	675.00°	372.52'	191.14'	367.81'	N 70°22'40" W	31'37'14"
1690-1692	87.00'	64.59	33.86'	63.12'	N 75'50'09" W	42'32'13"
1692-1693	65.00'	98.41'	61.41'	89.28'	N 53'43'54" W	86'44'43"
1693-1695	87.00'	62.62'	32.74'	61.28'	N 30'58'45" W	4174'25"
1697-2076	280.00'	327.42'	185.33	309.08'	N 88'04'03" W	67'00'00"
1707-1708	320.00°	340.24'	188.19'	324.44'	S 88'53'32" W	60°55′09″
1709–1710	420.00'	121.83'	61.34	121.40'	S 50°03'14" W	16*37 <b>*</b> 10**
1711-1948	330.00'	175.05'	89.64'	173.00'	S 4370'02" W	<i>30°23'33</i> "
1408-1725	<i>370.00</i> ′	196.27'	100.50'	193.97'	N 4310'02" E	<i>30°23'33"</i>
1726-1727	<i>380.00</i> ′	107.35'	54.04'	107.00'	N 5076'13" E	1671'12"
1728–1717	<i>320.00</i> ′	21.85'	10.93'	21.85'	N 42'31'24" W	3'54'44"
1729-1730	460.00'	96.34'	48.35'	96.17	N 46°34'03" W	12'00'00"
<i>1731–1733</i>	<i>25.00</i> '	25.32'	13.87'	24.25	N 81°35′04" W	58'02'03 <b>"</b>
1733-1734	60.00'	310.04'		63.53'	N 37°25'57" E	296°04'07"
1734-1736	<i>25.00</i> °	25.32'	13.87'	24.25'	S 23'33'01" E	<i>58'02'03"</i>
1737–1738	500.00 <b>'</b>	59.66'	29.86'	59.62'	S 49°08'57" E	6°50'11"
1740-1742	25.00	25.32'	13.87'	24.25'	N 20"24'56" E	<i>58'02'03"</i>
1742-1743	60.00'	310.04		<i>63.53</i> ′	S 40°34′03" E	296'04'07"
1743-1745	<i>25.00</i> ′	25.32'	13.87'	24.25'	S 78"26'59" W	<i>58'02'03</i> "
1748-1749	280.00 <b>'</b>	395.84'	239.14'	363.69'	S 81°04'03" E	81'00'00"
<i>2077–1757</i>	<i>320.00</i> '	374.20'	211.80'	<i>353.24</i> ′	S 88'04'03"E	6700'00"
1758-1760	89.00'	138.33'	87.54'	124.82'	N 80'54'20" E	89°03'15 <b>"</b>
1 <i>760–1761</i>	280.00 <b>'</b>	141.46'	72.27	139.96'	N 21°54′19" E	28'56'45"
1762-1764	25.00'	25.32'	13.87'	24.25'	N 21'35'04" W	<i>58'02'03"</i>
1764-1765	60.00'	310.04		<i>63.53</i> ′	S 82'34'03" E	296'04'07"
1765–1767	25.00	25.32'	13.87'	24.25'	S 36'26'59" W	58°02'03"
1768-1769	320.00'	<i>158.08</i> ′	80.69'	156.48'	S 21'35'05" W	2878'16 <b>"</b>
1769-1771	<i>85.00</i> ′	133.97'	85.45°	120.53'	S 09°24'55" E	9078′16″
1773-1407	625.00'	344.93'	176.98'	<i>340.57</i> ′	S 70°22'40" E	<i>31'37'14</i> "

		····		<del></del>	<u> </u>	
	CURV	E TABU	<b>ILATIO</b>	V FOR S	HEET 6 OF	8
CURVE	RADIUS	<i>LENGTH</i>	TANGENT	CHORD	BEARING	DELTA
1832-1408	370.00'	37.61	18.82'	37.59'	N 25'03'33" E	5*49'24"
1670-1406	180.00'	126.83'	66.17'	124.22'	S 38'59'07" E	40"22'14"
1899-1650	220.00'	155.01'	80.88'	151.83'	N 38'59'07" W	40"22"14"
1653-1654	720.00'	376.99'	192.92'	<i>372.70</i> ′	S 8612'00" W	30000'00"
<i>1655–1656</i>	60.00'	279.00'		87.46'	N 54"24'45" E	266*25′30*
1656-1658	25.00'	38.47'	24.21'	<i>34.78</i> ′	S 36"27"19" E	88°09'37"
1658-1659	680.00°	335.45	171.21	332.06'	N 8519'57" E	2875'53"
1662-1663	430.00'	267.54	138.26'	263.25'	N 36'37'27" W	<i>35*38'55"</i>
1663-1665	25.00'	27.36'	15.23'	26.01'	N 85'47'55" W	62'42'01"
1665-1666	60.00'	309.83'		63.71'	N 30'47'02" E	295°51'56"
16661668	25.00'	23.58'	12.75'	22.71'	S 2878'01" E	54°02'01"
1668-1669	470.00'	299.55'	155.06'	294.51	S 37'03'30" E	36°31'01"
1948-1712	330.00'	101.41'	51.11'	101.01	S 1970'02" W	<i>17'36'27</i> "
1714-1716	25.00°	25.32'	13.87'	24.25'	S 18'39'13" E	58°02'03"
1716-1721	60.00'	310.04		63.53'	N 79*38'11"W	296°04'07"
1721-1723	25.00'	25.32°	13.87'	24.25'	N 39°22'50" E	<i>58°02'03</i> "
1724-1408	<i>370.00</i> ′	113.70'	<i>57.30</i> ′	113.26'	N 1970'02" E	17'36'27"

	CURV	E TABU	LATIO	V FOR S	HEET 7 OF 8	3
CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING	DELTA
1406-1670	180.00'	126.83'	66.17'	124.22'	N 38'59'07" W	40"22"14"
<i>1615–2078</i>	425.00'	185.44'	94.22'	183.97'	S 13"55"57" W	25°00'00 <b>"</b>
1623-1624	<i>375.00</i> ′	99.70'	50.14'	99.40'	S 18'48'59" W	1543'57 <b>"</b>
<i>1625–1627</i>	82.00'	128.81	82.00°	115.97'	S 33'48'00" E	900000
1628-1629	<i>340.00</i> ′	106.81	<i>53.85</i> ′	106.38'	S 69'48'00" E	18'00'00"
1630-1631	480.00°	197.65'	100.25'	196.26'	S 72'35'47" E	23'35'33"
1632-1633	520.00°	137.74'	69.28'	137.34'	S 76'48'15" E	<i>1570'37"</i>
<i>1634–1635</i>	60.00'	278.92'		87.51'	S 63'57'33" W	266"20'59"
1635-1637	25.00'	38.74'	24.48'	34.98'	N 2775'35" W	88°47′15″
1637-1638	480.00'	106.72'	<i>53.58</i> ′	106.50'	N 78'01'23" W	12'44'21"
1639-1640	520.00'	214.12'	108.60'	212.61'	N 72°35′47" W	<i>23'35'33"</i>
16411642	300.00'	94.25'	47.52'	93.86'	N 69°48'00" W	18°00'00"
1643-1645	<i>89.00</i> ′	68.63'	36.12'	66.94'	S 79'06'29" W	4471'02"
1645-1646	63.00'	94.96'	<i>59.13</i> ′	86.23'	N 79'48'00" W	86°22'05 <b>"</b>
1646-1648	<i>89.00</i> ′	68.63'	36.12'	66.94	N 58*42*29" W	4471'02"
1649-1899	220.00'	83.05'	42.03'	82.56'	N 69'59'07" W	21°37°46"
1406-1671	180.00'	67.95'	<i>34.38</i> ′	<i>67.55</i> ′	S 69'59'07" E	21°37'46"
1672-1674	85.00°	130.55'	82.08	118.09*	N 5572'00" E	88'00'00"
1675-1676	425.00'	112.99'	<i>56.83</i> '	112.66'	N 18'48'59" E	15¶3'57"
<i>2079–1684</i>	<i>375.00</i> '	163.62'	<i>83.14</i> ′	162.33'	N 13'55'57" E	2500'00"

	CU	RVE TA	BULAT	ION FO	R SHEET 8 O	F 8
CURVE	RADIUS	LENGTH	TANGENT	CHORD	BEARING	DELTA
1002-1004	2845.79'	117.53	<i>58.77</i> ′	117.52'	S 1579'41" E	2'21'59"
1005-1007	479.22'	225.83	115.05	223.74	S 00'38'41" E	27'00'00"
1558-1590	309.00'	299.55'	162.72'	287.96'	N 14°54'59" W	55*32*36**
1591-1592	457.22'	215.46'	109.77'	213.47'	N 00°38'41" W	2700'00"
1593-1595	2960.00'	228.48'	114.30'	228.42'	N 16"21'22" W	4"25"21"

000 5 001 5 002 5 004 5 005 5	NORTHING 569897.98 568636.03 568632.33 568518.99	EASTING 1329821.29 1330240.36	NO. 1611	NORTHING	EASTING	NO.	MODERANO		1				<del></del>	
001 5 002 5 004 5 005 5	568636.03 568632.33	<del></del>	1611			770.	NORTHING	EASTING	NO.	NORTHING	EASTING	NO.	NORTHING	EASTING
002 5 004 5 005 5	568632.33	1330240.36	10	568959.09	1328507.74	1665	568556.91	1327698.75	1727	569157.05	1326743.33	1790	569529.94	1329906.06
004 5			1612	568871.23	<i>1328505.54</i>	1666	568611.65	1327731.36	1728	569193.32	1326741.22	1791	569895.97	1329783.11
005 5	ECOETO OO	1330227.89	1614	568813.00	1328481.18	1668	568591.65	1327742.12	1729	569289.19	1326658.17	1802	568994.21	1327949.05
	300310.99	1330258.96	1615	568685.55	<i>1328478.00</i>	1669	568356.63	1327919.60	1730	569355.30	1326588.34	1803	569440.72	1328113.60
007 5	567772.01	1330447.21	1623	568399.48	<b>1328</b> 380.26	1670	568208.29	1327970.10	1731	569384.41	1326550.31	1804	569807.04	1328094.31
	<i>567548.28</i>	1330449.72	1624	568305.39	<b>1328</b> 348.20	1671	568088.61	1328111.72	1733	569387.96	1326526.32	1805	567427.27	1329396.21
008 5	567527.25	1330444.93	1625	568137.81	1 <b>328</b> 315.01	1672	568079.36	1328168.84	1734	569438.41	1326564.93	1806	567461.60	1329403.01
009 5	567526.42	1330448.55	1627	568041.44	<b>1328</b> 379.52	1674	568146.75	1328265.81	1736	569416.17	1326574.62	1807	567583.77	1329452.92
010 5	567500.31	1330442.44	1628	568007.97	<b>1328548</b> .56	1675	568315.10	1328299.15	1737	569387.06	1326612.65	1808	567766.71	1329590.55
011 50	67470.58	1330437.78	1629	567971.24	<b>1328</b> 648.39	1676	568421.74	1328335.48	1738	569348.06	1326657.75	1809	567890.28	1329467.42
012 5	67438.13	1330434.91	1630	567918.58	1328742.61	1677	568454.96	1328352.00	1739	569346.40	1326694.25	1832	568831.77	1326380.34
013 5	67395.25	1330435.54	1631	567859.88	1 <b>328</b> 929.88	1684	568686.80	1328428.01	1740	569439.58	1326803.08	1838	568731.65	1326648.92
014 5	67352.98	1330442.05	1632	<i>567850.11</i>	<i>1329029.40</i>	1685	568814.01	1328431.19	1742	569462.31	1326811.55	1839	568880.14	1326889.94
015 5	67312.73	1330454.35	1633	567818.76	1329163.11	1687	568893.94	1328355.17	1743	569414.05	1326852.86	1840	568899.73	1327186.94
016 5	67273.58	1330474.72	1634	<i>567795.53</i>	1 <b>329</b> 224.33	1688	568898.65	1328166.95	1745	569409.19	1326829.10	1864	568727.61	1328796.39
017 5	67239.16	1330500.52	1635	567757.11	<i>1329145.70</i>	1689	569023.45	1327792.50	1746	569316.27	1326720.55	1865	568735.54	1328479.25
		1330509.27	1637	567788.20	<i>1329</i> 129.68	1690	569054.47	1327748.90	1747	569281.02	1326717.82	1878	568002.61	1329265.27
019   50	67204.44	1330660.84	1638	567810.30	<i>1329025.49</i>	1692	569069.92	1327687.70	1748	569235.44	1326756.84	1899	568077.38	1328027.75
402 5	569017.24	1330119.96	1639	567820.07	<b>1328</b> 925.97	1693	569122.73	1327615.72	1749	569178.97	1327116.12	1900	567817.41	1327872.60
403 5	569008.75	1330081.13	1640	567883.67	<b>1328</b> 723.09	1695	569175.27	1327584.18	1757	569232.71	1327576.02	1919	568902.96	1327484.29
404 5	68759.67	1328942.92	1641	567936.32	<b>1328</b> 628.88	1697	569200.12	1327552.83	1758	569213.92	1327602.42	1920	568746.43	1327704.29
405 5	67732.29	1327855.74	1642	<i>567968.73</i>	<b>1328</b> 540.79	1701	569586.22	1326215.58	1760	569233.65	1327725.68	1923	568730.82	1327942.49
406 5	68111.73		1643	568002.41	<b>13283</b> 70.71	1706	567975.72	1330473.14	1761	569363.50	1327777.89	1924	568838.11	1327757.45
407 5	68949.82	1328142.28	1645	567989.76	<b>13283</b> 04.97	1707	569144.89	1327137.06	1762	569472.46	1327792.10	1925	568785.03	1327990.73
408 5	68865.82	1326396.26	1646	568005.03	<i>1328220.11</i>	1708	569138.61	1326812.69	1764	569495.01	1327783.18	1926	568701.38	1328125.72
409 5		1326098.58	1	568039.80	<i>1328162.90</i>	1709	569132.55	1326775.09	1765	569486.79	1327846.18	1929	568504.30	1328112.59
587 50		1330491.73		568049.12	1 <b>328</b> 105.32	1710	569054.61	1326682.02	1767	569467.28	1327831.77	1930	568280.43	1328113.88
<del></del>		1330488.47		568195.40		1711	568973.24	1326549.95	1768	569358.33	1327817.55	1931	568229.07	1327963.02
		1330414.35		568247.46	1327914.51	1712	<i>568751.64</i>	1326398.43	1769	569212.82	1327759.99	1936	568749.55	1328128.93
		1330428.28		568263.07	1327882.79		568110.49	1325945.70	1771	569093.92	1327779.70	1937	568742.04	1328429.39
		1330425.87		568182.06	1327644.82				1773	569064.19	1327821.49	1938	568899.93	1328138.95
		1330236.04	1654	568157.36			568524.17	1326368.79	1779	568948.63	1328168.20	1948	568847.06	1326431.59
			1655	568169.99	1327209.18		569209.42	1326726.46	1780	568943.92	1328356.42	1984	569168.96	1326840.65
			1656	568220.88	1327280.30		569713.32	1326314.44	1782	569019.69	1328436.34	2076	569210.54	1327243.92
		1329909.43			1327300.97	1720	<i>567175.47</i>	1330667.89		569206.71	1328485.67	2077	569244.62	1327222.98
		1329675.59		568219.93	<del></del>	1721	568535.60	1326306.29		569487.15	1328634.34	2078	568506.99	1328433.70
		1329307.15		568300.94	1327869.90	1723	568554.34	1326321.68	1785	569700.96	1329330.57	2079	568529.25	1328388.93
		1328678.52		568332.66		1724 /	568758.84	1326359.08	1786	569502.04	1329705.81	2117	568788.40	1329139.18
		1328529.85		568343.74	<del></del> [.	1725	569007.30	1326528.97	1788	569489.16	1329863.16	2120	568878.43	1329497.51
509   56	69018.89	1328486.34	1663	568555.01	1327724.69	1726	569088.66	1326661.04	1789	569498.28	1329890.32			,

OWNER

KARIN MARIE VAN DYKE AND WALNUT GROVE HOLDING LLC P.O. BOX 152 STEVENSON, MD 21153

APPROVED: FOR PRIVATE WATER & PRIVATE SEWERAGE SYSTEMS IN CONFORMANCE WITH THE MASTER PLAN OF WATER & SEWERAGE FOR HOWARD COUNTY, MD. (LOTS 1 - 15, 17-32, 34-88 AND BUILDABLE PRESERVATION PARCEL "A" WILL USE THE SHARED SEWERAGE SYSTEMS ON NON-BUILDABLE PRESERVATION PARCELS "F", "H" AND "I" AND LOTS 16 AND 33 WILL USE THE INDIVIDUAL PRIVATE SEWERAGE SYSTEM ON THE INDIVIDUAL LOTS.)

COUNTY HEALTH OFFICER OF

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING & ZONING

6/26/07

DATE

### OWNER'S DEDICATION

KARIN MARIE VAN DYKE AND WALNUT GROVE HOLDING LLC, A MARYLAND LIMITED LIABILITY COMPANY, BY WALNUT GROVE FARM DEVELOPMENT, INC., ITS MEMBER, BY ROBERT VAN DYKE, PRESIDENT, OWNERS OF THE PROPERTY SHOWN AND DESCRIBED HEREON, HEREBY ADOPTS THIS PLAN OF SUBDIVISION, AND IN CONSIDERATION OF THE APPROVAL OF THIS FINAL PLAT BY THE DEPARTMENT OF PLANNING AND ZONING, ESTABLISHES THE MINIMUM BUILDING RESTRICTION LINES AND GRANTS UNTO HOWARD COUNTY, MARYLAND, ITS SUCCESSORS AND ASSIGNS; (1) THE RIGHT TO LAY, CONSTRUCT AND MAINTAIN SEWERS, DRAINS, WATER PIPES AND OTHER MUNICIPAL UTILITIES AND SERVICES, IN AND UNDER ALL ROADS AND STREET RIGHTS-OF-WAY AND THE SPECIFIC EASEMENT AREAS SHOWN HEREON; (2) THE RIGHT TO REQUIRE DEDICATION FOR PUBLIC USE, THE BEDS OF THE STREETS AND/OR ROADS. FLOODPLAINS AND OPEN SPACE WHERE APPLICABLE AND FOR GOOD AND OTHER VALUABLE CONSIDERATION, HEREBY GRANTS THE RIGHT AND OPTION TO HOWARD COUNTY TO ACQUIRE THE FEE SIMPLE TITLE TO THE BEDS OF THE STREETS AND/OR ROADS, FLOODPLAINS, STORM DRAINAGE FACILITIES AND OPEN SPACE WHERE APPLICABLE; (3) THE RIGHT TO REQUIRE DEDICATION OF WATERWAYS AND DRAINAGE EASEMENTS FOR THE SPECIFIC PURPOSE OF THEIR CONSTRUCTION, REPAIR AND MAINTENANCE; AND (4) THAT NO BUILDING OR SIMILAR STRUCTURE OF ANY KIND SHALL BE ERECTED ON OR OVER THE SAID EASEMENTS AND RIGHTS-OF-WAY. WITNESS OUR HANDS THIS 2 DAY OF APRIL, 2007

WALNUT GROVE HOLDING LLC BY: WALNUT GROVE FARM DEVELOPMENT, INC., ITS MEMBER

### SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF, THAT THE FINAL PLAT SHOWN HEREON IS CORRECT; THAT IT IS A SUBDIVISION OF PART OF THE LAND CONVEYED BY JOSEPH A. DE FRANCIS. TRUSTEE OF THE FRANK J. DE FRANCIS REVOCABLE TRUST DATED JULY 25, 1989, AND KARIN M. DE FRANCIS VAN DYKE, BENEFICIARY UNDER FRANK J. DE FRANCIS REVOCABLE TRUST DATED JUNE 25, 1989 TO KARIN MARIE VAN DYKE, BY A DEED DATED JUNE 13, 1996 AND RECORDED IN LIBER 7161 AT FOLIO 86 AND PART OF THE LAND CONVEYED BY KARIN MARIE VAN DYKE TO WALNUT GROVE HOLDING LLC, A MARYLAND LIMITED LIABILITY COMPANY, BY DEED DATED DECEMBER 23, 2005 AND RECORDED IN LIBER 9737 AT FOLIO 237, ALL AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND; AND THAT ALL MONUMENTS ARE IN PLACE OR WILL BE IN PLACE PRIOR TO ACCEPTANCE OF THE STREETS IN THE SUBDIVISION BY HOWARD COUNTY, IN ACCORDANCE WITH THE ANNOTATED CODE OF MARYLAND, AS AMENDED.

NON 30 MAR. 2007

REGISTERED LAND SURVEYOR MARYLAND REGISTRATION NO. 10852 HOWARD COUNTY. MARYLAND

### WALNUT GROVE

LOTS 1 THRU 88, BUILDABLE PRESERVATION PARCEL "A". NON-BUILDABLE PRESERVATION PARCELS "B" THRU "I", "K" & "L" AND NON-BUILDABLE BULK PARCEL "J"

5TH ELECTION DISTRICT SCALE: NO SCALE

TM 28, GRIDS 17, 18 AND 24, PARCEL 74 HOWARD COUNTY, MARYLAND MARCH 2007 SHEET 2 OF 8

GLW GUTSCHICK LITTLE & WEBER, P.A. CIVIL ENGINEERS, LAND SURVEYORS, LAND PLANNERS, LANDSCAPE ARCHITECTS
3909 NATIONAL DRIVE - SUITE 250 - BURTONSVILLE OFFICE PARK
BURTONSVILLE, MARYLAND 20886
TEL: 301-421-4024 BALT: 410-880-1820 DC/VA: 301-989-2524 FAX: 301-421-4186 DRAWN BY: CHECK BY: purc

UNE	BEARING	DISTANCE	ELEVATION *	LINE	BEARING	DISTANCE	ELEVATION
F1	S21"24'12"W	60.78'	361.5	F28	N00'57'52"E	33.98'	363.3
F2	S34'31'07"W	22.58'	362.0	F29	N27'49'40"E	<i>35.01</i> ′	362.7
F3	S22'55'57"E	8.71	362.1	F30	N40'03'47"E	34.74'	362.7
F4	S11'21'08"W	8.19	362.3	F31	N57'53'53"E	32.13'	362.5
F5	S45"29"47"W	60.01	362.8	F32	N3179'10"E	6.45	362.5
F6	S23"22'57"W	15.79'	362.8	F33	S34'04'38"W	40.98	362.3
F7	S10'53'22"W	23.43'	363.1	F34	S42"23'14"W	109.57*	370.7
F8	S04*40'08"W	69.06'	363.8	F35	S12'02'30"W	28.96'	371.2
F9	S0273'13"W	161.01'	365.6	F36	S01'08'16"E	68.09°	371.7
F10	S25'30'55"W	30.39'	365.6	F37	S10"20"06"E	<i>16.70</i> ′	372.5
F11	S17'24'51"W	43.64'	366.1	F38	S04°05'14"₩	15.20'	372.5
F12	S29'47'56"W	10.79'	369.9	F39	S23'59'32"₩	17.54'	371.6
F13	S43'32'57"W	30.84'	369.9	F40	S3975'43"W	42.22*	371.6
F14	N27'00'35"W	33.91'	369.9	F41	S30°51′02 <b>"</b> W	24.14'	371.6
F15	N62'59'25"E	31.64'	369.9	F42	S15'58'30"W	14.86'	371.9
F16	N44"25'55"E	63.53'	365.7	F43	NO4*46'51"E	27.42'	372.6
F17	N05'40'45"E	15.43'	365.7	F44	N33'30'43"E	44.59*	372.6
F18	N1740'36"E	40.12'	365.5	F45	N06"42"44"E	38.65'	372.6
F19	N31°02'21"E	53.94'	364.7	F46	N1579'13"E	28.81*	371.6
F20	N00'00'34"E	51.55'	364.3	F47	N34*56'36"E	50.70'	371.4
F21	N11'50'17"E	23.10'	364.2	F48	N18"52"15"E	30.78'	371.4
F22	NO5'35'52"W	13.29'	364.0	F49	NO3"23'46"W	29.55'	370.8
F23	NOT43'29"E	25.25'	363.3	F50	N11'57'59"E	27.30'	370.3
F24	NO7"49"31"W	30.37'	363.2	F51	N32'34'22"E	30.47'	369.1
F25	NO2'57'54"W	24.92*	363.2	F52	NO1"57"20"E	23.51'	366.2
F26	N21°05'59"E	17.24'	363.2	F53	S75°03'29"W	<i>35.13</i> '	366.2
F27	N57'06'17"E	14.32'	362.5	F54	N14'56'31"W	<i>37.73</i> ′	366.2

		FLOODPLAI	I EASEMENT	LINE TA	ABLE SHEET 6		
LINE	BEARING	DISTANCE	ELEVATION *	LINE	BEARING	DISTANCE	ELEVATION #
F1	S15°58'30"W	43.65	372.8	F36	N21'05'42"E	78.09'	381.6
F2	S3074'25"W	20.71'	372.9	F37	N0019'03"E	16.04'	381.6
F3	S17'34'39"W	28.66'	373.0	F38	N11'33'21"E	50.44'	381.6
F4	S06"24"05"W	46.63'	373.5	F39	N00'59'31"E	55.60'	381.8
F5	S36'26'42"W	31.10'	373.5	F40	N13'33'04"W	20.34	382.0
F6	S59'09'29"W	29.96'	373.5	F41	N09'35'33"W	49.82'	381.2
F7	S76'08'28"W	9.37'	373.5	F42	N3376'17"W	22.73'	381.2
F8	S60'51'18"W	110.26	374.2	F43	S2174'59"W	20.72'	381.2
F9	S88*54'05"W	98.95'	374.8	F44	N06°09'15*E	69.99'	380.8
F10	S7773'12"W	46.81'	374.8	F45	N18'37'26"E	39.00'	380.8
F11	S36"28'22"W	26.52'	375.0	F46	N04'50'23"E	15.11*	380.8
F12	S14"02"29"W	43.02'	376.9	F47	N14'02'29"E	58.03'	378.9
F13	S52'34'51"W	37.75'	376.9	F48	N1876'19*E	13.64'	<i>378.5</i>
F14	S74'51'00"W	45.28'	376.9	F49	N01"21'13"E	22.94'	378.5
F15	S89'36'33"W	15.06'	376.9	F50	N15*35'19*E	47.96'	<i>378.5</i>
F16	S62'06'20"W	35.10'	377.4	F51	N32'51'24"E	59.50'	378.5
F17	S36°20'19"W	61.65'	378.6	F52	N60°49'24"E	39.40'	377.4
F18	S45 32'23"W	51.85'	378.6	F53	N50'57'27"E	38.48'	377.4
F19	S13'31'00"W	36.36'	378.9	F54	N16*37*27*E	31.15'	377.4
F20	S04'03'54"E	59.88	380.8	F55	N52"24'21"E	29.17'	377.4
F21	S25'54'49"W	55.73°	380.8	F56	N69'15'56"E	19.73'	376.8
F22	S06'28'39"E	30.45	380.8	F57	N33"24'44"E	21.00'	376.8
F23	S21"20"51"E	32.87'	380.8	F58	N66'09'47"E	30.35'	376.8
F24	S41'32'06"W	22.03'	381.2	F59	N78*41'39"E	68.78'	<i>375.9</i>
F25	S34'02'32"E	29.78'	381.2	F60	N58'04'45"E	62.91'	<i>375.9</i>
F26	S0877'12"E	17.86'	382.0	F61	N82'46'42"E	15.87	375.9
F27	S20"08"09"W	25.77	382.2	F62	S6679'33"E	25.30'	374.7
F28	S01'36'29"W	27.74'	382.4	F63	S52'31'22"E	14.02'	374.3
F29	S19'35'26"E	40.38'	382.7	F64	S78'33'30"E	12.46'	374.3
F30	S00'07'47"W	28.55'	383.1	F65	N61'57'28"E	115.59'	373.3
F31	S1770'13"W	33.02'	383.1	F66	N44'40'56"E	64.50'	373.1
F32	S43'21'34"W	57.96	383.1	F67	N23'38'14"E	11.63'	372.7
F33	S00'32'36"E	28.29'	383.6	F68	N03'03'44"W	37.24'	372.8
F34	S23'22'37"E	26.68'	385.0	F69	NO4°46'51"E	4.89'	372.6

	LOODPLAIN EA Si	HEET 8	
UNE	BEARING	DISTANCE	ELEVATION
F1	S28'08'59"W	53.54'	365.3
F2	N58'52'42"E	110.11'	364.3
F3	N16'33'17"E	25.84'	364.3
F4	N46"20'52"E	24.36'	364.3
F5	NO1"22"55"E	31.55'	364.3
F6	N16'36'47"E	28.17'	364.3
F7	N01°58'34"E	52.44'	364.7
F8	N10°27°01"E	65.75'	365.1
F9	N30'58'24"E	35.83'	365.1
F10	N16'48'33"E	126.59'	365.4
F11	N05'00'25"E	77.97'	365.5
F12	N00'31'46"W	66.41'	365.6
F13	N0477'08"E	57.62'	365.6
F14	N1470'32"W	46.29'	365.6
F15	N4170'14"W	64.95'	365.6
F16	N58'41'19"W	36.77	365.6
F17	N34°38'03"W	32.48'	365.6
F18	N5676'45"W	48.88'	366.0
F19	S7676'41"E	11.79'	366.0
F20	NO3'56'04"E	5.35'	366.0
F21	S8376'20"E	32.93'	366.0
F22	N60'50'15"W	57.56'	366.0
F23	N52°59'04"E	24.28'	366.0
F24	N81'32'59"E	28.97'	366.1
F25	N53*31'23"E	18.84	366.1
F26	N27'53'58"E	52.69'	367.2
F27	N2076'24"E	62.32'	367.7
F28	N43"24'28"E	19.06'	367.7
F29	N13'31'27"E	29.71'	368.4

OWNER

KARIN MARIE VAN DYKE AND WALNUT GROVE HOLDING LLC P.O. BOX 152 STEVENSON, MD 21153

	· · · · · · · · · · · · · · · · · · ·			· · ·							······································
				WET	LANDS LINE	TABLE S	SHEET 5				
LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE
WI	S29'08'51"W	18.70'	W21	S23"24'31"W	29.02'	W41	N67'44'44"W	26.57	W61	S19'48'11"W	<i>35.15</i> ′
W2	S14"08'02"W	26.57'	W22	S1370'21"W	18.37'	W42	NO376'31"W	62.98'	W62	S06°42'20"W	28.42'
W3	S5171'42"W	21.34'	W23	S56'45'44"W	33.90'	W43	N16"29'10"E	34.97'	W63	S18'49'40"W	23.43'
W4	N66'54'59"W	50.64'	W24	S65'00'17"W	18.22'	W44	N6574'05"E	28.50'	W64	N36°D3'28"E	14.55'
W5	S72"28'15"W	33.93'	W25	S11'50'41"W	29.87'	W45	N35°58'49"W	28.24	W65	N09°54'30"E	68.17'
W6	S47'05'40"W	57.21'	W26	N17"22"06"W	10.00'	W46	N18'36'28"E	27.39'	W66	N59*50'29"W	25.71'
W7	S24'06'40"E	39.83'	W27	N58°36°18″E	10.83'	W47	N52'46'21"E	63.28'	W67	N05°20'00"W	31.88'
W8	S17'31'40"W	17.45'	W28	N14°37°21°E	20.31'	W48	N74°06'24"E	46.94'	W68	N34"42'18"E	41.16'
W9	N85'49'22"W	22.98'	W29	N5248'33"E	47.01	W49	S66°02'45"E	31.70'	W69	NO477'57"E	23.13'
W10	S19'07'45"W	24.17'	W30	N75'36'45"E	17.69'	W50	N23'04'30"E	11.94'	W70	N17*47*01*W	38.09'
W11	S12'08'22"E	36.90'	W31	N12"27'57"W	17.32'	W51	N45°21'09"E	27.70'	₩71	N01°55'55"E	35.69'
W12	S16'41'09"W	24.08'	W32	N25'22'15"E	19.66′	W52	S11°43'05 <b>"</b> E	14.95'	W72	N35'39'53"E	36.59'
W13	S60'30'14"E	35.02'	W33	N01'09'17"E	10.60'	W53	S00'07'46"E	36.20'	W73	N03°58'06*E	50.39*
W14	S0278'49"W	13.84'	W34	N8572'11"W	15.13'	W54	S26°42′17"W	50.03'	W74	N16"27"07"W	16.86'
W15	S80'33'52"W	31.76'	W35	N29'38'24"W	23.80'	₩55	S20'50'14"W	25.74'	W75	NO5'39'12"W	33.61'
W16	S04'32'44"E	43.65'	W36	N37'50'57"E	18.19*	W56	S22'59'20"E	43.34'	₩76	S1347'38"W	40.35'
W17	S11"08'15"W	51.13'	W37	N03'46'09"E	32.61'	W57	S08'42'19"E	26.64	W77	S22'50'28"W	12.94'
W18	S01'35'33"W	15.34'	W38	N0745'55"E	14.93	W58	S3075'28"W	34.92'	W78	N44'46'43"E	25.00'
W19	S76'37'03 <b>"</b> E	19.58'	W39	NO871'59"W	38.46	W59	S09'39'53"W	33.49'			<u> </u>
W20	S07'05'26"E	21.68'	W40	N55°33'26"E	34.44'	₩60	S5770'18"E	31.82'			<u> </u>

				WETI	LANDS LINE	TABLE S	SHEET 6				
LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE
WI	S18'49'40"W	1.11'	W29	S68'33'58"W	36.81'	W57	NO578'34"W	21.07'	W85	N71°52'47"E	60.30'
W2	S34'31'10"W	33.07'	W30	S34°43'28"W	22.48'	W58	N47°46'48"E	44.73'	W86	N25'41'19"W	14.05'
W3	S19'37'09"W	30.73'	W31	S0018'15"E	33.22'	W59	N46"26"55"W	28.42"	W87	N78°03'39*W	23.60'
W4	S65°44'10"W	30.05'	W32	S42"23"12"W	18.68*	W60	N05'41'28"W	53.42'	W88	N34°24'17"W	35.69'
₩5	S72*37*23*W	29.52'	W33	S09'40'22"W	38.71'	W61	N28O3'35"E	27.25'	W89	N39'05'33"E	24.18'
W6	S18'32'45"W	38.16'	W34	S50'40'30"W	16.42'	W62	N06"20"07"E	40.17'	W90	N38'47'35"E	30.11'
W7	S56'25'34"E	46.35'	W35	S25'31'25"E	75.92'	W63	N7274'25"E	21.10'	W91	N70'06'52"E	44.88'
W8	S0174'49"W	23.88'	W36	S50°44'46"W	53.33'	W64	N20"28'55"W	23.65'	W92	N21 36 54 E	15.85
W9	573'39'24"W	27.65	W37	S17'03'00"E	30.81'	W65	N27"22"25"E	30.68'	W93	N36'03'28"E	<i>37.55</i> ′
W10	S88*54*08*W	27.47	W38	S3071'18"W	19.65'	W66	N19'56'07"E	25.39'	₩94	S09'29'27"W	42.72'
W11	S49'39'57"W	33.57	W39	S03"23"06"E	63.33'	W67	S78'52'04"E	<i>31.31</i> ′	W95	S69'48'35"W	61.37'
W12	N86'56'33"W	30.38'	W40	S18'36'55"W	<i>38.57</i> ′	₩68	NO3'46'35"W	23.23'	W96	N56°01'35"E	54.31°
W13	N83'55'39"W	50.87	W41	S1171'38"E	30.54'	₩69	N57°55'23"E	62.72'	W97	NO7'50'27"W	34.08'
W14	S72'45'51"W	66.56'	W42	S01'09'22"W	65.06	W70	N08'23'27"₩	20.95	₩98	N61*45'29"E	63.10'
W15	N44*54*14*W	30.07'	W43	51671'24"W	51.18'	W71	N354737E	26.65'	W99	S79"21'25"E	12.97'
W16	N09'09'54"E	27.98'	W44	S13'01'14"W	<i>54.73</i> ′	W72	N78 29 41 E	19.72'	W100	S57'20'12"W	52.36'
W17	S80'29'54"W	15.45'	W45	S31°42'17"E	<i>35.93</i> ′	W73	N30"29"14"E	31.80'	W101	S11"17'52"W	90.48'
W18	S35'41'19"W	44.13'	W46	N53°27'54"W	16.66'	W74	N7818'50"E	53.01'	W102	S38'40'07"W	36.75'
W19	S86"21"33"W	72.79'	W47	N05°26'49"E	46.03'	₩75	S8412'57"E	<i>54.18</i> ′	W103	NO5°40'14"W	62.67'
W20	S87"21'32"W	28.06'	₩48	N16"05'25"E	22.61'	W76	N15'33'33"E	18.45'	W104	N2971'38"W	52.74
W21	S46'36'57"W	43.34'	₩49	NO5'03'12"W	46.05	W77	N5470'03"E	62.09*	W105	N14"59'33"E	133.00'
W22	S74'40'49"W	23.38'	W50	N68 28 49 E	19.67	W78	S27'32'03"E	30.99	W106	N16'56'18"E	37.50'
W23	S07'25'29"E	33.12'	₩51	NO2"21"56"E	66.45'	W79	S0678'22"W	32.27'	W107	S3478'50"E	39.57'
W24	S28'51'19"W	23.38'	₩52	N10'47'22"W	24.25'	W80	N58"28'37"E	30.93'	W108	S0072'13"E	46.96
W25	S4574'41"W	20.80'	W53	N19'36'36"E	<i>51.25</i> ′	W81	N85°45'29"E	26.31'	W109	S03'37'43"E	75.84
W26	N0473'43"E	16.85'	W54	N15°40'48"W	41.32'	W82	S89'56'27"E	51.47'			
W27	S51°40'53"W	37.09'	W55	NO2*42*39*W	34.52'	W83	S80'32'14"E	44.51			
W28	S1777'56"W	23.03'	W56	N44*36'45*E	12.41'	₩84	N35'35'09"E	15.35			<u> </u>

WETLANDS LINE TABLE SHEET 7											
LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE
WI	N49'02'25"W	59.19'	W4	N44*51'51*W	33.45'	W7	N66'57'25"E	46.81'	WIO	N59°56'00"E	64.08
W2	N86'44'12"W	65.41'	W5	N0971'50"W	101.71	W8	NO279'49"E	42.96'	W11	S48'22'30"E	88.37'
W3	N79'35'38"W	94.65'	W6	NO7'40'23"W	66.80'	W9	N52'39'27"₩	66.39'	<u> </u>		

				WET	LANDS LINE	TABLE S	SHEET 8				
LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE
WI	S48°22'30"E	31.28'	₩6	S48"27"45"E	73.13'	W11	S77"14'31"W	56.84	W16	N5770'06"W	<i>57.63</i> <b>'</b>
W2	S59*34'09"E	179.04	W7	N8475'28"E	62.62'	W12	S7973'35"W	<i>56,52</i> ′	W17	N57°58'08"W	<i>99.53</i> '
W3	S69*32*38*E	228.06'	W8	S7173'50"E	152.35'	W13	S67*32*16**W	36.31	W18	S74*47*36"W	49.78
W4	S1174'21"E	144.33'	W9	S79°20'07"E	78.13'	W14	N78°09°10°W	67.77'	W19	N5972'02"W	182.63
W5	S05°00°23"W	42.40'	W10	S1373'57"E	38.32'	W15	N80°43'33"W	20.30'	W20	N49'02'25"W	73.88°

#### \* FLOODPLAIN ELEVATION IS TO THE END OF THE LINE

APPROVED: FOR PRIVATE WATER & PRIVATE SEWERAGE SYSTEMS
IN CONFORMANCE WITH THE MASTER PLAN OF
WATER & SEWERAGE FOR HOWARD COUNTY, MD.
(LOTS 1 - 15, 17-32, 34-88 AND BUILDABLE PRESERVATION PARCEL "A" WILL
USE THE SHARED SEWERAGE SYSTEMS ON NON-BUILDABLE PRESERVATION
PARCELS "F", "H" AND "I" AND LOTS 16 AND 33 WILL USE THE INDIVIDUAL
PRIVATE SEWERAGE SYSTEM ON THE INDIVIDUAL LOTS.)

COUNTY/HEALTH OFFICER OF BELLENSON

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING & ZONING

ELECTOR OF LAND BATE 16

### OWNER'S DEDICATION

KARIN MARIE VAN DYKE AND WALNUT GROVE HOLDING LLC, A MARYLAND LIMITED LIABILITY COMPANY, BY WALNUT GROVE FARM DEVELOPMENT, INC., ITS MEMBER, BY ROBERT VAN DYKE, PRESIDENT, OWNERS OF THE PROPERTY SHOWN AND DESCRIBED HEREON, HEREBY ADOPTS THIS PLAN OF SUBDIVISION, AND IN CONSIDERATION OF THE APPROVAL OF THIS FINAL PLAT BY THE DEPARTMENT OF PLANNING AND ZONING, ESTABLISHES THE MINIMUM BUILDING RESTRICTION LINES AND GRANTS UNTO HOWARD COUNTY, MARYLAND, ITS SUCCESSORS AND ASSIGNS; (1) THE RIGHT TO LAY, CONSTRUCT AND MAINTAIN SEWERS, DRAINS, WATER PIPES AND OTHER MUNICIPAL UTILITIES AND SERVICES, IN AND UNDER ALL ROADS AND STREET RIGHTS-OF-WAY AND THE SPECIFIC EASEMENT AREAS SHOWN HEREON; (2) THE RIGHT TO REQUIRE DEDICATION FOR PUBLIC USE, THE BEDS OF THE STREETS AND/OR ROADS, FLOODPLAINS AND OPEN SPACE WHERE APPLICABLE AND FOR GOOD AND OTHER VALUABLE CONSIDERATION, HEREBY GRANTS THE RIGHT AND OPTION TO HOWARD COUNTY TO ACQUIRE THE FEE SIMPLE TITLE TO THE BEDS OF THE STREETS AND/OR ROADS, FLOODPLAINS, STORM DRAINAGE FACILITIES AND OPEN SPACE WHERE APPLICABLE; (3) THE RIGHT TO REQUIRE DEDICATION OF WATERWAYS AND DRAINAGE FACILITIES AND OPEN SPACE WHERE APPLICABLE; (3) THE RIGHT TO REQUIRE DEDICATION OF WATERWAYS AND DRAINAGE FACILITIES AND SHALL BE ERECTED ON OR OVER THE SAID EASEMENTS AND RIGHTS-OF-WAY.

WITNESS OUR HANDS THIS 2. DAY OF APRIL 2007

BY KARIN MARIE VAN DIKE

KARIN MARIE VAN DIKE

WALNUT GROVE HOLDING LLC
BY: WALNUT GROVE FARM DEVELOPMENT, INC., ITS MEMBER
BY: WALNUT GROVE FARM DEVELOPMENT, INC., ITS MEMBER
ROBERT VAN DYKE, PRESIDENT

TIEST: M. Jumg Ruthe

## SURVEYOR'S CERTIFICATE

I HEREBY CERTIFY TO THE BEST OF MY KNOWLEDGE, INFORMATION AND BELIEF, THAT THE FINAL PLAT SHOWN HEREON IS CORRECT; THAT IT IS A SUBDIVISION OF PART OF THE LAND CONVEYED BY JOSEPH A. DE FRANCIS, TRUSTEE OF THE FRANK J. DE FRANCIS REVOCABLE TRUST DATED JULY 25, 1989, AND KARIN M. DE FRANCIS VAN DYKE, BENEFICIARY UNDER FRANK J. DE FRANCIS REVOCABLE TRUST DATED JUNE 25, 1989 TO KARIN MARIE VAN DYKE, BY A DEED DATED JUNE 13, 1996 AND RECORDED IN LIBER 7161 AT FOLIO 86 AND PART OF THE LAND CONVEYED BY KARIN MARIE VAN DYKE TO WALNUT GROVE HOLDING LLC, A MARYLAND LIMITED LIABILITY COMPANY, BY DEED DATED DECEMBER 23, 2005 AND RECORDED IN LIBER 9737 AT FOLIO 237, ALL AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND; AND THAT ALL MONUMENTS ARE IN PLACE OR WILL BE IN PLACE PRIOR TO ACCEPTANCE OF THE STREETS IN THE SUBDIVISION BY HOWARD COUNTY, IN ACCORDANCE WITH THE ANNOTATED CODE OF MARYLAND, AS AMENDED.

DAVID S. WEBER DATE
REGISTERED LAND SURVEYOR
MARYLAND REGISTRATION NO. 10852

PROFESSIONS TERES OF THE PROPERTY OF THE PROPE

RECORDED AS PLAT NUMBER 1922 ON (1980), AMONG THE LAND RECORDS OF HOWARD COUNTY, MARYLAND

## WALNUT GROVE

LOTS 1 THRU 88, BUILDABLE PRESERVATION
PARCEL "A", NON-BUILDABLE PRESERVATION
PARCELS "B" THRU "I", "K" & "L" AND
NON-BUILDABLE BULK PARCEL "J"

TM 28, GRIDS
5TH ELECTION DISTRICT
SCALE: NONE SHEET 3 OF 8

TM 28, GRIDS 17, 18 AND 24, PARCEL 74 HOWARD COUNTY, MARYLAND SHEET 3 OF 8 MARCH 2007

GLW GUTSCHICK LITTLE & WEBER, P.A.

CIVIL ENGINEERS, LAND SURVEYORS, LAND PLANNERS, LANDSCAPE ARCHITECTS
3909 NATIONAL DRIVE - SUITE 250 - BURTONSVILLE OFFICE PARK
BURTONSVILLE, MARYLAND 20868
TEL: 301-421-4024 BALT: 410-880-1820 DC/VA: 301-889-2524 FAX: 301-421-4188

DRAWN BY: PWC CHECK BY:

