


DEVELOPER'S CERTIFICATE
 I certify that all development and/or construction will be done according to this plan of development and plan for Erosion and Sediment Control, and I also authorize periodic on-site inspection by the Howard Soil Conservation District or their authorized agents, as are deemed necessary. Deviation from this plan will not be made unless authorized by the Howard Soil Conservation District.
 Date: 10/17/75
 Signature: Carl C. Hall

ENGINEER'S CERTIFICATE
 I certify that this plan for Erosion and Sediment Control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard Soil Conservation District.
 Date: 10/17/75
 Signature: William G. Rasch

Reviewed for Howard County Soil Conservation District and meets Technical Requirements
 Date: 10/17/75
 Signature: D. Wayne Ray
 U.S. Soil Conservation Service



This development plan is approved for Soil Erosion and Sediment Control by the Howard Soil Conservation District.
 Date: 10/17/75
 Signature: Robert J. Ziehm
 District Coordinator
 Howard Soil Conservation District



- GENERAL NOTES**
- All construction shown hereon shall be in accordance with the Howard County Road Construction Code and Standard Specifications dated November 27, 1962 and revised Aug., 1967.
 - Reference to page and drawing numbers shown hereon are referred to the above mentioned Road Construction Code and Standard Specifications.
 - Roadway pavement section shall be in accordance with Drawing D-3, page 58, Drawing D-4, page 59 or Drawing D-5, page 60 of the Howard County Road Construction Code and Standard Specifications.

BENCH MARKS

B.M. Y	Elev. 410.85
3 nails in 15" Locust 40' right of Sta. 16+93 Lakeway Drive.	
B.M. 2	Elev. 423.02
Cut in Corner of G & E Pad. Between pts. 10&11 Section I Benson, Left of Sta. 14+25 Lakeway Drive	





SEDIMENT CONTROL NOTES

- The Contractor shall notify the Howard Soil Conservation District and the Bureau of Inspection, License and Permits at least 24 hours prior to beginning construction shown hereon.
- Sediment control measures must be installed and stabilized in accordance with this plan prior to any grading operations.
- All areas disturbed by grading or Contractor's operations, not being paved shall be topsoiled, seeded and mulched in accordance with the following:
 - Place 3" compacted layer of topsoil to finished grade.
 - Spread pulverized Dolomitic Limestone at the rate of 46 lbs./1000 sq. ft.
 - Spread 5-10-10 commercial grade fertilizer at the rate of 25 lbs./1000 sq. ft. and immediately disc into topsoil to a depth of 3".
 - Seed prepared areas at the rate of 3 lbs./1000 sq. ft. using seed mixture specified below:
 - 45% Certified Creeping Red Fescue
 - 45% Certified Kentucky Blue Grass
 - 10% Annual Rye Grass
 - Mulch all areas immediately after seeding with unweathered small grain straw or hay at the rate of 1.5 tons/acre; spray mulch with emulsified asphalt at the rate of 0.4 gal./sq. yd.
- Sediment control measures shown on plan are not to be removed except with permission of Howard Soil Conservation District. (465-5000 Ext. 328).
- No slopes steeper than 3:1 shall be created.
- Periodic inspection and required maintenance must be provided by the Contractor or his representative on a daily basis to ensure proper functioning of all Sediment Control structures and devices.

VICINITY MAP
 Scale: 1"=2000'

APPROVED
 DIVISION OF LAND DEVELOPMENT AND TRANSPORTATION PLANNING
 HOWARD COUNTY, MARYLAND
 DATE 10/17/75
 W. G. Rasch



APPROVED: Department of Public Works
 Signature: Dennis M. McKeand, 10/21/75
 Chief, Bureau of Highways

APPROVED: Office of Planning & Zoning
 Signature: [Blank], [Blank]
 Chief, Division of Land Development and Transportation Planning

PLAN & PROFILE: LAKEWAY DRIVE
BENSON
 3rd ELECTION DISTRICT
 AUGUST 22, 1975
 HOWARD COUNTY, MARYLAND
 SCALE: AS SHOWN

FURDUM & JESCHKE
 CONSULTING ENGINEERS
 LAND SURVEYORS
 1023 North Calvert Street
 Baltimore, Maryland 21202 301/837-0194

Signature: William G. Rasch, 9/3/75
 zillian G. Rasch, Reg. No. 4575

OWNER & DEVELOPER
 CARL C. HALL & WIFE
 3727 Chatham Road
 Ellicott City, Maryland 21043

Designed: [Blank]
 Drawn: [Blank]
 Checked: [Blank]

SHEET 1 OF 1