
SHEET INDEX DESCRIPTION TITLE SHEET SITE DEVELOPMENT PLAN SITE DEVELOPMENT PLAN GRADING AND SEDIMENT CONTROL PLAN GRADING AND SEDIMENT CONTROL PLAN SEDIMENT CONTROL NOTES AND DETAILS PROFILES AND DETAILS BIORETENTION FACILITIES NOTES AND DETAILS LANDSCAPE PLAN LANDSCAPE NOTES AND DETAILS COMBINED FOREST STAND DELINEATION AND FOREST CONSERVATION PLAN ROAD WIDENING PLAN

SITE DEVELOPMENT PLAN GLEN BURNIE, MD 21061 PHONE: 410.768.7700 MARK TSITLIK, P.E. MOUNT PIRASANT HOWARD COUNTY CONSERVANCY

KCW ENGINEERING TECHNOLOGIES, INC 810 LANDMARK DRIVE, SUITE 215,

12-14-2016 Professional Certification. I hereby certify that these documents were prepared or approved by me, and that I am a duly licensed professional engineer under the laws of the State of Maryland. License No. 33351. Expiration Date 06-30-2018.



BENCH MARKS

81.70 ACRES (3,558,852 SF)

RC-DEO and RR-DEO

ASSEMBLY BUILDING AND

EXISTING

3875 SF

1311 SF

9,257 SF X 10 SP./1000 SF = 93 SPACES

HOWARD COUNTY CONSERVANCY, INC.

BOARD OF TRUSTEES

c/o JAMES MOXLEY P.O. BOX 175

WOODSTOCK, MARYLAND 21163

410-465-8877

MOUNT PLEASANT

3rd ELECTION DISTRICT

HOWARD COUNTY, MARYLAND

TITLE SHEET

Patton Harris Rust & Associates, pc

Engineers. Surveyors. Planners. Landscape Architects.

HONORS GARDEN

N 540246.2

E 832922.5

N 537686.2

E 836197.4

3.43 ACRES

HOWARD COUNTY CONTROL STATION 101A

HOWARD COUNTY CONTROL STATION 17AB

ELEV. 442.707

ELEV. 509.178

5,471 SF

3,875 SF

1.311 SF

10,657 SF

650 SF

(36 PAVED SPACES + 16 GRASS SPACES -

200 SPACES ON GRASS OVERFLOW AREA

33. BA-16-023C - PETITION FOR THE ENLARGEMENT AND ALTERATION OF AN EXISTING CHARITABLE OR PHILANTHROPIC INSTITUTION IN RC-DEO AND RR-DEO ZONING DISTRICTS WAS GRANTED PER ORDER DATED OCTOBER 27, 2016, PROVIDED HOWEVER, **GENERAL NOTES**

I. THE CONDITIONAL USE SHALL BE CONDUCTED IN CONFORMANCE WITH AND SHALL APPLY ONLY TO THE CONDITIONAL USE AS

DESCRIBED IN THE PETITION AND DEPICTED ON CONDITIONAL USE

PLAN AND NOT TO ANY OTHER ACTIVITIES, USES OR STRUCTURES

2. PETITIONER SHALL SUBMIT PARKING NEEDS ANALYSIS TO DPZ

PROCESS. THE PARKING NEEDS ANALYSIS SHALL CONSIDER THE

FOR REVIEW DURING THE SITE DEVELOPMENT PLAN REVIEW

DEPARTMENT OF INSPECTIONS, LICENSING AND PERMITS

ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE LATEST STANDARDS AND SPECIFICATIONS OF HOWARD COUNTY PLUS MSHA STANDARDS AND SPECIFICATIONS, IF APPLICABLE.

THE CONTRACTOR SHALL NOTIFY THE DEPARTMENT OF PUBLIC WORKS/BUREAU OF ENGINEERING

- CONSTRUCTION INSPECTION DIVISION AT (410) 313-1880 AT LEAST FIVE (5) WORKING DAYS PRIOR
- THE CONTRACTOR SHALL NOTIFY "MISS UTILITY" AT 1-800-257-7777 AT LEAST 48 HOURS PRIOR TO ANY EXCAVATION WORK BEING DONE.
- TRAFFIC CONTROL DEVICES, MARKINGS, AND SIGNING SHALL BE IN ACCORDANCE WITH THE LATEST EDITION OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD). ALL STREET AND
- ALL PLAN DIMENSIONS ARE TO FACE OF CURB UNLESS OTHERWISE NOTED.
- THE EXISTING TOPOGRAPHY IS TAKEN FROM FIELD RUN SURVEY BY PATTON HARRIS RUST &

REGULATORY SIGNS SHALL BE IN PLACE PRIOR TO THE PLACEMENT OF ANY ASPHALT.

- THE COORDINATES SHOWN HEREON ARE BASED UPON THE HOWARD COUNTY GEODETIC CONTROL WHICH IS BASED UPON THE MARYLAND STATE PLANE COORDINATE SYSTEM. HOWARD COUNTY MONUMENT NOS. 101A AND 17AB WERE USED FOR THIS PROJECT.
- WATER IS PRIVATE, GWAP # HO- 2003 601240
- THE STORMWATER MANAGEMENT FOR THIS DEVELOPMENT IS PROVIDED VIA THREE PRIVATELY OWNED AND MAINTAINED BIORETENTION FACILITIES AND GRASS CHANNELS AND NON-ROOFTOP
- APPROXIMATE LOCATION OF EXISTING UTILITIES ARE SHOWN. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO PROTECT THE EXISTING UTILITIES AND MAINTAIN UNINTERRUPTED SERVICE. ANY DAMAGE INCURRED DUE TO CONTRACTOR'S OPERATION SHALL BE REPAIRED IMMEDIATELY AT THE CONTRACTOR'S EXPENSE. EXISTING UTILITIES ARE SHOWN BASED ON THE BEST AVAILABLE INFORMATION.
- THE 100-YEAR FLOODPLAIN STUDY IS NOT REQUIRED FOR THIS PROJECT.
- THERE ARE NO WETLANDS ON THIS SITE WITHIN 25' OF THE LIMIT OF DISTURBANCE SHOWN ON THIS SHEET.
- THE TRAFFIC STUDY WAS PREPARED BY THE TRAFFIC GROUP, DATED DECEMBER, 2002.
- THE CEOTECHNICAL STUDY FOR STORMWATER MANAGEMENT FOR THIS PROJECT WAS PREPARED
- THE SOURCE OF THE SITE BOUNDARY IS A PLAT PEPARED BY RIEMER MUEGGE AND ASSOCIATES, INC. DATED DECEMBER 8, 1992. THE PLAT WAS PREPARED BY USING THE 1883 DEED FOR PARCEL ONE LIBER 60. FOLIO 38. THUS WITHOUT BENEFIT OF A BOUNDARY SURVEY OR TITLE REPORT. ALL COURSES DISTANCES, AND PROPERTY LINE DESCRIPTIONS FROM THE PLAT HAVE BEEN SHOWN.
- 17. SUBJECT PROPERTY ZONED RC-DEO AND RR-DED, PER THE 2/2/2004 COMP. ZONING PLAN
- ALL ELEVATIONS SHOWN ARE BASED ON THE U.S.C. AND G.S. MEAN SEA LEVEL DATUM, 1929.
- SEE DEPARTMENT OF PLANNING AND ZONING FILE NO'S: BA-02-10C, WP-03-146, GP-04-02, AND F-04-19.
- THE CONTRACTOR SHALL VERIFY EXISTING UTILITIES AT LEAST FIVE DAYS BEFORE STARTING WORK SHOWN ON THESE DRAWINGS.
- CONTRACTOR IS SOLELY RESPONSIBLE FOR CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, PROCEDURES, AND SAFETY PRECAUTIONS AND PROGRAMS.
- NO PIPE SHALL BE LAID UNTIL LINES OF EXCAVATION HAVE BEEN BROUGHT WITHIN 6"
- 23. ALL INLETS SHALL BE CONSTRUCTED IN ACCORDANCE WITH HOWARD COUNTY STANDARDS. ALL PIPE ELEVATIONS SHOWN ARE INVERT OF ELEVATIONS.
- STORM DRAIN TRENCHES WITHIN ROAD RIGHT OF WAY SHALL BE BACKFILLED AND COMPACTED IN ACCORDANCE WITH THE HOWARD COUNTY DESIGN MANUAL, VOLUME IV, i.e., STANDARD SPECIFICATIONS AND DETAILS FOR CONSTRUCTION, LATEST AMENDMENTS.
- PROFILE STATIONS SHALL BE ADJUSTED AS NECESSARY TO CONFORM TO PLAN DIMENSIONS.
- ALL FILL AREAS WITHIN ROADWAY AND UNDER STRUCTURES TO BE COMPACTED TO A MINIMUM OF 95% COMPACTION OF AASHTO T99.
- BA-02-10C A CONDITIONAL USE FOR A PHILANTHROPIC INSTITUTION AND FOR A NEW ASSEMBLY BUILDING WAS APPROVED MAY 15, 2002, SUBJECT TO THE FOLLOWING CONDITIONS, AND WITH THE RECOMMENDATION THAT SCREENING LANDSCAPING IN FRONT OF THE PARKING LOTS IS UNNECESSARY DUE TO THE SIGNIFICANT DISTANCE BETWEEN THE PARKING LOTS AND THE HOMES TO THE SOUTH ACROSS MD 99:
 - 1. THE CONDITIONAL USE SHALL BE CONDUCTED IN CONFORMANCE WITH AND SHALL APPLY ONLY TO THE PROPOSED NONPROFIT USE AS DESCRIBED IN THE PETITION; AS DESCRIBED IN THE FINDINGS OF FACT AND CONCLUSIONS OF LAW OF THE FINAL DECISION AND ORDER; AS DEPICTED ON THE CONDITIONAL USE PLAN FOR "MOUNT PLEASANT" SUBMITTED ON FEBRUARY 22, 2002; AND AS MAY BE REVISED BY THE FOLLOWING CONDITIONS OR BY THE BOARD, AND NOT TO ANY OTHER ACTIVITIES, USES, OR STRUCTURES ON THE PROPERTY.
- 2. IF THE BOARD FINDS THAT THE PARKING AREAS SHOULD BE SCREENED FROM THE HOUSES TO THE SOUTH ACROSS MD 99 WITH LANDSCAPING IN ORDER TO COMPLY WITH SECTION 131.N.12.c, THE PETITIONER SHALL PROVIDE THE EQUIVALENT OF A TYPE E BUFFER ALONG THE SOUTH SIDES OF THE PARKING AREAS.
- THERE IS A 2 YEAR DEADLINE TO OBTAIN ALL PERMITS (MAY 15, 2004) AND A 3 YEAR DEADLINE TO SUBSTANTIALLY COMPLETE THE WORK PROPOSED (MAY 15, 2005).
- THERE ARE NO STEEP SLOPES IN LIMIT OF SUBMISSION.

REQUIRED BY THE SOIL CONSERVATION DISTRICT (SCD).

- WP-03-146 A REQUEST TO WAIVE SECTION 16.155.A.(1) FOR A CONDITIONAL USE FOR A MEMORIAL GARDEN AND PATHWAY WAS APPROVED JULY 3, 2003, SUBJECT TO THE FOLLOWING CONDITIONS.
- 1. THE PETITIONER SHALL OBTAIN A GRADING PERMIT AND ANY REQUIRED BUILDING PERMITS,
- PRIOR TO COMMENCEMENT OF WORK. 2. THE PETITIONER SHALL PROVIDE ANY SEDIMENT AND EROSION CONTROL MEASURES AS MAY BE
- 3. THE SCOPE OF WORK IS LIMITED TO INSTALLATION OF THE OYSTER SHELL PATHWAY, THE GAZEBO, AND BENCHES,
- 4. THE PETITIONER SHALL CONTINUE PROCESSING SDP-03-123, AND SHALL ADDRESS FOREST CONSERVATION AND STORMWATER MANAGEMENT FOR THE SITE AS PART OF THE REVIEW AND APPROVAL OF THE PLAN. IF, FOR SOME REASON, THE PETITIONER WITHDRAWS THEIR PROPOSAL TO CONSTRUCT THE EDUCATION FACILITY AND PARKING LOT AREAS, THE SITE PLAN MUST STILL ADDRESS FOREST CONSERVATION AND STORMWATER MANAGEMENT FOR THE MEMORIAL GARDEN
- THE FOREST CONSERVATION OBLIGATION, IN ACCORDANCE WITH SECTION 16.1202 OF THE HOWARD COUNTY CODE & FOREST CONSERVATION MANUAL, HAS BEEN MET BY PLACING 3.45 AC. OF ON-SITE FOREST INTO A FOREST CONSERVATION EASEMENT. SURETY WILL BE PROVIDED IN THE AMOUNT OF \$30.056.40 (3.45 AC. RETENTION = 150,282 SF. @ \$0.20/SF.). The Forest Conservation Plat of Easement was recorded on 5/5/2004 as Plat #16654.

3rd ELECTION DISTRICT HOWARD COUNTY, MARYLAND

GEOFFREY LIN CINIERO

DOMENICK COLANGELO #27260

Professional Certificatio

the State of Maryland.

License No.:

MEAN HEIGHT = 26.3' + .37.3' = 31.8

BUILDING ELEVATION

Expiration Date .:

I hereby certify that these documents were


prepared or approved by me, and that I am a duly

11-24-21

licensed professional engineer under the laws of

No. 22538

CERTIFICATION



PRIVATE WATER AND SEWER GENERAL NOTES

LEAST 10,000 SQ.FT. AS REQUIRED BY THE MARYLAND DEPARTMENT OF THE

AREA ARE RESTRICTED UNTIL PUBLIC SEWER IS AVAILABLE. THIS EASEMENT SHALL

. THIS AREA DESIGNATES A PRIVATE SEWAGE DISPOSAL EASEMENT OF AT

INVIRONMENT FOR INDIVIDUAL SEWAGE DISPOSAL, IMPROVEMENTS OF ANY NATURE IN THIS

BECOME NULL-AND VOID UPON CONNECTION TO A PUBLIC SEWACE SYSTEM. THE COUNTY

HEALTH OFFICER SHALL HAVE THE AUTHORITY TO GRANT ADJUSTMENTS TO THE PRIVATE

4. PERC HOLES (X) PASSED, () FAILED, () HELD FOR WET SEASON TEST.

. GROUNDWATER APPROPRIATION PERMIT (GWAP) TO BE OBTAINED PRIOR TO SIGNATURE OF THE SITE DEVELOPMENT PLAN. IF PROPERTY CONNECTED TO PUBLIC WATER SYSTEM THEN NO GWAP IS REQUIRED.

8. EXISTING SEPTIC TANK TO BE REPLACED AT TIME OF CONSTRUCTION OF NEW

9. PROVIDE WATER METER AT INCOMING WATER LINE, ALONG WITH WELL PUMP.

BUILDINGS SEPTIC SYSTEM.

DATE

5.ALL WELLS AND SEPTIC SYSTEMS WITHIN 100' OF PROPERTY LINES HAVE BEEN SHOWN 6. THERE ARE NO SLOPES 25% OR CREATER WITHIN 25' OF PROPOSED SEPTIC AREA.

SEWAGE EASEMENT. RECORDATION OF A MODIFIED SEWAGE EASEMENT SHALL NOT BE

2. PERC HOLES SHOWN HEREON HAVE BEEN FIELD LOCATED BY RIEMER MUEGGE, A DIVISION OF PATTON HARRIS RUST & ASSOCIATES, PC. ON OR ABOUT APRIL 3, 2001.


- SEWAGE DESIGN FLOW CALCULATIONS 1. 300 PEOPLE X 10 GPP/DAY = 3000 GAL. - VISITOR 2. 1 PERSON (3 BEDROOM HOUSE) X 450 GPP/DAY = 450 GAL - 1 STAFF MEMBER WHO
- 3. 3 PEOPLE X 15 GPP/DAY = 45 GAL STAFF MEMBERS 4. TOTAL = 3495 GAL - USE 3500 GAL.

TRENCH DESIGN

3500 GAL.+0.8 GPD+3' WIDTH=1458 LF X .42 = 613 LF OF TRENCH

ADDRESS CHART						
PARCEL	STREET ADDRESS					
315	10520 OLD FREDERICK ROAD					
	,					

				the second of th	. ·
PROJECT NAME		SECT. / AREA	PAR	CEL 315;	Ì
MOUNT F HOWARD COUNTY	PLEASANT Y CONSERVANCY			31(10751-2)	
PLAT # FORFC	BLOCK # ZONING	TAX MAP NO.	ELECT. DIST.	CENSUS TRACT	1
Industrial and the second of the	24 & 6 RC-DEO	10 & 16	3	6012	
WATER CODE		SEWER CODE			
H05			NA	-	بر ا



F 410.997.9282 FILE NAME: PLANS/C100COV.DWG DESIGNED BY : C.J.R. DRAWN BY: MAD PROJECT NO: 11612-1-0 DATE: APRIL 21, 2004

SDP-03-123

SCALE: AS SHOWN

8818 Centre Park Drive

Columbia, MD 21045

T 410.997.8900

DRAWING NO. 1 OF 12




CHRISTOPHER J. REID #19949 DRAWING NO. _2
SDP-03-123


P:\project\01002\1-0\Engr\Plans\C401SIT.dwg, Layout1, 04/21/2004 08:57:16 AM, HP750C(36).pc3, 1:1

DRAWING NO. 3 OF 12

SDP-03-123

CHRISTOPHER J. REID #19949





2. TOPSOIUNG - COVERING WITH LESS EROSIVE SOIL MATERIALS. SEE STANDARDS FOR

1. AGRICULTURE HANDBOOK 346. WIND EROSION FORCES IN THE UNITED STATES AND

2. AGRICULTURE INFORMATION BULLETIN 354. HOW TO CONTROL WIND EROSION, USDA-ARS.

MARYLAND DEPARTMENT OF ENVIRONMEN

WATER MANAGEMENT ADMINISTRATION

3. STONE - COVER SURFACE WITH CRUSHED STONE OR COARSE GRAVEL

THEIR USES IN PREDICTING SOIL LOSS.

21.0 STANDARD AND SPECIFICATIONS FOR TOPSOIL

<u>Definition</u> Placement of topsoil over a prepared subsoil prior to establishment of permanent vegetation.

Purpose To provide a suitable soil medium for vegetative growth. Soils of concern have low moisture content, low nutrient levels, low pH, materials tóxic to plants, and/or unocceptable soil gradation.

- Conditions Where Practice Applies I. This practice is limited to areas having 2:1 or flatter slopes where: a. The texture of the exposed subsoil/parent material is not adequate to produce vegetative growth.
- furnish continuing supplies of moisture and plant nutrients. c. The original soil to be vegetated contains material toxic to plant growth. d. The soil is so acidic that treatment with limestone is not feasible.
- II. For the purpose of these Standards and Specifications, areas having slopes steeper than 2:1 require special consideration and design for adequate stabilization. Areas having slopes steeper than 2:1 shall have the appropriate stabilization shown on the plans.

b. The soil material is so shallow that the rooting zone is not deep enough to support plants or

- Construction and Material Specifications Topsoil salvaged from the existing site may be used provided that it meets the standards as set forth in these specifications. Typically, the depth of topsoil to be salvaged for a given soil type can be found in the representative soil profile section in the Soil Survey published by USDA-SCS in
- II. Topsoil Specifications Soil to be used as topsoil must meet the following:

cooperation with Maryland Agricultural Experimentation Station.

- . Topsoil shall be a loam, sandy loam, clay loam, silt loam, sandy clay loam, loamy sand. Other soils may be used if recommended by an agronomist or soil scientist and approved by the appropriate approval authority. Regardless, topsoil shall not be a mixture of contrasting textured subsoils and shall contain less than 5% by volume of cinders, stones, slag, coarse fragments, gravel, sticks, roots, trash, or other materials larger than 1½" in diameter.
- ii. Topsoil must be free of plants or plant parts such as bermuda grass, quackgrass, Johnsongrass, nutsedge, poison ivy, thistle, or others as specified.
- iii. Where subsoil is either highly acidic or composed of heavy clays, ground limestone shall be spread at the rate of 4-8 tons/acre (200-400 pounds per 1,000 square feet) prior to the placement of topsoil. Lime shall be distributed uniformly over designated areas and worked into the soil in conjunction with tillage operations as described in the following procedures.
- II. For sites having disturbed areas under 5 acres:

 Place topsoil (if required) and apply soil amendments as specified in <u>20.0 Vegetative Stabilization</u> Section I Vegetative Stabilization Methods and Materials.
- III. For sites having disturbed areas over 5 acres:

dissipation of phyto-toxic materials.

maintained, albeit 4" - 8" higher in elevation.

formation of depressions or water pockets.

- i. On soil meeting Topsoil specifications, obtain test results dictating fertilizer and lime amendments required to bring the soil into compliance with the following: a. pH for topsoil shall be between 6.0 and 7.5. If the tested soil demonstrates a pH of less
- than 6.0, sufficient lime shall be prescribed to raise the pH to 6.5 or higher. b. Organic content of topsoil shall be not less than 1.5 percent by weight. Topsoil having soluble sait content greater than 500 parts per million shall not be used. d. No sod or seed shall be placed on soil which has been treated with soil sterilants or chemicals used for meed control until sufficient time has elapsed (14 days min.) to permit
- Note: Topsoil substitutes to amendments, as recommended by a qualified agronomist or soil scientist and approved by the appropriate approval authority may be used in lieu of natural topsoil.
- ii. Place topsoil (if required) and apply soil amendments as specified in 20.0 Vegetative
- Stabilization Section I Vegetative Stabilization Methods and Materials
- 1. When topsoiling, maintain needed erosion and sediment control practices such as diversions, Grade Stabilizátion Structures, Earth Dikes, Slope Silt Fence and Sediment Traps and Basins.
- Ii. Grades on the areas to be topsoiled, which have been previously established, shall be
- iii. Topsoll shall be uniformly distributed in a 4" 8" layer and lightly compacted to a minimum thickness of 4". Spreading shall be performed in such a manner that sodding or seeding can proceed with a minimum of additional soil preparation and tillage. Any irregularities in the surface resulting from topsolling or other operations shall be corrected in order to prevent the
- iv. Topsall shall not be placed while the topsoil or subsoil is in a frozen or muddy condition, when the subsoil is excessively wet or in a condition that may otherwise be detrimental to proper grading and seedbed preparation.
- VI. Alternative for Permanent Seeding instead of applying the full amounts of lime and commercial fertilizer, composted sludge and amendments may be applied as specified below:
- i. Composted Sludge Material for use as a soll conditioner for sites having disturbed areas over 5 shall conform to the following requirements: a. Composted sludge shall be supplied by, or originate from, a person or persons that are
- permitted (at the time of acquisition of the compost) by the Maryland Department of the Environment under COMAR 26.04.06. b. Composted sludge shall contain at least 1 percent nitrogen, 1.5 percent phosphorus, and 0.2 percent potassium and have a pH of 7.0 to 8.0. If compost does not meet these requirements,
- the appropriate constituents must be added to meet the requirements prior to use. Composted sludge shall be applied at a rate of 1 ton/1,000 square feet.
- d. Composted sludge shall be amended with a potassium fertilizer applied at the rate of 4 lb/1,000 square feet, and 1/3 the normal lime application rate.

References: Guideline Specifications, Soil Preparation and Sodding. MD-VA, Pub. #1, Cooperative Extension Service, University of Maryland and Virginia Polytechnic Institutes. Revised 1973

TEMPORARY SEEDING NOTES

Apply to graded or cleared areas likely to be redisturbed where a short-term vegetative cover is needed. <u>Seedbed Preparation : Loosen upper three inches of soll by raking.</u> discing or other acceptable means before seeding, if not previously

Soll Amendments: Apply 600 lbs. per acre 10-10-10 fertilizer (14 lbs. per 1000 sq.ft.). Seeding: For periods March 1 thru April 30 and from August 15 thru November 15, seed with 2-1/2 bushels per acre of annual rye (3.2 lbs per 1000 sq.ft.). For the period May 1 thru August 14, seed with 3 lbs. per acre of weeping lovegrass (0.07 lbs. per 1000 sq.ft.). For the period November 16 thru February 28, protect site by applying 2 tons per acre of well anchored straw mulch and seed as soon as possible in the spring, or use sod.

Mulching: Apply 1-1/2 to 2 tons per acre (70 to 90 lbs. per 1000 sq.ft.) of unrotted small grain straw immediately after seeding. Anchor mulch immediately after application using mulch anchoring tool or 218 gal. per acre (5 gal. per 1000 sq.ft.) of emulsified asphalt on flat areas. On slopes, 8 ft. or higher, use 347 gal. per acre (8 gal. per 1000 sq.ft.) for anchoring. Refer to the 1994 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL for rate and methods not covered.

PERMANENT SEEDING NOTES

Apply to graded or cleared areas not subject to immediate further disturbance where a permanent long-lived vegetative cover is needed. Seedbed Preparation: Loosen upper three inches of soil by raking, discing or other acceptable means before seeding, if not previously loosened.

<u>Soil Amendments : In lieu of soil test recommendations, use one of</u> the following schedules :

- 1) Preferred Apply 2 tons per acre dolomitic limestone (92 lbs. per 1000 sq.ft.) and 600 lbs. per acre 10-10-10 fertilizer (14 lbs. per 1000 sq.ft.) before seeding. Harrow or disc into upper three inches of soil. At time of seeding, apply 400 lbs. per acre 30-0-0 ureaform fertilizer (9 lbs. per 1000 sq.ft.).
- 2) Acceptable Apply 2 tons per acre dolomitic limestone (92 lbs. per 1000 sq.ft.) and 1000 lbs. per acre 10-10-10 fertilizer (23 lbs. per 1000 sq.ft.) before seeding. Harrow or disc into upper three inches of soil.
- Seeding: For the period March I thru April 30 and from August I thru October 15, seed with 60 lbs. per acre (1.4 lbs. per 1000 sq.ft.) of Kentucky 31 Tall Fescue. For the period May I thru July 31, seed with 60 lbs. Kentucky 31 Tall Fescue per acre and 2 lbs. per acre (0.05 lbs. per 1000 sq.ft.) of weeping lovegrass. During the period October 16 thru February 28, protect site by one of the following
- 2 tons per acre of well-anchored mulch straw and seed as soon as possible in the spring.
- 3) Seed with 60 lbs. per acre Kentucky 31 Tall Fescue and mulch with 2 tons per acre well anchored straw.

Mulching: Apply 1-1/2 to 2 tons per acre (70 to 90 lbs. per 1000 sq.ft.) of unrotted small grain straw immediately after seeding. Anchor mulch immediately after application using mulch anchoring tool or 218 gal. per acre (5 gal. per 1000 sq.ft.) of emulsified asphalt on flat areas. On slopes, 8 ft. or higher, use 347 gal. per acre (8 gal. per 1000 sq.ft.) for anchoring. Maintenance: Inspect all seeded areas and make needed repairs, replacements and reseedings.

STANDARD SEDIMENT CONTROL NOTES

- I. A MINIMUM OF 48 HOURS NOTICE MUST BE GIVEN TO THE HOWARD COUNTY DEPARTMENT OF INSPECTIONS, LICENSES AND PERMITS, SEDIMENT CONTROL DIVISION PRIOR TO THE START OF ANY CONSTRUCTION (313-1855)
- 2. ALL VEGETATIVE AND STRUCTURAL PRACTICES ARE TO BE INSTALLED ACCORDING TO THE PROVISIONS OF THIS PLAN AND ARE TO BE IN CONFORMANCE WITH THE 1994 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL AND REVISIONS THERETO.
- 3. FOLLOWING INITIAL SOIL DISTURBANCE OR RE-DISTURBANCE, PERMANENT OR TEMPORARY STABILIZATION SHALL BE COMPLETED WITHIN: A)7 CALENDAR DAYS FOR ALL PERIMETER SEDIMENT CONTROL STRUCTURES, DIKES, PERIMETER SLOPES, AND ALL SLOPES STEEPER THAN 3:1, B) 14 DAYS AS TO ALL OTHER DISTURBED OR GRADED AREAS ON THE PROJECT SITE.
- 4. ALL SEDIMENT TRAPS/BASINS SHOWN MUST BE FENCED AND WARNING SIGNS POSTED AROUND THE PERIMETER IN ACCORDANCE WITH VOL. 1, CHAPTER 7, OF THE HOWARD COUNTY DESIGN MANUAL, STORM DRAINAGE.
- 5. ALL DISTURBED AREAS MUST BE STABILIZED WITHIN THE TIME PERIOD SPECIFIED ABOVE IN ACCORDANCE WITH THE 1994 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL FOR PERMANENT SEEDING, SOD, TEMPORARY SEEDING, AND MULCHING (SEC. G.). TEMPORARY STABILIZATION WITH MULCH ALONE SHALL ONLY BE DONE WHEN RECOMMENDED SEEDING DATES DO NOT ALLOW FOR PROPER GERMINATION AND ESTABLISHED
- 6. ALL SEDIMENT CONTROL STRUCTURES ARE TO REMAIN IN PLACE AND ARE TO BE MAINTAINED IN OPERATIVE CONDITION UNTIL PERMISSION FOR THEIR REMOVAL HAS BEEN OBTAINED FROM THE HOWARD COUNTY SEDIMENT CONTROL INSPECTOR.
- 7. SITE ANALYSIS:
- TOTAL AREA OF SITE AREA DISTURBED AREA TO BE ROOFED OR PAVED AREA TO BE VEGETATIVELY STABILIZED
- 3.43 ACRES 0.97 ACRES 2.46 ACRES 847 CU. YARDS

81.70 ACRES

- TOTAL CUT TOTAL FILL 2340 CU. YARDS OFFSITE BORROW AREA LOCATION TO HAVE ACTIVE GRADING PERMIT.
- 8. ANY SEDIMENT CONTROL PRACTICE WHICH IS DISTURBED BY GRADING ACTIVITY FOR PLACEMENT OF UTILITIES MUST BE REPAIRED ON THE SAME DAY OF
- 9. ADDITIONAL SEDIMENT CONTROLS MUST BE PROVIDED, IF DEEMED NECESSARY BY THE HOWARD COUNTY SEDIMENT CONTROL INSPECTOR
- 10. ON ALL SITES WITH DISTURBED AREAS IN EXCESS OF 2 ACRES, APPROVAL OF THE INSPECTION AGENCY SHALL BE REQUESTED UPON COMPLETION OF INSTALLATION OF PERIMETER EROSION AND SEDIMENT CONTROLS, BUT BEFORE PROCEEDING WITH ANY OTHER EARTH DISTURBANCE OR GRADING. OTHER BUILDING OR GRADING INSPECTION APPROVALS MAY NOT BE AUTHORIZED UNTIL THIS INITIAL APPROVAL BY THE INSPECTION AGENCY IS MADE.
- II. TRENCHES FOR THE CONSTRUCTION OF UTILITIES IS LIMITED TO THREE PIPE LENGTHS OR THAT WHICH SHALL BE BACK-FILLED AND STABILIZED WITHIN ONE WORKING DAY, WHICHEVER IS SHORTER.
- 12. SITE GRADING WILL BEGIN ONLY AFTER ALL PERIMETER SEDIMENT CONTROL MEASURES HAVE BEEN INSTALLED AND ARE IN A FUNCTIONING CONDITION.
- 13. SEDIMENT WILL BE REMOVED FROM TRAPS WHEN ITS DEPTH REACHES CLEAN OUT ELEVATION SHOWN ON THE PLANS.
- 14. CUT AND FILL QUANTITIES PROVIDED UNDER SITE ANALYSIS DO NOT REPRESENT BID QUANTITIES. THESE QUANTITIES DO NOT DISTINGUISH BETWEEN TOPSOIL, STRUCTURAL FILL OR EMBANKMENT MATERIAL, NOR DO THEY REFLECT CONSIDERATION OF UNDERCUTTING OR REMOVAL OF UNSUITABLE MATERIAL. THE CONTRACTOR SHALL FAMILIARIZE HIMSELF WITH SITE CONDITIONS WHICH MAY

SEQUENCE OF CONSTRUCTION

- 1. OBTAIN ROUGH GRADING PERMIT.
- 2. INSTALL STABILIZED CONSTRUCTION ENTRANCE, SILT FENCE, SUPER SILT FENCE AND CLEARWATER EARTH
- 3. CONTRACTOR TO PROCEED WITH ROUGH GRADING OF ENTIRE SITE. CONTRACTOR TO PROVIDE DUST CONTROL AS NECESSARY.
- 4. UPON ACCEPTANCE BY THE COUNTY INSPECTOR, CONTRACTOR TO CONTINUE WITH ROUGH GRADING & START BUILDING CONSTRUCTION. NO WORK, INCLUDING PLACEMENT OF SEDIMENT CONTROLS IS TO BE DONE WITHIN THE WETLANDS, FLOODPLAIN OR STREAM AREAS.
- 5. AS SUBGRADE ELEVATIONS ARE ESTABLISHED, INSTALL STORM DRAINS, WATER, AND SEWER. (5 DAYS)
- 6. PAVE ROADWAYS. (3 DAYS)
- 7. APPLY TOPSOIL AND STABILIZE DISTURBED AREAS IN ACCORDANCE WITH PERMANENT SEEDING NOTES. (2)
- 8. PERFORM FINE GRADING, SITE LANDSCAPING, LIGHTING AND SIDEWALKS. (2 WEEKS)
- 9. CONSTRUCT AND LANDSCAPE BIO-RETENTION FACILITY AFTER STABILIZATION OF DRAINAGE AREAS TO BIO-RETENTION FACILITIES IS COMPLETE. PERFORM REMAINING LANDSCAPING. (2 DAYS)
- 10. UPON PERMISSION OF COUNTY SEDIMENT CONTROL INSPECTOR, REMOVE ALL REMAINING SEDIMENT CONTROL DEVICES AND STABILIZE REMAINING DISTURBED AREAS IN ACCORDANCE WITH PERMANENT SEEDING

AS-BUILT CERTIFICATION



DOMENICK COLANGELO #27200

9/15/06 DATE

BY THE DEVELOPER:

I/WE CERTIFY THAT ALL DEVELOPMENT AND CONSTRUCTION WILL BE DONE ACCORDING TO THIS PLAN, AND THAT ANY RESPONSIBLE PERSONNEL INVOLVED IN THE CONSTRUCTION PROJECT WILL HAVE A CERTIFICATE OF ATTENDANCE AT A DEPARTMENT OF THE ENVIRONMENT APPROVED TRAINING PROGRAM FOR THE CONTROL OF SEDIMENT AND EROSION BEFORE BEGINNING THE PROJECT. I ALSO AUTHORIZE PERIODIC ON-SITE INSPECTIONS BY THE HOWARD SOIL CONSERVATION DISTRICT.

4-22-04 DATE

BY THE ENGINEER

CERTIFY THAT THIS PLAN FOR EROSION AND SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED ON MY PERSONAL KNOWLEDGE OF THE SITE CONDITIONS AND THAT IT WAS PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE HOWARD SOIL CONSERVATION DISTRICT.

4.21.04 DATE

THESE PLANS HAVE BEEN REVIEWED FOR THE HOWARD SOIL CONSERVATION DISTRICT AND MEET THE TECHNICAL REQUIREMENTS FOR SOIL EROSION AND SEDIMENT CONTROL

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION



APPROVED: FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS

Vennisorate Monare 5.27-04 COUNTY HEALTH OFFICER 374 HOWARD COUNTY HEALTH DEPARTMENT

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND

ZOMINO.	
Jack In longthin	6/1/.4
DIRECTOR	DATE
Olle Demme	5/10/04
CHIEF, DEVELOPMENT ENGINEERING DIVISION MAJ	DATE
_ ander Hand	6/1/04
CHIEF, DIVISION OF LAND DEVELOPMENT #8	DATÉ

DATE NO.

OWNER / DEVELOPER

HOWARD COUNTY CONSERVANCY, INC. BOARD OF TRUSTEES c/o JAMES MOXLEY P.O. BOX 175 WOODSTOCK, MARYLAND 21163

REVISION

410-465-8877 MOUNT PLEASANT HOWARD COUNTY CONSERVANCY


AREA TAX MAP 10 PARCEL 315 ZONED RC-DEO

3rd ELECTION DISTRICT HOWARD COUNTY, MARYLAND

SEDIMENT CONTROL NOTES AND DETAILS

Patton Harris Rust & Associates, pc Engineers. Surveyors. Planners. Landscape Architects.

8818 Centre Park Drive Columbia, MD 21045 T 410.997.8900 F 410.997.9282



CHRISTOPHER J. REID #19949


FILE NAME: 01002/1-0/ENGR/ PLANS/C903DET.DWG DESIGNED BY: C.J.R.

DRAWN BY: MAD PROJECT NO: 11612-1-0

DATE: APRIL 21, 2004

SCALE: AS SHOWN

DRAWING NO. 6 OF 12



BORING SWM-5

SOME SILT (SM)

BORING SWM-6

SILT, CLAY AND COARSE TO FINE ROCK

BROWN, MOIST TO DRY, DENSE, COARSE TO FINE SAND, LITTLE SILT (SM)

BORING SWM-4

FRAGMENTS (SC)

BORING SWM-3

BORING SWM-2

BORING SWM-1

P:\project\01002\1-0\Engr\Plans\C901DET.dwg, Layout1, 04/21/2004 08:58:15 AM, HP7500

DESIGNED BY : C.J.R.

PROJECT NO: 11612-1-0

DRAWING NO. _ 7 OF _ 12

DATE: APRIL 21, 2004

SCALE : AS SHOWN

SDP-03-123

9/15/06

DATE

CHRISTOPHER J. REID #19949

DOMENICK COLANGELO # 27200

DRAWN BY: MAD

BIO-RETENTION FACILITIES OPERATION AND MAINTENANCE GUIDELINES

ANNUAL MAINTENANCE OF PLANT MATERIAL, MULCH LAYER AND SOIL LAYER IS REQUIRED. MAINTENANCE OF MULCH AND SOIL IS LIMITED TO CORRECTING AREAS OF EROSION OR WASH OUT, ANY MULCH REPLACEMENT SHALL BE DONE IN THE SPRING, PLANT MATERIAL SHALL BE CHECKED FOR DISEASE AND INSECT INFESTATION AND MAINTENANCE WILL ADDRESS DEAD MATERIAL AND PRUNING.

SCHEDULE OF PLANTING INSPECTION WILL BE TWICE A YEAR IN SPRING AND FALL, THIS INSPECTION WILL INCLUDE REMOVAL OF DEAD AND DISEASE VEGETATION CONSIDERED BEYOND TREATMENT, TREATMENT OF ALL DISEASED TREES AND SHRUBS AND REPLACEMENT OF ALL DEFICIENT STAKES AND WIRES.

3. AREAS DEVOID OF MULCH SHOULD BE RE-MULCHED ON ANNUAL BASIS, REMOVE PREVIOUS MULCH LAYER BEFORE APPLYING NEW LAYER ONCE EVERY 2 TO 3 YEARS.

4. SOIL EROSION TO BE ADDRESSED ON AN AS NEEDED BASIS, WITH A MINIMUM OF ONCE A MONTH AND AFTER HEAVY STORMS.

Specifications for Bioretention

1. Material Specifications

The allowable materials to be used in bioretention area are detailed in Table "Materials Specifications for Bioretention on this sheet.

2. Planting Soil

The soil shall be a uniform mix, free of stones, stumps, roots or other similar objects larger than two inches. No other materials or substances shall be mixed or dumped within the bioretention area that may be harmful to plant growth, or prove a hindrance to the planting or maintenance operations. The planting soil shall be free of Bermuda grass, Quackgrass, Johnson grass, or other noxious weeds as specified under

The planting soil shall be tested and shall meet the following criteria:

organic matter phosphorus (phosphate — P205) potassium (potash — K20)

5.2 - 7.01.5 - 4% (by weight) 35 lb./ac .75 lb./ac 85 lb./ac Not to exceed 500 ppm

All bioretention areas shall have a minimum of one test. Each test shall consist of both the standard soil test for pH, phosphorus, and potassium and additional tests of organic matter, and soluble salts. A textural analysis is required from the site stockpiled topsoil. If topsoil is imported, then a texture analysis shall be performed for each location where the topsoil was excavated.

soluble salts

Since different labs calibrate their testing equipment differently, all testing results shall come from the same testing facility.

Should the pH fall out of the acceptable range, it may be modified (higher) with lime or (lower) with iron

Compaction

It is very important to minimize compaction of both the base of the bioretention area and the required backfill. When possible, use excavation hoes to remove original soil. Use of equipment with narrow tracks or narrow tires, rubber tires with large lugs, or high pressure tires will cause excessive compaction resulting in reduced infiltration rates and is not acceptable. Compaction will significantly contribute to design failure.

Compaction can be alleviated at the base of the bioretention facility by using primary tilling operation such as a chisel plow, ripper, or subsoiler. These tilling operations are to refracture the soil profile through the 12-inch compaction zone. Substitute methods must be approved by the engineer. Rotottillers typically do not till deep enough to reduce the effects of compaction from heavy equipment.

Rototill 2 to 3 inches of sand into the base of the bioretention facility before backfilling the optional sand layer. Pump any ponded water before preparing (rototilling) base.

When backfilling the topsoil over the sand layer, first place 3 to 4 inches of topsoil over the sand, then rototill the sand/topsoil to create a gradation zone. Backfill the remainder of the topsoil to final grade.

When backfilling the bioretention facility, place soil in lifts 12" to 18". Do not use heavy equipment within the bioretention basin. Heavy equipment can be used around the perimeter of the basin to supply soils and sand. Grade bioretention materials with light equipment such as a compact loader or a dozer/loader with marsh tracks.


4. Plant Installation

O CLUB CHARLECARD ALL


Mulch should be placed to a uniform thickness of 2" to 3". Shredded hardwood mulch is the only accepted mulch. Shredded mulch must be well aged (6 to 12 months) for acceptance.


Root stock of the plant material shall be kept moist during transport and on—site storage. The plant root ball should be planted so 1/8th of the ball is above final grade surface. The diameter of the planting pit shall be at least six inches larger than the diameter of the planting ball. Set and maintain the plant straight during the entire planting process. Thoroughly water ground bed cover after installation.


Trees shall be braced using 2" by 2" stakes only as necessary and for the first growing season only. Stakes are to be equally spaced on the outside of the tree ball.





STONE DIAPHRAGM











hereby certify that these

DATE

DATE

SDP-03-123

CHRISTOPHER J. REID #19949

8818 Centre Park Drive Columbia, MD 21045 T 410.997.8900 **F** 410.997.9282

FILE NAME: 01002/1-0/ENGR/ PLANS/C900DET.DWG

PROJECT NO: 11612-1-0

DRAWING NO. <u>8</u> OF <u>12</u>

DATE: APRIL 21, 2004

SCALE: AS SHOWN

DESIGNED BY: C.J.R.

DRAWN BY: MAD

REVISION

SCALE : 1"=20'

SDP-03-123

SCOTT R. WOLFORD #797

DRAWING NO. 9 OF 12

SCHEDULE B - PARKING LOT INTERNAL LANDSCI	APING
PARKING LOT	1
NUMBER OF PARKING SPACES	31
NUMBER OF SHADE TREES REQUIRED (1/20 SPACES)	2
NUMBER OF TREES PROVIDED SHADE TREES OTHER TREES (2:1 SUBSTITUTION)	2 -
NUMBER OF ISLANDS PROVIDED	2

		PARKING LOT PERIME	TER PLANT	LIST	
SYMBOL	QTY.	SCIENTIFIC/ COMMON NAME	SIZE	ROOT	REMARKS
۵₽	2	Quercus phellos Willow Oak	2.5"-3" cal.	B4B	Plant as shown

BIORETENTION PLANT LIST								
KEY	QTY.	SCIENTIFIC/ COMMON NAME	SIZE	ROOT	SPACING	ZONE*		
AR	5	ACER RUBRUM 'OCTOBER GLORY' RED MAPLE	2.5'-3' CAL.	B≰B	PLANT AS SHOWN	(3,4),5		
MV	6	MAGNOLIA VIRGINIANA SWAMP MAGNOLIA	6'-8' HT.	B\$B	PLANT AS SHOWN			
AA	10	ARONIA ARBUTIFOLIA RED CHOKEBERRY	2.5'-3' HT.	CONT.	PLANT AS SHOWN	र्गंड स्टब स		
cs	21	CORNUS SERICEA RED THIG DOGNOOD	2.5'-3' HT.	CONT.	PLANT AS SHOWN	* * *		
IV	32	ITEA VIRGINICA 'HENRY'S GARNET' VIRGINIA SWEETSPIRE	2.5'-3' HT.	CONT.	PLANT AS SHOWN	***		
EP	67	EUPATORIUM PURPUREA JOE_PYE_WEED	1 <i>G</i> AL.	CONT.	24" SPACING	****		
IR	49	IRIS VERSICOLOR 'BLUE FLAG' BLUE FLAG IRIS	1 <i>G</i> AL.	CONT.	24" SPACING	(1, 2), 3		
LC	82	LOBELIA CARDINALIS CARDINAL FLOWER	1 <i>G</i> AL.	CONT.	24" SPACING	1, (2, 3), 4		


BIORETENTION PLANT LIST NOTES:

* HYDROLOGIC ZONES ACCORDING TO APPENDIX A OF THE MARYLAND MODEL STORMWATER

MANAGEMENT ORDINANCE JULY 2000. ** ALSO KNOWN CAREX STRICTA 'AUREA'

*** KNOWN TO TOLERATE INNUNDATION AS WELL AS DRY AREAS ACCORDING TO DIRR, MICHAEL

MANUAL OF WOODY LANDSCAPE PLANTS COMMONLY USED BIORETENTION SPECIES ACCORDING TO TABLE A.4 IN APPENDIX A OF THE MARYLAND MODEL STORMWATER MANAGEMENT ORDINANCE JULY 2000.



PLANTING SPECIFICATIONS

- 1. Plants, related material, and operations shall meet the detailed description, as given on the plans and as described herein. Where discrepancies exist between Standards & Guidelines referenced within these specifications and the Howard County Landscape Manual, the latter takes precedence.
- 2. All plant material, unless otherwise specified, that is not nursery grown, uniformly branched, does not have a vigorous root system, and does not conform to the most recent edition of the American Association of Nurserymen (AAN) Standards will be rejected. Plant material that is not healthy, vigorous, free from defects, decay, disfiguring roots, sunscald injuries, abrasions of the bark, plant disease, insect pest eggs, borers and all forms of insect infestations or objectionable disfigurements will be rejected. Plant material that is weak or which has been cut back from larger grades to meet specified requirements will be rejected. Trees with forked leaders will be rejected. All B & B plants shall be freshly dua; no healed-in plants or plants from cold storage will be accepted.
- 3. Unless otherwise specified, all general conditions, planting operations, details and planting specifications shall conform to the most recent edition of the "Landscape" Specification Guidelines by the Landscape Contractors Association of MD, DC, & VA", (hereinafter "Landscape Guidelines") approved by the Landscape Contractors Association of Metropolitan Washington and the Potomac Chapter of the American Society of Landscape Architects.
- 4. Contractor shall quarantee all plant material for a period of one year after date of acceptance in accordance with the appropriate section on the Landscape Guidelines. Contractor's attention is directed to the maintenance requirements found within the one year specifications including watering and replacement of specified plant material.
- 5. Contractor shall be responsible for notifying all relevant and appropriate utility companies, utility contractors, and "Miss Utility" a minimum of 48 hours prior to the beginning of any work. Contractor may make minor adjustments in spacing and location of plant material to avoid conflicts with utilities. Major changes will require the approval of the landscape architect. Damage to existing structure and utilities shall be repaired at the expense of the Contractor.
- 6. Protection of existing vegetation to remain shall be accomplished via the temporary installation of 4 foot high snow fence at the drip line, see detail.
- 7. Contractor is responsible for installing all material in the proper planting season for each plant type. All planting is to be completed within growing season of completion of site construction. Do not plant Pinus strobus or XCupressacyparis leylandii between November 15 and March 15. Landscape plants are not to be installed before site is graded to final grade.
- 8. Contractor to regrade, fine grade, sod, hydroseed and straw mulch all areas disturbed by
- 9. Bid shall be based on actual site conditions. No extra payment shall be made for work arising from actual site conditions differing from those indicated on drawings and specifications.

10. Plant quantities are provided for the convenience of the contractor only. If discrepancies exist between quantities shown on plan and those shown on the plant list, the quantities on the plan take precedence. Where discrepancies on the plan exist between the symbols and the callout leader, the number of symbols take precedence.

- 11. All shrubs and groundcover areas shall be planted in continuous planting beds, prepared as specified, unless otherwise indicated on plans. (See Specification 13). Beds to be mulched with minimum 2" and maximum 3" of composted, double-shredded hardwood mulch throughout.
- 12. Positive drainage shall be maintained on planting beds (minimum 2 percent slope)
- 13. Bed preparation shall be as follows: Till into a minimum depth of 6" 1 yard of Compro or Leafaro per 200 SF of planting bed, and 1 yard of topsoil per 100 SF of bed. Add 3 lbs of standard 5-10-5 fertilizer per cubic yard of planting mix and till. Ericaceous plants (Azaleas, Rhododendrons, etc.): top dress after planting with iron sulfate or comparable product according to package directions. Taxus baccata 'Repandens' (English weeping yews): Top dress after planting with 1/4 to 1/2 cup lime each.
- 14. Planting mix: For trees not in a prepared bed, mix 50% Compro or Leafaro with 50% soil from tree hole to use as backfill, see tree planting detail.
- 15. Weed & insect control: Incorporate a pre-emergent herbicide into the planting bed following recommended rates on the label. For tree planting, apply a pre-emergent on top of soil and root ball before mulching. Caution: For areas to be planted with a ground cover, be sure to carefully check the chemical used to assure its adaptability to the specific groundcover to be treated. Maintain the mulch weed-free for the extent of the warranty period. Under no circumstances is a pesticide containing chlorpurifos to be used as a means of pest control.
- 16. Water: All plant material planted shall be watered thoroughly the day of planting. All plant material not yet planted shall be properly protected from drying out until planted. At a minimum, water unplanted plant material daily and as necessary to avoid dessication.
- 17. Pruning: Do not heavily prune trees and shrubs at planting. Prune only broken, dead, or diseased branches.
- 18. All areas within contract limits disturbed during or prior to construction not designated to receive plants and mulch shall be fine graded, grass seed planted, and covered with straw

T COVER THE TOP OF THE ROOT BALL SOIL. PLANT 1/8 OF ROOTBALL ABOVE 1. SEE PLANTING SPECIFICATIONS FOR PREPARATION OF PLANTING BED. -2 TO 3 INCHES OF MULCH. DO NOT PLACE MULCH IN CONTACT WITH SHRUB TRUNK OR BRANCHES. 2. DO NOT HEAVILY PRUNE THE SHRUB AT PLANTING PRUNE ONLY BROKEN, DAMAGED, OR DISEASED ---FINAL GRADE DIG PLANTING PIT 12" WIDER THAN DIAMETER OF THE TOP OF THE ROOT WITH A MINIMUM PLANTING PIT FITER OF 18" -TAMP SOIL AROUND BALL BASE FIRMLY WITH FOOT PRESSURE SO THE ROOT BALL DOES NOT SHIFT. SCARIFY ROOT BALL TO A DEPTH OF 3/4" ON ALL SIDES OR BUTTERFLY OUT CONTAINER PLANTS. PLACE ROOT BALL ON UNEXCAVATED OR COMPACTED SOIL. 5. ALL CONTAINERS SHALL BE REMOVED BEFORE INSTALLATION.

SHRUB BED PLANTING DETAIL - B&B AND CONTAINER SHRUBS

GENERAL NOTES:

- 1) THIS PLAN HAS BEEN PREPARED IN ACCORDANCE WITH THE PROVISIONS OF SECTION 16.124 OF THE HOWARD COUNTY CODE AND THE LANDSCAPE MANUAL.
- 2) THE BOARD OF APPEALS AND DEPARTMENT OF PLANNING AND ZONING HAVE DETERMINED THAT PERIMETER LANDSCAPING IS NOT REQUIRED DUE TO THE SIGNIFICANT DISTANCE BETWEEN THE PROPOSED BUILDING AND PARKING AREAS AND THE ADJOINING PROPERTIES AND ROADWAYS.
- 3) FINANCIAL SURETY FOR THE REQUIRED LANDSCAPING MUST BE POSTED AS PART OF THE DEVELOPER'S AGREEMENT IN THE AMOUNT OF \$600.00. 2 SHADE TREES @ \$300 = \$600 O ORNAMENTAL TREES @ \$150 = \$0 O EVERGREEN TREES @ \$150 = \$0 0 SHRUBS @ \$30
- 4) THIS PLAN IS FOR LANDSCAPING PURPOSES ONLY.
- 5) CONTRACTOR IS SOLELY RESPONSIBLE FOR CONSTRUCTION MEANS, METHODS, TECHNIQUES, SEQUENCES, PROCEDURES, AND SAFETY PRECAUTIONS AND PROGRAMS.
- 6) ALL MATERIAL SELECTED SHALL BE EQUAL TO OR BETTER THAN THE REQUIREMENTS OF THE "USA STANDARD FOR NURSERY STOCK". LATEST EDITION. AS PUBLISHED BY THE AMERICAN ASSOCIATION OF NURSERYMEN.
- 7) ALL MATERIAL SHALL BE PLANTED IN ACCORDANCE WITH THE MINIMUM STANDARDS CITED IN THE LATEST EDITION OF "LANDSCAPE SPECIFICATION GUIDELINES" PUBLISHED BY THE LANDSCAPE CONTRACTORS ASSOCIATION.
- 8) AT THE TIME OF INSTALLMENT, ALL SHRUBS AND OTHER PLANTINGS SHALL BE OF THE PROPER HEIGHT AND/OR SPREAD REQUIREMENTS IN ACCORDANCE WITH THIS PLAN AND THE HOWARD COUNTY LANDSCAPE MANUAL.
- 9) NO SUBSTITUTIONS OR RELOCATION OF PLANTS MAY BE MADE WITHOUT PRIOR APPROVAL FROM THE DEPARTMENT OF PLANNING AND ZONING OF HOWARD COUNTY. ANY DEVIATION FROM THIS LANDSCAPE PLAN MAY RESULT IN A REQUIREMENT FOR SUBMITTAL OF AN OFFICIAL "REDLINE REVISION" TO THE SITE DEVELOPMENT PLAN(S) AND/OR DENIAL IN THE RELEASE OF LANDSCAPE SURETY.

DEVELOPER'S/BUILDER'S CERTIFICATE:

I/WE CERTIFY THAT THE LANDSCAPING SHOWN ON THIS PLAN WILL BE DONE ACCORDING TO THE PLAN, SECTION 16.124 OF THE HOWARD COUNTY CODE AND THE HOWARD COUNTY LANDSCAPE MANUAL. I/WE FURTHER CERTIFY THAT UPON COMPLETION, A CERTIFICATION OF LANDSCAPE INSTALLATION, ACCOMPANIED BY AN EXECUTED ONE YEAR GUARANTEE OF PLANT MATERIALS, WILL BE SUBMITTED TO THE DEPARTMENT OF PLANNING AND ZONING.

4-22-04 DATE

AS-BUILT CERTIFICATION

DATE

DOMENICK COLANGELO # 27200 APPROVED: FOR PRIVATE WATER AND PRIVATE SEWERAGE SYSTEMS

COUNTY HEALTH OFFICER JAB 5-27-04

HOWARD COUNTY HEALTH DEPARTMENT APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND

CHIEF, DEVELOPMENT ENGINEERING DIVISION MAT

Kanoch HB DATE CHIEF, DIVISION OF LAND DEVELOPMENT

DATE NO. OWNER / DEVELOPER

HOWARD COUNTY CONSERVANCY, INC. BOARD OF TRUSTEES

c/o JAMES MOXLEY P.O. BOX 175 WOODSTOCK, MARYLAND 21163 410-465-8877

REVISION

MOUNT PLEASANT HOWARD COUNTY CONSERVANCY

AREA TAX MAP 10 PARCEL 315 ZONED RC-DEO 3rd ELECTION DISTRICT

HOWARD COUNTY, MARYLAND

LANDSCAPE NOTES AND DETAILS

Patton Harris Rust & Associates, pc

Engineers. Surveyors. Planners. Landscape Architects. 8818 Centre Park Drive Columbia, MD 21045 **T** 410.997.8900 **F** 410.997.9282


4.21.04

FILE NAME: 01002/1-0/ENGR/ PLANS/L202LND.DWG DESIGNED BY : K.L.S.


DRAWN BY: K.L.S. PROJECT NO: 11612-1-0

DATE: APRIL 21, 2004 SCALE : 1"=20'

DRAWING NO. 10 OF 12 SCOTT R. WOLFORD #797



Without Courty Jakewan 200 by a conflict



SITE PLAN - DETAIL SCALE I"=60'


FOREST STAND ANALYSIS TABLE												
		AFSEX		SOIL INFO	ORMATION		EXISTING	STAND	CHARA	CTERISTICS	FOREST AREA	
KEY	TYPE OF COMMUNITY	AREA	501L TYPE	TYPICAL FOREST COVER	WOODLAND SUITABILITY INDEX	HABITAT VALUE	VEGETATION (Type and approx. %)	SIZE AVG. DIAM	AGE	GENERAL CONDITIONS	IN SENSITIVE ENVIRONMENTS	
, j	Mixed Hardwood	3.45 AC	GnB2	Water Tolerant Hardwoods Mixed Upland Hardwoods	65-74 65-74	GOOD FAIR	Poplar American 20% Beech White 10% Oak Block 5 % Cherry	6-30+ in. 2-24 in. 10-24 in. 4-12 in. 10-20 in.	100±	Good	All, in stream buffer, stream channel, or on steep slopes.	
LI	Lawn	1.34 ac.	N/A	N/A	N/A	N/A	and gray an additional strong or a gift on a spray and play harped and at larger \$10.00 and an additional \$20,000 per property of the strong \$10.00 per property of the strong \$	N/A	N/A	Good.		

Forest Stand Narrative

This 81.70 Acre site is contained within a Conservation Easement administered by the Maryland Department of Natural Resources (DNR). The areas being evaluated for this FSD include the area within the existing limits of disturbance and forested area. There are only a few scattered trees proposed to be removed, and the associated plan will not be dealing with site as a whole. The remainder of the site is in field or hedgerows, and will not be affected by any development. This area has not been evaluated. There are numerous specimen trees on site, but these have not been cataloged except for the one which is to be removed for the proposed structure.

FI This 3.45 Acre forest is well developed. The overstory contains tulip poplar, American beech, white oak, black cherry, and willow. The middle-story contains tulip poplar, American beech, and black cherry. In the understory spice bush, multiflora rose, Japanese honeysuckle, and saplings of black cherry, American beech, and tulip poplar are found. The stand is in good health without significant invasive infestation. It is actively managed under a Forest Management Plan, created by the DNR. The stand surrounds a perennial stream and also contains steep slopes.

LI The remainder of the evaluated area, 14.89 Ac., is maintained as lawn with scattered individual trees, and includes the buildings and other used areas.



Forest Conservation Narrative

This Forest Conservation Plan has been developed in accordance with the Howard County Forest Conservation Manual and the 1991 Forest Conservation Act.

The existing site consists of 81.70 acres, from which 78.91 ac. of non-disturbed area had been netted out for a net tract area of 2.79 ac. The entire site 16 protected from development under and existing Environmental Conservation Easement. This Forest Conservation Plan is being undertaken due to the disturbance of over 5000 sq. ft. for the construction of a building. The net tract area only includes areas on-site that are being disturbed for this plan. Areas within preexisting Limits of Disturbance, forest preservation, agricultural preservation or forest planting areas have been netted out. The site has 3.45 acres of existing forest. Additionally there is 17.05± ac. of existing managed CREP forest planting areas.

We are proposing placing the existing forest into a Forest Conservation Easement on top of a preexisting Conservation Easement, administered by the state. Specimen trees will be protected where possible. One specimen tree is proposed to be removed from within the proposed building envelope. This tree and the proposed building are located within a previously existing building foundation from an old barn. Due to the unique nature of this site and as part of the requirements of the existing easement, no Forest Conservation Easement signage is being proposed. No forest mitigation is required.

Surety will be provided in the amount of \$30,056.40 (3.45ac retention = 150,282 s.f. @ \$0.20/s.f.)

MANAGEMENT NOTES FOR FOREST RETENTION AREAS

1. All proposed activities shall adhere to the conditions, schedules and terms of an approved sediment control and erosion plan.

2. After the boundaries of the retention area have been staked and flagged and before any disturbance has taken place on-site, a preconstruction meeting at the construction site shall take place. The developer, contractor or project manager, and appropriate County inspectors shall attend.

3. Tree protection for all retained areas:

a. All retention areas within 50 feet of proposed construction activities shall be protected by highly visible, well anchored temporary protection devices (silt fence or blaze orange plastic mesh).

b. All protection devices shall be in place prior to any grading or land clearing.

c. All protection devices shall be properly maintained and shall remain in place until construction has ceased.
d. Attachment of signs, fencing or other objects to trees is prohibited.

or excessive pedestrian traffic shall be allowed within protected areas.

4. If the critical root zone (see detail) is affected by construction activities such as grade change, digging for foundations and roads or utility installation:

e. No equipment, machinery, vehicles, materials

a. Prune roots with a clean cut using proper pruning equipment (see root pruning detail)
b. Water and fertilize as needed.
5. During construction phase, monitor and correct condition of retained trees for: soil compaction, root in jury, flood conditions, drought conditions and other


stress signs.

6. Post-Construction Phase
a. Inspect existing trees around the perimeter of disturbed limits for evidence of soil compaction, root injury, limb injury, or other stress signs and correct with proper management techniques such as root or limb pruning, soil aeration, fertilization, crown reduction or watering. Inspection and evaluation shall be performed by a licensed arborist.
b. Inspect for dead or dying trees or limbs

which may pose safety hazard and remove.
c. No burial of discarded materials will occur
on-site within the conservation areas.
d. No burning within 100 feet of wooded area.
e. All temporary forest protection structures

will be removed after construction.

f. Following completion of construction, prior to use, the County inspector shall inspect the entire area.



FOREST CONSERVATION WORKSHEET

(Catalon	, = , , , , , , , , , , , , , , , , , ,	
		Acre
		(1/100 ac
١,	Net Tract Area	
Y	A. Total Tract Area	81.70
	B. Area Within 100 Year Floodplain	0
	C. Other deductions	78.91
	D. Net Tract Area	2.79
١,	Land Use Category Institutional	
	E. Afforestation Minimum (15 % x D)	0,42
	F. Conservation Threshold (20 $\%$ x D)	0.56
	Existing Forest Cover	
	G. Existing Forest on Net Tract Area	0.0
	H. Forest Area Above Conservation Threshold	.0.0
1	Break-even Point	
	1. Forest Retention for no Mitigation	0.0
١	J. Cleaning Permitted without Mitigation	0.0
	Proposed Forest Clearing	
	K. Forest Areas to be Cleared	0
	L. Forest Areas to be Retained	* 3.45
	Planting Requirements	
	M. Reforestation for Clearing Above Threshold	0
ł		

N. Reforestation for Clearing Below the Threshold

Q. Total Reforestation Required R. Total Afforestation Required

P. Credit for Retention Above Conservation Threshold

* On-site, but outside of the Net Tract Area.

Total Reforestation and Afforestation Requirement 0.42

EXPLORATION
RESEARCH, INC.
ENVIRONMENTAL CONSULTANTS
LANDSCAPE ARCHITECTS
8318 FORREST STREET

ELLICOTT CITY, MARYLAND 2104S
TEL: (410) 750-1150 FAX (410) 750-7350
EMAIL EXPLORATIONRESCS.COM

APPROVED: HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING.

DIRECTOR

DATE

CHIEF, DEVELOPMENT ENGINEERING DIVISION MAJ

CHIEF, DIVISION OF LAND DEVELOPMENT

DATE

ROJECT MOUNT PLEASANT HOWARD COUNTY CONSERVANCY

410-465-8877

AREA TAX MAP 10 PARCEL 315 ZONED RC-DEO

3rd ELECTION DISTRICT

HOWARD COUNTY, MARYLAND

TITLE

COMBINED FOREST STAND DELINEATION

AND FOREST CONSERVATION PLAN Patton Harris Rust & Associates, pc Engineers, Surveyors, Planners, Landscape Architects,

Engineers. Surveyors. Planners. Londscape Architects.

8818 Centre Park Drive
Columbia, MD 21045
T 410.997.8900
F 410.997.9282

FILE NAME:

DESIGNED BY :C.J.R. /RAB


DRAWN BY: MAD / RAB

PROJECT NO : 11612-1-0

DATE : JAN 2, 2004

SCALE : AS SHOWN

DRAWING NO. 11 OF 12



AS-BUILT CERTIFICATION



DOMENICK COLANGELO # 27200 DATE

I/WE CERTIFY THAT ALL DEVELOPMENT AND CONSTRUCTION WILL BE DONE ACCORDING TO THIS PLAN, AND THAT ANY RESPONSIBLE PERSONNEL INVOLVED IN THE CONSTRUCTION PROJECT WILL HAVE A CERTIFICATE OF ATTENDANCE AT A DEPARTMENT OF THE ENVIRONMENT APPROVED TRAINING PROGRAM FOR THE CONTROL OF SEDIMENT AND EROSION BEFORE BEGINNING THE PROJECT. I ALSO AUTHORIZE PERIODIC ON—SITE INSPECTIONS BY THE HOWARD SOIL CONSERVATION DISTRICT.

4-22-04

I CERTIFY THAT THIS PLAN FOR EROSION AND SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED ON MY PERSONAL KNOWLEDGE OF THE SITE CONDITIONS AND THAT IT WAS PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE HOWARD SOIL CONSERVATION DISTRICT.

4-21.08

THESE PLANS HAVE BEEN REVIEWED FOR THE HOWARD SOIL CONSERVATION DISTRICT AND MEET THE TECHNICAL REQUIREMENTS FOR SOIL EROSION AND SEDIMENT CONTROL.

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION

APPROVED: FOR PRIVATE WATER AND PRIVATE SEWERAGE

COUNTY HEALTH OFFICER JAG HOWARD COUNTY HEALTH DEPARTMENT

APPROVED : HOWARD COUNTY DEPARTMENT OF PLANNING AND

CHIEF, DEVELOPMENT ENGINEERING DIVISION MAT

3.31.05 A Add Lot Lines, Water Main, Address SUA Comments REVISION

> HOWARD COUNTY CONSERVANCY, INC. BOARD OF TRUSTEES c/o JAMES MOXLEY P.O. BOX 175 WOODSTOCK, MARYLAND 21163 410-465-8877

MOUNT PLEASANT

AREA TAX MAP 10 PARCEL 315 ZONED RC-DEO

3rd ELECTION DISTRICT

HOWARD COUNTY, MARYLAND

ROAD WIDENING PLAN

Patton Harris Rust & Associates,pc Engineers. Surveyors. Planners. Landscape Architects.

8818 Centre Park Drive Columbia, MD 21045 **T** 410.997.8900 **F** 410.997.9282

FILE NAME: 01002/1-0/ENGR/ PLANS/C400ROAD.DWG DESIGNED BY : C.J.R.

DRAWN BY: MAD PROJECT NO: 11612-1-0

SCALE : 1"=20' DRAWING NO. __12_OF __12

DATE : APRIL 21, 2004