


1/2" CONC. SURFACE BANDS  
 4" CONC. BASE OR 2"  
 CR. STONE BASE  
 6"

PARKING LOT PAVING

Base will be primed in accordance with section C-30-3 and DMG D-8 PAGE 63  
 as provided in the Howard Cty. Construction Code and  
 Standard Specifications. Tack coat to be used in accordance  
 with section C-31-4 of Howard Cty. Road Construction  
 Code and Standard Specifications.



**EROSION AND SEDIMENT CONTROL NOTES**

All siltation control work to be in accordance with Standards and Specifications of the Howard County Soil Conservation District Sediment Control Program and U.S. Soil Conservation Service.

Total Disturbed Area = 0.37 Acrea

**ESTIMATED PHASING AND SCHEDULING OF DEVELOPMENT**

1. Temporary earth berm and #2 crushed stone siltation trap constructed first- start Feb. 1, 1974.
11. Rough grading- start Feb. 1, 1974
111. Final grading and vegetation- Feb. to April, 1974
- 1V. Maintenance and clean-up- After April, 1974.

**SEEDING REQUIREMENTS**

1. Seeded area approx. 13100 sq. ft.
2. Seed to be Kentucky 31 tall fescue, or equal, with 98% min. purity and 85% min. germination.
3. Rates: Seeding: 5-7 lbs/1000 sq ft.  
Fertilizer: 10-10-10 25#/1000 sq ft.  
Limestone: 50#/1000 sq ft.
4. Top soil to be spread over the areas to be seeded after it has been fine graded.
5. Contractor to construct and maintain earth berms daily.
6. Berms and other control measures to be maintained until planting and other permanent improvements are stabilized.
7. All berms to be machine compacted and the top width may be wider and the side slopes flatter if desired.

**GENERAL NOTES**

1. Proposed building = 6160 sq. ft.
2. Orig. and final grade = 98'
3. Building to be used for warehousing asphalt, with no additional employees required, beyond the present ten.
4. Water and sewer are not needed for this addition, and the office building has these facilities.
5. Zoned M-2, total acres = 14.8-
6. Parking Spaces: Req'd 5, Provided 12.

I certify that all development or construction will be done according to this plan of erosion and sediment control.

Engineer *Jack S. Felck* Date *12/1/74*  
 OWNER *Trumbull Asphalt Co.* Date *3/25/74*

OWNER  
 LLOYD A FRY ROOFING CO.  
 5818 Archer Rd.  
 Summit, Illinois

Reviewed for Howard S.C.D. and meets technical requirements.

Signature *Jack S. Felck* Date *4-3-74*

This development plan is approved for soil erosion and sediment control by the Howard County Soil Conservation District

Approved *Jack S. Felck* Date *4-3-74*  
 HOWARD S.C.D.

APPROVED: For Private Water and Private Sewerage Systems,  
 Howard County Health Department

*John A. ...* Date *4/1/74*  
 COUNTY HEALTH OFFICER

APPROVED: Howard County Office of Planning and Zoning

*John A. ...* Date *5-17-74*  
 PLANNING DIRECTOR

*John A. ...* Date *5/1/74*  
 CHIEF, DIVISION OF LAND DEVELOPMENT AND TRANSPORTATION PLANNING

APPROVED: For Storm Drainage Systems and Roads,  
 Howard County Department of Public Works

*W. J. ...* Date *5/13/74*  
 DIRECTOR

*W. J. ...* Date *5-10-74*  
 CHIEF, BUREAU OF HIGHWAYS

I certify that this plan for erosion and sediment control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard Soil Conservation District



*Jack S. Felck* Date *12/1/74*  
 ENGINEER

I certify that all development and/or construction will be done according to this plan of development and plan for erosion control and sediment control, and I also authorize periodic on-site inspection by the Howard Soil Conservation District or their authorized agents, as are deemed necessary. Deviation from this plan will not be made unless authorized by the Howard Soil Conservation District.


*Trumbull Asphalt Co.* Date *4/25/74*  
 OWNER

ENGINEER: Jack S Felck PE 8100  
 430 White Plains Ct.  
 Severna Park, Md.

SDP 74-72



**TEMPORARY EARTH BERM**  
 #2 crushed stone berm detail same design.  
 Silt to be cleaned out after each storm.  
 Earth berm to be seeded with rye grass.



Job no. S-557 ARMCO no. Date Drawn 14 NOV 73 by GK SCALE unless noted 1" = 50'-0"	<b>APPROVAL</b> signed <i>Jack S. Felck</i> on 12-1-74 title of TRUMBULL ASPHALT	date 22 MAR 74 Revision 1. REVISED AS REQUESTED LETTER DATED 25 FEB 74 DEPT. PUBLIC WORKS BY [signature]
---	---	---

**SOUTHWESTERN CONTRACTORS INC.**  
 4807 BENSON AVENUE, BALTIMORE, MARYLAND 21227  
**ARMCO BUILDING SYSTEMS**  
 complete design and build



PATUXENT PARK INDUSTRIAL AREA SECTION  
 ADDITION for  
**TRUMBULL ASPHALT CO.**  
 JESSEUP HOWARD COUNTY MARYLAND  
 AREA SECT. 7 PARCEL A PLOT 17 POLIO 26

on this drawing	Plat PLAN	set 4
DRAWING NUMBER	A 852 P 1	

SDP 74-72