


GENERAL NOTES

1. Topography taken from aerial topo prepared by Maps Incorporated and verified by field-run survey.
2. Recording reference for Lots C-135 thru C-202 is Plat #4481-4482.
3. Water and sewer facilities are to be provided. (Publicly Owned)
4. Community owned lots which include parking spaces and sidewalks shall be owned and maintained by a home owners association. Only the 29' travelled way portion of the 50' right-of-way shall be publicly maintained.
5. The minimum gross floor area of each unit excluding basement shall be 1,080 square feet.
6. All entrance walks to dwellings shall be 3' wide.
7. All other sidewalks shall be 4' wide concrete unless otherwise noted.
8. Curb return radii for roadways shall be 25' unless otherwise specified.
9. Dwellings shown hereon are 3 bedroom 2 story group dwellings with basements.
10. Minimum setback from all public streets shall be 30' except for 50' on Hickory Ridge Road, except as approved by Howard County Planning Board.
11. Any damage to public right-of-way or paving must be corrected at the developer's expense.
12. Grades have been established to insure positive drainage.
13. Cheek walls shall be provided where a flight of steps contain more than 3 risers.
14. Hickory Ridge Road is a public and existing road.
15. All work shall be done in accordance with Howard County Road Construction Code and Standard Specifications.
16. See Concept Plan 79-02C.

SPECIAL NOTES

This development plan includes all applicable information outlined in Data Sheet 150 Neighborhood Standards F.H.A. Land Planning Bulletin No. 3 V.A. Pamphlet 4 A B and conforms with lot improvements and detail lot grading of Chapter XII F.H.A. Minimum Property Requirements dated May 1963, and to all applicable ordinances and regulations.

Drainage structures have been designed in accordance with sound engineering practice using recognized formulas and rainfall data currently prescribed by local authorities. These exhibits comply with the F.H.A. objectives, Minimum Property Standards, local acceptable standards and neighborhood requirements conform to all applicable local government ordinances and regulations and represent the best professional judgement of the designer.




VICINITY MAP
Scale: 1" = 2,000'

SITE ANALYSIS


Existing Zoning - New Town (Single Family Attached)	Final Development Plan - Phase 172	Plot 3054A - 116 thru 120
Area of this portion of Parcel "C"	6.965 Ac.	Total Lots in this portion of Parcel "C" 68
Area of SFA Lots (C-135 to C-202)	2.626 Ac.	SFA Lots 67
Area of Road R/W	0.752 Ac.	
Area of Community Owned Lots	3.267 Ac.	Community Owned Lots 1
Area of Carport Lots **	0.310 Ac.	Carports Lots 32
Dwelling Units Permissible	85	
Dwelling Units Proposed	67	
Parking Spaces Required	134	
Parking Spaces Proposed	134	

- * Includes 32 Carports
 - ** Lots CP-135 thru CP-142, CP-164 thru CP-173, CP-183 thru CP-196
- Site Building Coverage Percentage 20%




TYPICAL PARKING SPACE
No Scale


SHEET INDEX	
NO.	DESCRIPTION
1	TITLE SHEET
2	GRADING PLAN
3	DETAILS AND SEDIMENT CONTROL
4	SEDIMENT CONTROL
5	LANDSCAPE PLAN



TYPICAL DWELLING ELEVATIONS
No Scale



TYPICAL DWELLING
No Scale



TYPICAL CARPORT LAYOUT
No Scale

HOWARD HOMES COMMUNITIES, INC.
OWNER AND DEVELOPER
P.O. Box 802, COLUMBIA, MARYLAND


WHITMAN, REQUARDT & ASSOCIATES
ENGINEERS
1304 ST. PAUL STREET
BALTIMORE, MARYLAND 21202
Kenneth A. McCord
Kenneth A. McCord P.E. No. 1974

APPROVED
DIVISION OF LAND DEVELOPMENT
HOWARD COUNTY, MARYLAND
DATE 5-29-79
Jum

1	9/28/79	As per Planning & DPW Comments
NO.	DATE	DESCRIPTION OF REVISION
COLUMBIA SITE PLANS		
FOR HICKORY RIDGE		
SECTION 1 AREA 6 LOTS C-135 THRU C-202 CARPORT LOTS CP-135 THRU CP-142 CP-164 THRU CP-173 AND CP-183 THRU CP-196 A RESUBDIVISION OF A PORTION OF PARCEL "C"		
TITLE SHEET		
SHEET 1 OF 5		
ELECTION DISTRICT NO. 5, HOWARD COUNTY, MARYLAND		
DATE:		SCALE: 1" = 30'

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT	
<i>John L. ...</i> 1-23-80	DATE
COUNTY HEALTH OFFICER	
APPROVED HOWARD COUNTY OFFICE OF PLANNING AND ZONING	
<i>James ...</i> 1-24-80	DATE
PLANNING DIRECTOR	
<i>John ...</i> 1-24-80	DATE
CHIEF, DIVISION OF LAND DEVELOPMENT	
APPROVED FOR PUBLIC WATER, PUBLIC SEWER AND STORM DRAINAGE SYSTEMS AND ROADS, HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS	
<i>John ...</i> 1-17-80	DATE
DIRECTOR	
<i>John ...</i> 1-17-80	DATE
CHIEF, BUREAU OF ENGINEERING	

SDP-79-132a 7/13/79



It is our intent to discharge all roof leaders and downspouts onto splash blocks. Where any nuisances are created, we shall rectify the situations to the satisfaction of the Howard County Plumbing Inspector.

Ken B. Rasch
Howard Homes Communities, Inc.

APPROVED
DIVISION OF LAND DEVELOPMENT
HOWARD COUNTY, MARYLAND
DATE 5-29-79

- LEGEND**
- 430 - Existing contour (2' interval)
 - ⊙ - Building Group Number
 - ⊙ - Number of Dwellings in Building Group
 - ⊙ - Lot Number
 - C-16 - 20' Travelled Way (to be Publicly Maintained Concrete Walk)
 - ▨ - Macadam Walk
 - EL. 422.33 - 100 Yr. Flood Elev.
 - R.W. - Retaining Wall
 - F.H. - Fire Hydrant
 - ⊙ - Light Fixture

SEWER TABULATION

Lot No.	Basement Elev.	Sewer Inv.
C-135	422.64	427.97
C-136	422.64	427.69
C-137	422.50	427.21
C-138	422.50	426.76
C-139	421.17	425.14
C-140	441.17	425.14
C-141	422.83	424.10
C-142	422.83	424.10
C-143	422.17	423.06
C-144	422.17	423.06
C-145	427.17	422.02
C-146	427.17	422.02
C-147	422.67	422.52
C-148	422.50	422.52
C-149	422.50	422.52
C-150	422.50	422.52
C-151	421.50	422.04
C-152	422.00	422.04
C-153	422.00	422.04
C-154	422.00	422.04
C-155	420.67	422.04
C-156	422.33	422.04
C-157	422.33	422.04
C-158	422.33	422.04
C-159	422.33	422.04
C-160	422.33	422.04
C-161	422.33	422.04
C-162	422.33	422.04
C-163	422.33	422.04
C-164	422.33	422.04
C-165	422.33	422.04
C-166	422.33	422.04
C-167	422.33	422.04
C-168	422.33	422.04
C-169	422.33	422.04
C-170	422.33	422.04
C-171	422.33	422.04
C-172	422.33	422.04
C-173	422.33	422.04
C-174	422.33	422.04
C-175	422.33	422.04
C-176	422.33	422.04
C-177	422.33	422.04
C-178	422.33	422.04
C-179	422.33	422.04
C-180	422.33	422.04
C-181	422.33	422.04
C-182	422.33	422.04
C-183	422.33	422.04
C-184	422.33	422.04
C-185	422.33	422.04
C-186	422.33	422.04
C-187	422.33	422.04
C-188	422.33	422.04
C-189	422.33	422.04
C-190	422.33	422.04
C-191	422.33	422.04
C-192	422.33	422.04
C-193	422.33	422.04
C-194	422.33	422.04
C-195	422.33	422.04
C-196	422.33	422.04
C-197	422.33	422.04
C-198	422.33	422.04
C-199	422.33	422.04
C-200	422.33	422.04
C-201	422.33	422.04

APPROVED FOR PUBLIC WATER AND PUBLIC SEWER SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT
COUNTY HEALTH OFFICE
DATE 1-23-80

APPROVED FOR PLANNING AND ZONING
PLANNING DIRECTOR
DATE 1-24-80

APPROVED FOR PUBLIC WATER, PUBLIC SEWER AND STORM DRAINAGE SYSTEMS AND ROADS, HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS
DATE 1-17-80

LAND DESIGN / RESEARCH
PLANNER
ONE MALL NORTH BUILDING
COLUMBIA, MARYLAND

WHITMAN, REQUARDT & ASSOCIATES
ENGINEERS
BALTIMORE, MARYLAND









Kenneth A. McCorrd
KENNETH A. MCCORRD P.E. NO. 1974

THE HOWARD RESEARCH AND DEVELOPMENT CORPORATION
OWNER
10275 LITTLE PATUXENT PARKWAY
COLUMBIA, MARYLAND

HOWARD HOMES COMMUNITIES, INC.
DEVELOPER
P.O. BOX 302, COLUMBIA, MARYLAND

NO.	DATE	DESCRIPTION OF REVISIONS
1	9/28/79	As per Planning and DPW Comments

COLUMBIA SITE PLANS
FOR
HICKORY RIDGE
SECTION I AREA 6
LOTS C-135 THRU C-202
CARPORT LOTS CP-125 THRU CP-142
CP-104 THRU CP-173 AND CP-181 THRU CP-186
A RESUBDIVISION OF A PORTION OF PARCEL "C"
GRADING PLAN
SHEET 2 OF 5
ELECTION DISTRICT NO. 5, HOWARD COUNTY, MARYLAND
DATE: SCALE: 1" = 30'



SEQUENCE OF CONSTRUCTION

1. Use existing storm water management and sediment control pond (see SDP 79-77 C) during this phase of construction.
2. Clear and grub, strip and grade site.
3. Install utilities.
4. Construct roads and houses.
5. Fine grade, Sod or Seed all disturbed areas. Seeding as per specifications below.
6. After grass is established in the drainage area, refurbish pond for its permanent role of storm water management.


PERMANENT SEEDING SPECIFICATIONS

Lime = 2 Tons/acre agricultural ground limestone
 Fertilizer = 1000 lbs./acre (10-10-10)
 Seeding = 100 lbs./acre of the following:
 20% Kentucky Blue Grass
 20% Merion Blue Grass
 55% Creeping Red Fescue
 5% Redtop
 Mulch Required - Mulch area with straw at the rate of 75 lbs./1000 sq. ft. or 15 Tons/acre.
 Anchor with asphalt at the rate of 480 gallons/acre.
 Stabilization of slopes steeper than 3:1 shall be planted with crownvetch including (0.34 lbs./1000 sq. ft.) Kentucky 31 Tall Fescue 40 lbs./acre (1 lb./1000 sq. ft.)

GENERAL NOTES

1. See "Sequence of Construction" this sheet.
2. Contractor to notify the Howard County Dept. of Inspections and Permits at least 3 days before starting work shown on these drawings.*
3. The approved storm water management Pond, which has been constructed just off the southwest corner of the property, satisfies all sediment control and storm water management requirements for this section. See Sheets 4 and 5 of 7, File SDP 79-77 for stabilization of disturbed areas and flushing of storm drains; see Sheet 5 of 7, File SDP 79-77.

* Telephone No. 992-2436



APPROVED
DIVISION OF LAND DEVELOPMENT

HOWARD COUNTY, MARYLAND
DATE 5-29-79

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT
 COUNTY HEALTH OFFICER DATE 1-23-80
 APPROVED HOWARD COUNTY OFFICE OF PLANNING AND ZONING
 PLANNING DIRECTOR DATE 1-24-80
 CHIEF, DIVISION OF LAND DEVELOPMENT DATE
 APPROVED FOR PUBLIC WATER, PUBLIC SEWER AND STORM DRAINAGE SYSTEMS AND ROADS, HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS
 DIRECTOR DATE 1-18-80
 CHIEF, BUREAU OF ENGINEERING DATE 1-11-80

CERTIFICATION BY THE DEVELOPER
 "I CERTIFY THAT ALL DEVELOPMENT AND OR CONSTRUCTION WILL BE DONE ACCORDING TO THIS PLAN OF DEVELOPMENT AND PLAN FOR EROSION AND SEDIMENT CONTROL, AND I ALSO AUTHORIZE PERIODIC ON-SITE INSPECTION BY THE HOWARD SOIL CONSERVATION DISTRICT OR THEIR AUTHORIZED AGENTS AS ARE DEEMED NECESSARY."
 LEE B. ROSENBERG DATE 2-15-79

CERTIFICATION BY THE ENGINEER
 "I CERTIFY THAT THIS PLAN FOR EROSION AND SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED ON MY PERSONAL KNOWLEDGE OF THE SITE CONDITIONS AND THAT IT WAS PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE HOWARD SOIL CONSERVATION DISTRICT."
 KENNETH A. MCCORD, P.E. 1974 DATE 4-10-79


REVIEWED FOR HOWARD COUNTY S.C.D. NAME AND MEETS THE TECHNICAL REQUIREMENTS
 SIGNATURE DATE 1-9-80
 U.S. SOIL CONSERVATION SERVICE

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT
 APPROVED: DATE
 HOWARD S.C.D. DATE

HOWARD HOMES COMMUNITIES, INC.
 OWNER AND DEVELOPER
 P.O. Box 802, COLUMBIA, MARYLAND
WHITMAN, REQUARD & ASSOCIATES
 ENGINEERS
 1304 ST. PAUL STREET
 BALTIMORE, MARYLAND 21202
 Kenneth A. McCord
 Kenneth A. McCord P.E. No. 1974

1	2/28/79	As per Planning & DPW Comments
NO	DATE	DESCRIPTION OF REVISION

COLUMBIA SITE PLANS
FOR
HICKORY RIDGE
SECTION 1 AREA 6
LOTS C-155 THRU C-202
CARPORT LOTS CP-135 THRU CP-142
CP-164 THRU CP-173 AND CP-183 THRU CP-196
A RESUBDIVISION OF A PORTION OF PARCEL "C"
DETAIL SHEET
SHEET 3 OF 5
ELECTION DISTRICT NO. 5, HOWARD COUNTY, MARYLAND
DATE: SCALE: 1" = 30'



CERTIFICATION BY THE ENGINEER
 "I CERTIFY THAT THIS PLAN FOR EROSION AND SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED ON MY PERSONAL KNOWLEDGE OF THE SITE CONDITIONS AND THAT IT WAS PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE HOWARD SOIL CONSERVATION DISTRICT."
Kenneth A. McCord 4-13-79
 KENNETH A. MCCORD, P.E. 1974 DATE

CERTIFICATION BY THE DEVELOPER
 "I CERTIFY THAT ALL DEVELOPMENT AND OR CONSTRUCTION WILL BE DONE ACCORDING TO THIS PLAN OF DEVELOPMENT AND PLAN FOR EROSION AND SEDIMENT CONTROL, AND I ALSO AUTHORIZE PERIODIC ON-SITE INSPECTION BY THE HOWARD SOIL CONSERVATION DISTRICT OR THEIR AUTHORIZED AGENTS AS ARE DEEMED NECESSARY."
Lee B. Rosenberg 4-13-79
 LEE B. ROSENBERG DATE

- LEGEND**
- Existing Building
 - ① Building Number
 - ② Building Group
 - C-10 Lot Number
 - 29' Travelled Way (To be Publicly Maintained)
 - Concrete Walk
 - Macadam Walk
 - El. 422.33 100 Yr. Flood Elev.
 - R.W. Retaining Wall
 - F.H. Fire Hydrant
 - ⊕ Light Fixture

APPROVED
 DIVISION OF LAND DEVELOPMENT
 HOWARD COUNTY, MARYLAND
 DATE 5-29-79
Jum

THE HOWARD RESEARCH AND DEVELOPMENT CORPORATION
 518/752

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT
 APPROVED *John E. B...* DATE 1-9-80
 HOWARD S.C.D.
 REVIEWED FOR HOWARD S.C.D. AND MEETS TECHNICAL REQUIREMENTS
James M. ... DATE 1-9-80
 U.S. SOIL CONSERVATION SERVICE

THE HOWARD RESEARCH AND DEVELOPMENT CORPORATION
 OWNER
 10275 LITTLE PATUXENT PARKWAY
 COLUMBIA, MARYLAND
 HOWARD HOMES COMMUNITIES, INC.
 DEVELOPER
 P.O. BOX 802, COLUMBIA, MARYLAND

NO.	DATE	DESCRIPTION OF REVISIONS
1	3/28/79	As per Planning and DPW Comments

COLUMBIA SITE PLANS
 FOR
HICKORY RIDGE
 SECTION I AREA 6
 LOTS C-155 THRU C-202
 CARPORT LOTS CP-185 THRU CP-192
 CP-164 THRU CP-175 AND CP-183 THRU CP-196
 A RESUBDIVISION OF A PORTION OF PARCEL "C"
SEDIMENT CONTROL
 SHEET 4 OF 5
 ELECTION DISTRICT NO. 5, HOWARD COUNTY, MARYLAND
 DATE: 3/28/79 SDP-79-132c SCALE: 1"=90'

APPROVED FOR HEALTH, WATER, FIRE, AND SEWER SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT
James E. ... 1-23-80
 CHIEF, HEALTH OFFICE
 APPROVED: HOWARD COUNTY OFFICE OF PLANNING AND ZONING
Donald ... 1-24-80
 PLANNING AND ZONING
James ... 1-24-80
 CHIEF, DIVISION OF LAND DEVELOPMENT
 APPROVED FOR PUBLIC WATER, PUBLIC SEWER AND STORM DRAINAGE SYSTEMS AND ROAD, HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS
W. F. ... 1-18-80
... 1-17-80
 CHIEF, BUREAU OF ENGINEERING

LAND DESIGN / RESEARCH
 PLANNER
 ONE MALL NORTH BUILDING
 COLUMBIA, MARYLAND
 WHITMAN, REQUARDT & ASSOCIATES
 ENGINEERS
 BALTIMORE, MARYLAND
Kenneth A. McCord
 KENNETH A. MCCORD P.E. NO. 1974

NOTE:
 SEE SHEET 5 FOR SEQUENCE OF CONSTRUCTION GENERAL NOTES, AND STONE ENTRANCE DETAIL.

NOTE: SITE DRAINS TO THE EXISTING STREAM AND THENCE INTO THE EXISTING STORM WATER MANAGEMENT AND SEDIMENT CONTROL POND APPROVED UNDER SDP 79-77C

LOTS C-40 THRU C-155
 VILLAGE OF HICKORY RIDGE
 SECTION I AREA 6
 PLAT NO.

LOT C-202
 COMMUNITY OWNED

MISTY ARCH RUN
 LOTS 1 THRU 48
 VILLAGE OF HICKORY RIDGE
 SECTION I AREA 6
 PLAT NO. 39154
 Ex. 20 Sewer Easement
 Ex. 8 Sewer
 TO EXISTING STORM WATER MANAGEMENT AND SEDIMENT CONTROL POND. SEE SDP 79-77C

PARCEL "B"
 VILLAGE OF HICKORY RIDGE
 SECTION I AREA 6
 PLAT NO. 4241

HICKORY RIDGE
 ROAD
 HIGH BEAN COURT

HOWARD COMMUNITY COLLEGE
 ENTRANCE ROAD

LOT 202
 COMMUNITY OWNED

LOT C-202
 COMMUNITY OWNED

LOT C-202

E 833,750

E 834,000

N 501,500

N 501,250

E 833,500

E 833,750

E 834,000

1-18-80
 1-17-80

APPROVED FOR PUBLIC WATER & PUBLIC SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT



APPROVED: COUNTY HEALTH OFFICER DATE 1-24-80
 APPROVED: HOWARD COUNTY OFFICE OF PLANNING AND ZONING DATE 1-24-80
 PLANNING DIRECTOR DATE 1-24-80
 CHIEF DIVISION OF LAND DEVELOPMENT DATE

APPROVED FOR PUBLIC WATER, PUBLIC SEWER AND STORM DRAINAGE SYSTEMS AND ROADS HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS

DIRECTOR DATE 1-17-80
 CHIEF BUREAU OF ENGINEERING DATE

LEGEND

1. Project Boundary
2. Lot Lines
3. Proposed Contours
4. Retaining Wall
5. Existing Trees to be Saved
6. Building Group No.
7. Lot No.
8. Fence
9. Phase II Planting



PLANT LIST

NO.	NAME	SIZE	QUANT.	REMARKS
1.	Pyrus calleryana 'Bradford'	2 1/2-3" cal.	26	B&B
2.	Bradford Callery Pear	12-14' Ht.		
3.	Acer rubrum	2 1/2-3" cal.	36	B&B
4.	Red Maple	12-14' Ht.		
5.	Fraxinus p. lanceolata 'Marshall's Seedless'	2 1/2-3" cal.	29	B&B
6.	Marshall's Seedless Ash	12-14 Ht.		
7.	Plantanus acerifolia	2 1/2-3" cal.	48	B&B
8.	London Plane Tree	12-14' Ht.		
9.	Malus doigo	2-2 1/2" cal.	14	B&B
10.	Dolge Crabapple	8-10' Ht.		
11.	Malus 'Snowcloud'	2-2 1/2" cal.	16	B&B
12.	Snowcloud Crabapple	8-10' Ht.		
13.	Crataegus 'Toba'	2-2 1/2" cal.	12	B&B
14.	Toba Hawthorn	8-10' Ht.		
15.	Pinus strobus	2-2 1/2" cal.	45	B&B/
16.	Eastern White Pine	6-8' Ht.		Full
17.	Picea abies	2-2 1/2" cal.	35	B&B/
18.	Norway Spruce	6-8' Ht.		Full
19.	Forstythia intermedia spectabilis	2-3' Ht.	39	B&B
20.	Showy Border Forsythia			
21.	Euonymus alatus compactus	2-3' Ht.	32	B&B
22.	Dwarf Winged Euonymus			
23.	Taxus bacatta repandens	18-24" Ht.	36	B&B
24.	Spreading English Yew			
25.	Taxus media 'Hatfieldii'	18-24" Ht.	36	B&B
26.	Hatfieldii Yew			

PLANTING TOTALS - 67 LOTS

SHADE TREES	2 1/2-3" CAL 12-14 HT	141 EA
FLOWERING TREES	2-2 1/2" CAL 8-10 HT	44 EA
EVERGREEN TREES	2-2 1/2" CAL 6-8 HT	76 EA
SHRUBS	18-36" HT/SPR	165 EA

APPROVED
 HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS
 DATE 5-29-79
 JMM

PLANTING PLAN

LD LAND DESIGN / RESEARCH, INC.
 ONE MALL NORTH SUITE 400
 COLUMBIA, MARYLAND

HICKORY HOLLOW
 Howard Homes Development Corp.
 Village of Hickory Ridge - Sec. 1, Area 6
 Lots C-135 through C-202

DATE: 5-29-79
 SCALE: 1" = 20'
 SHEET: 5 OF 5