

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT
 Signature: *[Signature]* DATE: 1-19-81
 COUNTY HEALTH OFFICER

APPROVED: HOWARD COUNTY OFFICE OF PLANNING AND ZONING
 Signature: *[Signature]* DATE: 1-20-81
 CHIEF OF DIVISION OF LAND DEVELOPMENT



APPROVED FOR PUBLIC WATER, PUBLIC SEWERAGE AND STORM DRAINAGE SYSTEMS AND ROADS
 HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS
 Signature: *[Signature]* DATE: 1-13-81
 DIRECTOR

CHIEF BUREAU OF ENGINEERING
 Signature: *[Signature]* DATE: 1-13-81

Reviewed for Howard County S.C.D. and meets Technical Requirements
 Signature: *[Signature]* DATE: 1/24/80
 U.S. Soil Conservation Service

This development plan is approved for soil erosion and sediment control by the Howard Soil Conservation District.
 Signature: *[Signature]* DATE: 10-21-80
 HOWARD S.C.D.

ON-SITE PAVING STANDARDS
 Note: Base will be primed in accordance with Section C-36-3 and tack coat is required in accordance with Section C-31-4 as provided in the Howard County Road Construction Code and Standard Specifications.



STABILIZATION & CONSTRUCTION SEQUENCE
 Denuded areas not being worked on during the construction process are to be stabilized with early vegetation. Upon completion of final site grading & paving, vegetative areas are to be sodded or seeded & mulched. Erosion & Sediment Controls will be removed as a final item.


CONSTRUCTION SPECIFICATIONS

1. Stone size use M.S.H.A. size No. 2 (2 1/2\"/>

PERMANENT STABILIZATION NOTES

- Following all construction thru note 11 of the construction sequence, all disturbed unpaved areas will be stabilized as follows:
1. Apply Lime @ 2 Tons per Acre
 2. Apply 10-10-10 Fertilizer @ 25 lbs/1000 sq ft
 3. Plant areas with Kentucky 31 @ 5 lbs/1000 sq ft
 4. Mulch @ Straw at 1 1/2 to 2 Tons/Acre
 5. Anchor Mulch @ Sprayed Asphalt @ 0.1 gal/sq yd.

STRAW BALE DIKE



- Construction Specifications
1. Bales shall be placed in a row with ends tightly abutting the adjacent bales.
 2. Each bale shall be embedded in the soil a minimum of 4\"/>
- NOTE: Contractor may elect to use a Silt Fence in lieu of the Straw Bale Dike. It must comply with USDA SCS - United SFI and SF 1A


GENERAL NOTES

1. Construction is to be done so as not to interfere with traffic on U.S. Rte 1 or North Laurel Road.
2. Parking area is to be paved in accordance with Howard County Construction Code.
3. The ground of the existing house is to be retail sales space.
4. Elevations shown hereon were established from the Phase II Howard County Datum.
5. Parking

Office Space	1380 #	9 Spaces	3 Employees
Retail Sales	1350 #	9 Spaces	3
Handicapped		1 Space	
Total Spaces		19 Spaces	
6. Zoning of Subject property is B-2 per 1977 Zoning Plan.
7. All roads are public and existing fronting the property.
8. Any damage to the County owned or State owned right of way shall be corrected at the developer's expense.
9. Remove the existing wall at the intersection of U.S. Route #1 and North Laurel Road.
10. Screening planting to be used along U.S. Rte 1 and North Laurel Road.
11. Curb, Gutter, Paving along U.S. Rte #1 are to conform to the same as that along the property to the north of this parcel.
12. Driveway on U.S. Rte #1 is to be in accordance with S.M.A. Permit requirements.

LEGEND:

[Symbol]	New Pavement - SHA Std.
[Symbol]	Existing paving edges, Proposed Pavement - On-Site - Howard Co. Std.
[Symbol]	Existing Contours
[Symbol]	Proposed Contours



2 1/2\"/>

Provide Trapezoidal RipRap Outfall Channel as shown with 4.0' bottom width & 1.5:1 side slope; depth=0.75'. See Typ. Section, Sht 2.

STORM WATER MANAGEMENT NOTES

1. Storage Required: 1438 CF
 2. Storage Provided: 1447 CF
- 127 LF of 58\"/>

NOTE: Vehicular Ingress and Egress is restricted along U.S. Rte #1 frontage except at points approved by the Office of Planning and Zoning.

I certify that this plan for erosion and sediment control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard Soil Conservation District.
 Signature: *[Signature]* DATE: 5/14/80
 Engineer

I certify that all development and/or construction will be done according to this plan of development and plan for Erosion and Sediment Control, and I also authorize periodic on site inspection by the Howard Soil Conservation District or their authorized agents, as are deemed necessary.
 Signature: *[Signature]* DATE: 5/17/80
 Developer

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT

Approved: *[Signature]* DATE: _____
 Howard S.C.D.

Reviewed for	S.C.D.
Name	Requirements
Signature	Date
U.S. Soil Conservation Service	

SITE PLAN
 CLAYS STONE WORKS

6TH ELECTION DISTRICT
 LAUREL
 HOWARD COUNTY, MD.

TAX MAP 50 PARCEL NO. 378
 TOTAL AREA: 32,725 # = 0.75126 AC
 SCALE: 1\"/>

OWNER: ROBERT CLAY
 DEVELOPER: ROBERT CLAY INC. Phone: 792-0500
 P.O. BOX 54
 LAUREL, MD, 20810

APPROVED
 DIVISION OF LAND DEVELOPMENT

HOWARD COUNTY, MARYLAND
 DATE: 10-14-80

PREPARED BY
 THE J.E. CLARK CO.
 938 NICHOLS DRIVE
 LAUREL, MD. 20810

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT
Joseph P. Adams 1-19-81
 COUNTY HEALTH OFFICER DATE

APPROVED: HOWARD COUNTY OFFICE OF PLANNING AND ZONING
Thomas J. Hamrick 1-20-81
 PLANNING DIRECTOR DATE

APPROVED: HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS
William V. Rave 1-20-81
 CHIEF DIVISION OF LAND DEVELOPMENT DATE

APPROVED FOR PUBLIC WATER, PUBLIC SEWERAGE AND STORM DRAINAGE SYSTEMS & ROADS
 HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS
William V. Rave 1-13-81
 DIRECTOR DATE

William V. Rave 1-13-81
 CHIEF BUREAU OF ENGINEERING DATE







Reviewed for Howard County S.C.D. and meets Technical Requirements
James M. Helms 10/21/80
 U.S. SOIL CONSERVATION SERVICE DATE

This development plan is approved for soil erosion & sediment control by the Howard County Soil Conservation District

APPROVED:
William V. Rave 10-21-80
 HOWARD S.C.D. DATE

STRUCTURE SCHEDULE			
NO	TYPE	TOP ELEV	REMARKS
1	Junction Box	173.7	MD SHA STD 640.02
2	CI'D Inlet	176.0 (Grate)	Howard Co Std D-65
3	Field Connection		

* See Detail Left



APPROVED
 DIVISION OF LAND DEVELOPMENT

HOWARD COUNTY, MARYLAND
 DATE 10-14-80

PROFILE & MISC. DETAILS
 CLAYS STONE WORKS
 6th ELECTION DISTRICT
 LAUREL
 HOWARD COUNTY, MD.
 TAX MAP 50 PARCEL # 378
 OWNER: ROBERT CLAY
 DEVELOPER: ROBERT CLAY, INC.
 P.O. BOX 54, LAUREL, MD. 20810
 Phone 792 0500

PREPARED BY
 THE J.E. CLARK Co.
 938 NICHOLS DRIVE
 LAUREL, MD. 20810

6LS-4319

sh. 2 of 2