


- Legend**
- Existing Contours ----- 214
 - Proposed Contours ----- 214
 - Existing Bituminous Paving [hatched pattern]
 - Proposed Bituminous Paving [hatched pattern]
 - Proposed Concrete [dotted pattern]
 - Proposed Concrete Curb & Gutter [dotted pattern]

PARCEL 'E'
"The Junction Industrial Park"
Section 2 Area 1
Zone: M-2

PARCEL 'D'
"The Junction Industrial Park"
Section 2 Area 1
Zone: M-2



General Notes

The Junction Industrial Park Plat No. 744-4-15-87
 Total area of parcel = 4,292.0 acres
 Present zoning - M-2
 Proposed use - Int'l. Manufacture/Warehouse
 Proposed floor area: Building - 62,225 sq ft
 Mezzanine - 3,788 sq ft
 Total - 66,013 sq ft

Total Parking Provided - 55 Spaces
 * Includes 4 Handicap Spaces

Green Space Required
5% Parking Area - 20% Total Area

Parking Area	76,473 sq ft
Parking Area Green Space	7,191 sq ft or 9.1%
Total	55,449 sq ft or 29.7%

Parking Schedule

Area	Proposed Employees	Required Spaces	Provided Spaces
Manufacture 21,000 sq ft	32	42	40
Office 10,800 sq ft	22	16	16
Warehouse 32,223 sq ft	10	10	10
Visitors	6	6	6
Handicap	4	4	4
Total		78	76

Address Chart

Parcel	Street Address		
F	9025 Junction Drive		
Subdivision Name Sect/Area Parcel			
Junction Industrial Park 2/1 F			
Plat	Block	Zone	Tax Map Elect. Dist. Census Tr.
7144	19	M-2	48 6 6064
Water Code		Sewer Code	
C-04		40E-0000	

Owner/Developer
 GFC Limited Partnership
 % J. Webb, Inc.
 3985 Chain Bridge Road
 Fairfax, Va. 22030
 (703) 352-3876

SDP 88-05

SITE DEVELOPMENT PLAN
 Parcel 1F
 Section 2 Area 1
JUNCTION INDUSTRIAL PARK
 ELECTION DISTRICT GILFORD MDG
 HOWARD COUNTY, MARYLAND

Macris, Hendricks and Wisner
 Engineers • Planners • Surveyors

(301) 670-0845

CALL "MISS UTILITY"
 TELEPHONE 1-800-257-7777
 FOR UTILITY LOCATIONS
 AT LEAST 48 HOURS BEFORE
 BEGINNING CONSTRUCTION

APPROVED For Public Water and Public Sewerage Systems Howard County Health Department
Joyce G. Baker 11-15-87
 County Health Officer Date


APPROVED Howard County Office of Planning and Zoning
W. A. H. [Signature] 11-23-87
 Planning Director Date
A. P. [Signature] 19 Nov 87
 Chief, Division of Land Development and Zoning Administration Date

APPROVED For Public Water and Public Sewerage Storm Drainage Systems and Public Roads Howard County Department of Public Works
 Director Date
 Chief Bureau of Engineering Date

8-10-87


Storm Water Management for this site is provided by Plan No. F 86/20 for Junction Industrial Park.

Note: Proposed building to be protected with an approved automatic sprinkler system.



Jamie C. Blasczak

- ALL PIPE ELEVATIONS SHOWN ARE INVERT ELEVATIONS.
- FOR DETAILS NOT SHOWN ON THE DRAWINGS USE HOWARD COUNTY STANDARD DETAILS, UNLESS OTHERWISE NOTED.
- FOR MATERIAL AND CONSTRUCTION METHODS USE HOWARD COUNTY STANDARD SPECIFICATIONS.
- CONTRACTOR SHALL NOTIFY THE FOLLOWING UTILITIES OR AGENCIES AT LEAST FIVE (5) WORKING DAYS BEFORE STARTING WORK SHOWN ON THESE PLANS:
BALTIMORE GAS & ELECTRIC CO. - UNDERGROUND ELECTRIC DISTRIBUTION
CUSTOMER SERVICE: 685-0123
BALTIMORE GAS & ELECTRIC COMPANY - UNDERGROUND ELECTRIC DISTRIBUTION
CUSTOMER SERVICE: 685-0123
"MISS UTILITY": 1-800-257-7777
CHESAPEAKE & POTOMAC TELEPHONE COMPANY: 725-9976
- CONTRACTOR SHALL LOCATE EXISTING UTILITIES A MINIMUM OF TWO (2) WEEKS IN ADVANCE OF CONSTRUCTION OPERATIONS IN THE VICINITY OF PROPOSED UTILITIES AT HIS OWN EXPENSE.
- ALL 6" SEWER MAINS SHALL BE P.V.C.
- CONTRACTOR SHALL PROVIDE A JOINT IN ALL SEWER MAINS WITHIN 2'-0" OF EXTERIOR MANHOLE WALLS.
- ALL WATER MAINS SHALL BE D.I.P. UNLESS OTHERWISE NOTED.
- TOP OF ALL WATER MAINS SHALL HAVE A MINIMUM OF 3-1/2' COVER UNLESS OTHERWISE NOTED.
- VALVES ADJACENT TO TREES SHALL BE STRAPPED TO TREES.
- BLOCK ALL FITTINGS WITH CONCRETE.
- ALL WATER HOUSE CONNECTIONS SHALL BE FOR AN INSIDE METER SETTING.




180


180

Sewer Profile

Scales: Horiz. 1"=100'
Vert. 1"=10'



Landscaped Mound @ Junction Drive Detail
No Scale



REINFORCED CONCRETE PAD FOR TRASH DUMPSTER
No Scale

CALL "MISS UTILITY"
TELEPHONE 1-800-257-7777
FOR UTILITY LOCATIONS
AT LEAST 48 HOURS BEFORE
BEGINNING CONSTRUCTION

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS HOWARD COUNTY HEALTH DEPARTMENT.

Jorge Bonilla
COUNTY HEALTH OFFICER
DATE 11-13-87

APPROVED HOWARD COUNTY OFFICE OF PLANNING AND ZONING


Wm. Amis
PLANNING DIRECTOR
DATE 11-23-87
PO Fields
CHIEF DIVISION OF LAND DEVELOPMENT AND ZONING ADMINISTRATION
DATE 19 Nov 87

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE STORM DRAINAGE SYSTEMS AND PUBLIC ROADS HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS.


M. Williams
DIRECTOR
DATE 11-2-87

M. Williams
CHIEF BUREAU OF ENGINEERING
DATE 11-2-87

APPROVED PLANNING ADMINISTRATION
DATE 8-10-87



PAVING SECTION (Alternate)
Howard Co. Std. 201, P.2
No Scale



PAVING SECTION
Howard Co. Std. 201, P.2
No Scale

SPECIFICATION

Handicapped Parking Space Violation Fine Notation

Pursuant to Howard County Council Bill 58-84 which established a Fifty-Dollar (\$50.00) fine for violating provisions for Handicapped Parking and provided for posting notifications of that fine, this specification describes the sign authorized for posting and the associated mounting detail.

- Sign (1/2 size)




Sign to utilize an aluminum blank 6" x 12" x 0.080 inch thick with two (2) single post mounting holes.

The text and border shall be standard green to match that on R7-8 and the background shall be reflective white. Text shall be in 3" characters.

- Mounting

Above sign shall be mounted directly below the standard R7-8 Reserved Parking for Handicapped sign. Its bottom edge shall be no less than 7 feet above ground. If the sign is placed against a building, structure, or other location where vehicle or pedestrian traffic is not obstructed the bottom edge of sign shall be at least 6 feet but not more than 10 feet above ground. Because this is an addition to existing sign installations, some adjustment in height will be necessary.



*REDUCE SPACING 50%
**SEE PAGE 1064 FOR SYMBOL DESIGN

COLORS

LEGEND AND BORDER-GREEN
WHITE SYMBOL ON BLUE BACKGROUND
BACKGROUND-WHITE

Owner/Developer
GFC Limited Partnership
% J. Webb, Inc.
3905 Chain Bridge Road
Fairfax, Va. 22030
(703) 352-3976

James C. Blawie

SDP 88-05


SITE DEVELOPMENT PLAN
Parcel F
Section 2 Area 1
JUNCTION INDUSTRIAL PARK
ELECTION DISTRICT GILFORD No. 6
HOWARD COUNTY, MARYLAND

Macris, Hendricks and Witmer P.A.
Engineers-Surveyors
Suite 206
15209 Frederick Road
Rockville, MD. 20850
(301) 340-8705

Designed	Drawn
—	Deity
Date	Scale
7/7/87	As Noted
Job No.	Sheet
87-170	2 of 6

GENERAL PAVING AND STORM DRAIN NOTES

- All pipe elevations shown are invert elevations.
- All storm drainage construction and materials shall be in accordance with Howard County Standards and Specifications.
- Contractor shall locate existing utilities a minimum of 2 weeks in advance of construction operations in the vicinity of proposed utilities at his own expense.
- All types of structures refer to the Howard County Standard Specifications and Details for Construction.
- Information concerning underground utilities was obtained from available records, but the contractor must verify the exact locations and elevations of the main by using test pits by hand at all utility crossings well in advance of trenching. If clearances are less than shown on the plan or (12) twelve inches whichever is less, contact the Montgomery County Department of Transportation's inspector and the appropriate utility owner proceeding with construction.
- All concrete curb and gutter to be Howard County Standard Detail R-3.01 "7" Combination Curb and Gutter."
- All paving materials and construction shall be in accordance with Howard County Standards and Specifications.
- Trim edge when tying in existing paving to provide a clean straight vertical joint.



Storm Drain Profiles
 Scales: Horiz 1"=50'
 Vert 1"=5'

No	Structure Type	Top Elevation	Bottom Elevation	Remarks
1	A-5 Inlet	204.76	204.6	Howard Co Std SD/401
2	A-5 Inlet	211.12	211.0	Howard Co Std SD/401

Size	Type	Length
12"	RCP cl. IV	76'
15"	RCP cl. IV	50'

CALL "MISS UTILITY"
 TELEPHONE 1-800-257-7777
 FOR UTILITY LOCATIONS
 AT LEAST 48 HOURS BEFORE
 BEGINNING CONSTRUCTION

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS HOWARD COUNTY HEALTH DEPARTMENT
 COUNTY HEALTH OFFICER DATE 11-13-87

APPROVED HOWARD COUNTY OFFICE OF PLANNING AND ZONING
 PLANNING DIRECTOR DATE 11-23-87
 CHIEF DIVISION OF LAND DEVELOPMENT AND ZONING ADMINISTRATION DATE 19 NOV 97

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE STORM DRAINAGE SYSTEMS AND PUBLIC ROADS HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS
 DIRECTOR DATE
 CHIEF BUREAU OF ENGINEERING DATE

DIVISION OF LAND DEVELOPMENT AND ZONING ADMINISTRATION
 HOWARD COUNTY
 DATE 8-10-87

Owner/Developer
 GFC Limited Partnership
 96 J Webb, Inc
 3983 Chain Bridge Road
 Fairfax, Va. 22030
 (703) 352-3376

James W. Witmer

SDP 88-05

SITE DEVELOPMENT PLAN
 Parcel F
 Section 2 Area 1
JUNCTION INDUSTRIAL PARK
 ELECTION DISTRICT GILFORD No 6
 HOWARD COUNTY, MARYLAND

Macris, Hendricks and Witmer P.A.
 Engineers-Surveyors
 Suite 206
 15209 Frederick Road
 Rockville, MD, 20850
 (301) 774-0664


Designed	Drawn
7/7/87	Betty
Scale	As Noted
Job No	Sheet
87-170	3 of 6

SDP-88-05

Developer's Certification
 I certify that all development and construction will be done according to this plan, and that any responsible personnel involved in the construction project will have a certificate of attendance at a Department of National Resources Approved Training Program for the control of sediment and erosion before beginning the project.
 Date: 8/31/87
 Signature: J. Hendricks

Engineer's Certification
 I certify that this plan for Erosion and Sediment Control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard Soil Conservation District.
 Date: 8/31/87
 Signature: J. Hendricks
 Req. No. _____

Pipe Outlet Sediment Trap No. 1
 Drainage Area: 15 Ac.
 Storage Required: 100.0 cy.
 Storage Provided: 120.0 cy.
 Size @ Outlet Elev.: 20' x 20'
 @ Bottom: 5'3" x 13'
 3'5"
 Depth: _____
 Outlet Elevation: 210.0
 Bottom Elevation: 200.5



General Notes
 The Junction Industrial Park Plat No. 7144-4-13-87
 Total area of parcel: 4.2920 acres
 Present zoning: M2
 Proposed use: Ink Manufacture/Warehouse
 Proposed floor area: Building - 62,223 sq. ft.
 Mezzanine - 3,998 sq. ft.
 Total - 66,223 sq. ft.

Green Space Required
 5% Parking Area - 20% Total Area

Parking Area	76,473 sq. ft.
Parking Area Green Space	7,191 sq. ft. or 9.4%
Total Green Space	55,449 sq. ft. or 29.7%

Parking Schedule

Area	Proposed Employees	Required Spaces	Provided Spaces
Manufacture 21,000 sq. ft.	32	42	03
Office 10,000 sq. ft.	22	16	16
Warehouse 32,223 sq. ft.	10	10	10
Visitors 6	6	6	6
Handicap 4	4	4	4
Total	78	78	39

FENCE NOTE
 The temporary fence around the sediment traps shall be permanent or semi-permanent portable fence not less than 42" in height with openings not greater than 3" in width. This fence shall be firmly anchored and constructed.

Stone Outlet Sediment Trap No. 2
 Drainage Area: 1.8 Ac.
 Storage Required: 120.0 cy.
 Storage Provided: 121.3 cy.
 Size @ Outlet Elev.: 30' x 30'
 @ Bottom: 30' x 30'
 Depth: 3.0'
 Outlet Elev.: 204.0
 Bottom Elev.: 201.0
 Length of Stone: 5'

CALL "MISS UTILITY"
 TELEPHONE 1-800-257-7777
 FOR UTILITY LOCATIONS
 AT LEAST 48 HOURS BEFORE
 BEGINNING CONSTRUCTION

APPROVED For Public Water and Public Sewerage Systems Howard County Health Department
 Date: 11-13-87
 Signature: [Signature]

APPROVED Howard County Office of Planning and Zoning
 Date: 11-23-87
 Signature: [Signature]

APPROVED For Public Water and Public Sewerage Storm Drainage Systems and Public Roads Howard County Department of Public Works
 Date: 8-10-87
 Signature: [Signature]

APPROVED DIVISION OF LAND DEVELOPMENT & ZONING ADMINISTRATION HOWARD COUNTY MARYLAND
 DATE: 8-10-87

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT
 DATE: 11-4-87
 Signature: [Signature]
 HOWARD S.C.D. DATE: 11-4-87

LEGEND
 Proposed Contour
 Existing Contour
 Drainage Divide
 Limit of Disturbance
 Stabilized Construction
 Entrance
 Earth Dike
 Silt Fence

Address Chart

Parcel	Street	Address
F	9025	Junction Drive
Subdivision Name Sect./Area Parcel		
Junction Industrial Park 2/1 F		
Plat	Block	Zone Tax Map Elect. Dist. Census Tr.
7144	19	M-2 48 6 6064
Water Code		Sewer Code
C04		402.0000

SDP 88-05 Revisions: Revised location of chemical storage tanks and revised spot elevations around building 3-23-88

SOIL EROSION & SEDIMENT CONTROL PLAN
 Parcel 'F'
 Section 2 Area 1
JUNCTION INDUSTRIAL PARK
 ELECTION DISTRICT GILFORD No. 6
 HOWARD COUNTY, MARYLAND

Designed: K.W.K. Drawn: Ed
 Date: 7/7/87 Scale: 1" = 30'
 Job No: 87-170 Sheet: 4 of 6
 (301) 670-0840 Suite 220 9220 Wightman Road Gaithersburg, Maryland 20878

Owner/Developer: GFC Limited Partnership % J. Webb Inc. 37083 Chain Bridge Rd. Fairfax, Va. 22030 (703) 352-3076








DRIVE

JUNCTION

PROPOSED BUILDING
 FF: 214.5

Total Disturbed Area: 4.25 Ac.



- GENERAL NOTES
- Contractor shall notify the Howard County Sediment Control Division at least 24 hours before beginning any work.
 - All vegetative and structural practices are to be installed according to the provisions of this plan and also to be in conformity with the 1993 Maryland Standards and Specifications for Soil Erosion and Sediment Control.
 - Following initial disturbance or re-disturbance, permanent or temporary stabilization shall be completed within:
 - 7 calendar days for all perimeter sediment control structures, dikes, perimeter slopes and all slopes greater than 3:1.
 - 14 calendar days as to all other disturbed or graded areas on project site.
 - All sediment traps and/or basin shown must be fenced and warning signs posted around their perimeter in accordance with Volume 1, Chapter 12 of the Howard County Design Manual, Storm Drainage.
 - All disturbed areas must be stabilized within the time period specified above in accordance with the 1993 Maryland Standards and Specifications for Soil Erosion and Sediment Control for permanent seeding (Section 51), Sod (Section 54), temporary seeding (Section 50) and mulching (Section 52). Temporary stabilization with mulch can only be done when recommended seeding dates do not allow for proper germination and establishment of grasses.
 - All sediment control structure are to remain in place and are to remain in operative condition until permission for their removal has been obtained from the Howard County Sediment Control Inspector.
 - Site Analysis, see sheet 4 of 6.
 - Any sediment control practice which is disturbed by grading activities or placement of utilities must be repaired on the same day of disturbance.
 - Additional sediment control must be provided, if deemed necessary by the Howard County Department of Public Works, Sediment Control Inspector.
 - On all sites with Drainage Area in excess of 2 acres approval of the Inspection Agency shall be requested upon completion of installation or perimeter erosion and sediment control but before proceeding with any other earth disturbance or grading. Other building or grading inspection approval may not be authorized until this initial approval by Inspection Agency is made.

- SEQUENCE OF CONSTRUCTION
- Obtain grading permit. Construct all sediment control devices as shown on this plan prior to any other site disturbance.
 - Clear and grub area within the limits of disturbance.
 - Grade new parking area and new building site.
 - Begin building construction.
 - Install storm drain and all other site utilities.
 - Pave new parking area.
 - When the site is stabilized and upon receiving permission from the Howard County inspector remove the sediment control structures and stabilize the area occupied by the structures.

CALL "MISS UTILITY"
TELEPHONE 1-800-257-7777
FOR UTILITY LOCATIONS
AT LEAST 48 HOURS BEFORE
BEGINNING CONSTRUCTION

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS HOWARD COUNTY HEALTH DEPARTMENT.

Joguen Brulles
COUNTY HEALTH OFFICER
11-13-87
DATE

APPROVED HOWARD COUNTY OFFICE OF PLANNING AND ZONING.

W. P. Fields
PLANNING DIRECTOR
11-23-87
DATE

CHIEF DIVISION OF LAND DEVELOPMENT AND ZONING ADMINISTRATION

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE STORM DRAINAGE SYSTEMS AND PUBLIC ROADS HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS.

DIRECTOR

DATE

CHIEF BUREAU OF ENGINEERING

DATE

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT.

HOWARD S.C.D. _____ DATE

REVIEWED FOR HOWARD S.C.D. AND MEETS TECHNICAL REQUIREMENTS

James W. Hendricks
U.S. SOIL CONSERVATION SERVICE
11-4-87
DATE

APPROVED FOR HOWARD S.C.D. AND MEETS TECHNICAL REQUIREMENTS

8-10-87
DATE

James W. Hendricks

SDP 88-05



SOIL EROSION & SEDIMENT CONTROL PLAN
Parcel 'F'
Section 2 Area 1
JUNCTION INDUSTRIAL PARK
ELECTION DISTRICT GILFORD No. 6
HOWARD COUNTY, MARYLAND

Owner/Developer
GFC Limited Partnership
% J Webb Inc.
3083 Chain Bridge Rd.
Fairfax, Va 22030
(703) 352-3076

Designed K.W.K.	Drawn Ed
Date 7/7/87	Scale As Noted
Job No 87-170	Sheet 5 of 6

Macris, Hendricks and Witmer P.A.
Engineers • Planners • Surveyors
Suite 220
9220 Wightman Road
Gaithersburg, Maryland
20879
(301) 670-0840

SDP-88-05



General Notes
 The Junction Industrial Park, Plat No 7144 4-13-87
 Total area of parcel: 4.2920 acres
 Present zoning - M2
 Proposed use - Ink Manufacture/Warehouse
 Proposed floor area: Building - 62,225 sq ft
 Mezzanine - 3,998 sq ft
 Total - 66,223 sq ft

Green Space Required	
5% Parking Area - 20% Total Area	
Parking Area	76,473 sq ft
Green Space	7,191 sq ft or 9.4%
Total	55,449 sq ft or 29.7%


- NOTES**
- This plan is for landscaping only!
 - Contractor shall verify location of all underground utilities prior to beginning work.
 - No plant substitutions without prior approval of landscape architect.
 - Where field conditions exist which would adversely affect plant performance, or which interfere with proper planting procedures, notify the landscape architect at once.
 - All plant materials shall meet or exceed the standards set forth in the latest edition of the ANSI standards for Nursery Stock.
 - All areas not otherwise indicated are to be seeded.
 - Plant Quantities are for convenience only, and the contractor will be required to supply all plant materials as indicated on the drawing.

CALL "MISS UTILITY"
 TELEPHONE 1-800-257-7777
 FOR UTILITY LOCATIONS
 AT LEAST 48 HOURS BEFORE
 BEGINNING CONSTRUCTION

APPROVED For Public Water and Public Sewerage Systems, Howard County Health Department
 Joyen Byler, County Health Officer, 11-17-87 Date

APPROVED Howard County Office of Planning and Zoning
 PD Fields, Planning Director, 11-23-87 Date
 19 Nov 87 Date
 Chief, Division of Land Development and Zoning Administration

APPROVED For Public Water and Public Sewerage Storm Drainage Systems and Public Roads, Howard County Department of Public Works
 Director, Date



PLANTS

KEY	QTY.	BOTANICAL NAME	COMMON NAME	CAL.	HGT.	SPD.	MISC.
CP	6	CRATAEGUS PHAENOPYRUM	WASHINGTON HAWTHORN		8-10' HT		B+B
PC	7	PYRUS CALLERYANA 'REDSPIRE'	REDSPIRE CALLERY PEAR	2-2 1/2" C			
TC	27	TILIA CONDATA	LITTLE LEAF LINDEN	2 1/2" C			30" DB 2 1/2" C MIN.
CH	3	TSUGA CANADENSIS	CANADA HEMLOCK		5'-6"		

NOTE: PRUNE FOLIAGE BACK BY 1/3. MAINTAIN NATURAL PLANT FORM.

Owner/Developer
 G.F.C. Limited Partnership
 % J. Webb, Inc.
 3983 Chain Bridge Road
 Fairfax, Va. 22030
 (703) 352-3976

Address Chart

Parcel	Street Address				
F	9025 Junction Drive				
Subdivision Name					
Junction Industrial Park	2/11				
Parcel					
Plat	Block	Zone	Tax Map	Elect. Dist.	Census Tr.
7144	19	M-2	48	6	6064
Water Code		Sewer Code			
C04		402.0000			

SDP 88-05 Revisions: Revised location of chemical storage tank location and revised spot elevation around building. 3-28-88

LANDSCAPE PLAN
 Parcel 'I'
 Section 2 Area 1
JUNCTION INDUSTRIAL PARK
 ELECTION DISTRICT GILFORD No. G
 HOWARD COUNTY, MARYLAND

Designed **K.W.K.** Drawn **R.M./C.K.**
 Date 7/7/87 Scale 1" = 30'
Macris, Hendricks and Witmer P.A.
 Engineers • Planners • Surveyors
 Suite 220
 9220 Wightman Road
 Gaithersburg, Maryland 20879
 (301) 670-0840
 Job No. 87-170 Sheet 6 of 6

SDP-88-05