


LEGEND


Contour Interval 2 Ft
 Existing Contour ---
 Proposed Contour ---
 Spot Elevation +302
 Direction of Drainage
 Existing Trees to Remain

SPECIAL NOTE


Improvements shown within the rights-of-way on this SDP are not to be used for construction. See approved Road Construction Plans P-01-99 and M-01-99 approved Water and Sewer plans Contract Number 44-1512-D.



- GENERAL NOTES**
- Subject property zoned R-MH as per 8-2-85 Comprehensive Zoning Plan.
 - The coordinates shown hereon are based upon The Maryland State Grid System Origin of coordinates; Howard County Geodetic Control Points 2444005 and 2445001.
 - All roadways are public and existing.
 - Total area included in this submission: 5.17 Ac.
 - Total number of lots: 51
 - Any damage to county owned rights-of-way shall be corrected at the developer's expense.
 - Maximum lot coverage is: 40% (See Typical Houses for Min. Lot Size.)
 - Reference plans F-07-156, F-08-104, F-01-99 and WP-01-99 and SDP-06-234.
 - The contractor or developer shall contact the Construction Inspection Survey Division, 24 hours in advance of commencement of work at 706-2320.
 - The existing topography shown was field run by Clark Finefrock Sackett, Inc.
 - Improvement to property: Mobile Home subdivision
 - SHC & WHC will be abandoned where necessary by Developer.
 - The wetlands and stream buffer indicated on this plan does not effect the initial construction of a residential unit on any lot. It does prohibit subsequent clearing, grading or construction in the buffer area. Maintenance of residences, landscaping and utilities is permitted.
 - Waiver petition WP-01-99 requested a waiver to section 16.119 for a sketch plan, section 16.120 for a preliminary plan, section 16.113, F3 to reduce the road R/W truncation at the southwest corner of Old Highgate Drive and Old Rockbridge Drive and to section 16.113.C3 to waive installing cut-de-sacs at the end of East Gate Drive and Friar Tuck Court. This waiver petition was considered and approved on Feb. 28, 1991.
 - Only manufactured dwelling units are permitted in this mobile home subdivision per Section 103.A.33 and 111.B.2 of the Zoning Regulations.
 - For Driveway Abutting Detail, see Howard County Design Details R-603 & R-6-05.



FOR CONTINUATION - SEE SHEET 2 OF 2



ADDRESS CHART

LOT#	STREET	ADDRESS
5	5534	Huntshire Drive
47	6475	Old Highgate Drive
48	6475	"
49	6471	"
51	6459	"
52	6455	"
53	6451	"
76	6411	East Gate Drive
77	6407	"
78	6452	Old Highgate Drive
79	6456	"
80	6460	"
81	6404	Friar Tuck Court
82	6408	"
83	6417	"
84	6413	"
85	6409	"
86	6405	"
87	6466	Old Highgate Drive
88	6470	"
89	6474	"
90	6478	"
91	6539	Huntshire Drive
92	6535	"
93	6531	"
94	6529	"

THIS PLAN SUPERCEDES PREVIOUSLY APPROVED SDP 91-115 SHEET 1 OF 7. THE GRADING ON THIS SHEET SUPERCEDES THE GRADING ON SHEET 1 OF 7.

OWNER/DEVELOPER
SECURITY DEVELOPMENT CORP.
P.O. Box 417
Ellicott City, Md. 21043

Subdivision Name: NOTTINGHAM VILLAGE
 Plot No./Block No.: 99-49-0951/16
 Water Code: DOG
 Zoned: R-MH
 Tax Map No.: 37
 Elec. Dist.: 121
 Census Tr.: 6011
 Sect./Area: 37
 Lots: See Below
 Sewer Code: 21530000

APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT

James R. Bigham 4/14/92
 COUNTY HEALTH OFFICER DATE

APPROVED: HOWARD COUNTY DEPT. OF PLANNING & ZONING


James R. Bigham 4/20/92
 DIRECTOR DATE

APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE, STORM DRAINAGE SYSTEMS AND PUBLIC ROADS HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS

James R. Bigham 4/6/92
 DIRECTOR DATE

REVISION

No.	REVISION	Date
1	Rev. Driveway entrance details	4-1-92
2	House Type Revisions	4-9-92
3	REVISED HOUSE TYPE BY MILLANBERG, NACHT & ASSOC. LOT 21	10-02
4	Rev. hse. f. yard, lot 53, Add hse. typical	3-1-95



CLARK • FINEFROCK & SACKETT, INC.
 ENGINEERS • PLANNERS • SURVEYORS
 7135 MINSTREL WAY • COLUMBIA, MD 21045 • (301) 381-7500 - BALTO. • (301) 621-8100 - WASH.

DESIGNED: VLP
 DRAWN: LAI
 CHECKED: JME
 DATE: MARCH 1992

REVISED SITE DEVELOPMENT PLAN
 LOTS 5, 26, 27, 30-35, 37, 38, 47-49, 51-56, 58
 62-68, 71, 72, 74-94

NOTTINGHAM VILLAGE
 SECTION 1
 1st ELECTION DISTRICT
 HOWARD COUNTY, MARYLAND



FOR: CORNERSTONE HOME INC.
 1825 Bolton Street
 Baltimore, Maryland 21217

SCALE: 1" = 30'
 DRAWING: 10F7
 JOB NO.: 92-018
 FILE NO.: 92-018-X

SDP-91-115

LEGEND

Contour Interval 2 Ft
 Existing Contour 230
 Proposed Contour 230
 Spot Elevation +30.2
 Direction of Drainage
 Existing Trees to Remain
 Stabilized Construction Entrance w/ Mountable Berm
 5' Fence S-S
 Earth Dike E.D. (A-1)



FOR CONTINUATION - SEE SHEET 2 OF 2

APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT <i>James J. Blawie</i> 9-10-91 COUNTY HEALTH OFFICER DATE	APPROVED: HOWARD COUNTY DEPT. OF PLANNING & ZONING <i>James J. Blawie</i> 9/17/91 DIRECTOR DATE	APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE, STORM DRAINAGE SYSTEMS AND PUBLIC ROADS HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS <i>James J. Blawie</i> 9/2/91 DIRECTOR DATE
APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE, STORM DRAINAGE SYSTEMS AND PUBLIC ROADS HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS <i>James J. Blawie</i> 9-2-91 CHIEF BUREAU OF ENGINEERING DATE		

NO.	REVISION	DATE
1.	Rev. hae. type from 2430 to 2440 Lots 40, 53, 78, 84, 87, 88, 91.	7-1-91

Reviewed for: **HOWARD** S.C.D.
 Name
 and meets Technical Requirements
John R. Robinson 8/23/91
 Signature Date
 U.S. Soil Conservation Service

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT.
John R. Robinson 8/23/91
 Approved Date

DEVELOPER'S/BUILDER'S CERTIFICATE
 I/We certify that all development and construction will be done according to this plan of development and plan for erosion and sediment control and that all responsible personnel involved in the construction project will have a Certificate of Attendance at a Dept. of Natural Resources Approved Training Program for the Control of Sediment and Erosion before beginning the project. I also authorize periodic on-site inspection by the Howard Soil Conservation District or their authorized agents, as are deemed necessary.
Maurice M. Imple 5-22-91
 Signature of Developer/Builder Date

ENGINEER'S CERTIFICATE
 I hereby certify that this plan for Erosion and Sediment Control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard Soil Conservation District.
Jeffrey J. Schwab 5/22/91
 Date

OWNER/DEVELOPER
 SECURITY DEVELOPMENT CORP
 P.O. Box 417
 Ellicott City, Md. 21043

CLARK • FINEROCK & SACKETT, INC.
 ENGINEERS • PLANNERS • SURVEYORS
 7135 MINSTREL WAY • COLUMBIA, MD 21045 • (301) 381-7500 • BALTO. • (301) 621-8100 -- WASH.

DESIGNED KIWM	SEDIMENT & EROSION CONTROL PLAN LOTS 5, 26, 27, 30-35, 37, 38, 47-49, 51-56, 58 62-68, 71, 72, 74-94	SCALE 1" = 30'
DRAWN BAL		DRAWING 3 OF 7
CHECKED KIWM	NOTTINGHAM VILLAGE SECTION 1 1st ELECTION DISTRICT HOWARD COUNTY, MARYLAND	JOB NO. 91-051
DATE MAY, 1991		FILE NO. 91-051BE

FOR: THE RYLAND GROUP
 7130 Minstrel Way
 Columbia, Maryland 21045

SDP-91-115

SEDIMENT CONTROL NOTES

- 1) A minimum of 24 hours notice must be given to the Howard County Office of Inspection and Permits prior to the start of any construction. (992-2437)
- 2) All vegetative and structural practices are to be installed according to the provisions of this plan and are to be in conformance with the 1983 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL.
- 3) Following initial soil disturbance or redistribution, permanent or temporary stabilization shall be completed within: a) 7 calendar days for all perimeter sediment control structures, dikes, perimeter slopes and all slopes greater than 3:1, b) 14 days as to all other disturbed or graded areas on the project site.
- 4) All sediment traps/basins shown must be fenced and warning signs posted around their perimeter in accordance with Vol. 1, Chapter 12, of the HOWARD COUNTY DESIGN MANUAL, Storm Drainage.
- 5) All disturbed areas must be stabilized within the time period specified above in accordance with the 1983 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL for permanent seedings (Sec. 51) sod (Sec. 54), temporary seeding (Sec. 50) and mulching (Sec. 52). Temporary stabilization with mulch alone can only be done when recommended seeding dates do not allow for proper germination and establishment of grasses.
- 6) All sediment control structures are to remain in place and are to be maintained in operative condition until permission for their removal has been obtained from the Howard County Sediment Control Inspector
- 7) Site Analysis:


Total Area of Site	5.17 Acres
Area Disturbed	5.11 Acres
Area to be roofed or paved	1.64 Acres
Area to be vegetatively stabilized	3.47 Acres
Total Cut	5295 Cu. yds
Total Fill	5046 Cu. yds
Offsite waste/borrow area location	*

- 8) Any sediment control practice which is disturbed by grading activity for placement of utilities must be repaired on the same day of disturbance.
 - 9) Additional sediment control must be provided, if deemed necessary by the Howard County DFW sediment control inspector.
 - 10) On all sites with disturbed areas in excess of 2 acres, approval of the inspection agency shall be requested upon completion of installation of perimeter erosion and sediment controls, but before proceeding with any other earth disturbance or grading. Other building or grading inspection approvals may not be authorized until this initial approval by the inspection agency is made.
 - 11) If houses are to be constructed on an "As-Sold" basis, at random, Single Lot Sediment Control as shown below shall be implemented.
 - 12) All pipes to be blocked at the end of each day (see detail below).
 - 13) The total amount of straw bale dikes/silt fence equals 4710 L.F.
- * It is the responsibility of the contractor to identify soil/borrow sites and notify HSCD of the site and its Grading Permit number at the time of construction.

CONSTRUCTION SEQUENCE:

No. of Days

A. Obtain Grading Permit and Install Sediment and Erosion Control Devices and Stabilize.	7
B. Excavate for foundations and Rough Grade & Temporarily Stabilize.	30
C. Construct Structures, Sidewalks and Driveways.	120
D. Final Grade and stabilize in accordance with Stds. & Specs.	14
E. Upon approval of the sediment control inspector, remove sediment and erosion controls and stabilize.	7




CONSTRUCTION SPECIFICATIONS:

1. Stone size - Use 2" stone, or reclaimed or recycled concrete equivalent.
2. Length - As required, but not less than 50 feet (except on a single residence lot where a 30 foot minimum length would apply).
3. Thickness - Not less than six (6) inches.
4. Width - Ten (10) foot minimum, but not less than the full width of points where ingress or egress occurs.
5. Filter Cloth - Will be placed over the entire area prior to placing of stone. Filter will not be required on a single family residence lot.
6. Surface Water - All surface water flowing or directed toward construction entrances shall be piped across the entrance. If piping is impractical, a manhole berm with 5:1 slopes will be permitted.
7. Maintenance - The entrance shall be maintained in a condition which will prevent tracking or flowing of sediment onto public rights-of-way. This may require periodic top dressing with additional stone as conditions demand and repair and/or cleanup of any impurities used to trap sediment. All sediment spilled, trapped, washed or tracked onto public rights-of-way must be removed immediately.
8. Working - Wheels shall be cleaned to remove sediment prior to entrance onto public rights-of-way. When washing is required, it shall be done on an area stabilized with stone and which drains into an approved sediment trapping device.
9. Periodic inspection and needed maintenance shall be provided after each rain.

STABILIZED CONSTRUCTION ENTRANCE (SCE)

NO SCALE



CONSTRUCTION SPECIFICATIONS:

1. All dikes shall be constructed by earth-retaining equipment.
2. All dikes shall have positive drainage to an outlet.
3. Top width may be wider and side slopes may be flatter if deemed to facilitate clearing by construction traffic.
4. Stone dikes shall be constructed as provided to utilize a stabilized soil with 5:1 slopes. Only one side of the dike shall have a minimum of 5:1 slope. The other side shall be stabilized in a manner similar to that of a sediment trap or treatment basin where filter cloth is placed in the drainage area above the dike on an 8:1 slope.
5. Filter Cloth - Will be placed over the entire area prior to placing of stone. Filter will not be required on a single family residence lot.
6. Surface Water - All surface water flowing or directed toward construction entrances shall be piped across the entrance. If piping is impractical, a manhole berm with 5:1 slopes will be permitted.
7. Maintenance - The entrance shall be maintained in a condition which will prevent tracking or flowing of sediment onto public rights-of-way. This may require periodic top dressing with additional stone as conditions demand and repair and/or cleanup of any impurities used to trap sediment. All sediment spilled, trapped, washed or tracked onto public rights-of-way must be removed immediately.
8. Working - Wheels shall be cleaned to remove sediment prior to entrance onto public rights-of-way. When washing is required, it shall be done on an area stabilized with stone and which drains into an approved sediment trapping device.
9. Periodic inspection and needed maintenance shall be provided after each rain.

TYPE OF STABILIZATION	MINIMUM CHANNEL STABILIZATION	DIKE B
1. 15' - 20' High	15' - 20' High	15' - 20' High
2. 21' - 30' High	21' - 30' High	21' - 30' High
3. 31' - 40' High	31' - 40' High	31' - 40' High
4. 41' - 50' High	41' - 50' High	41' - 50' High

A Stone 1/2" to 2" stone, or recycled concrete equivalent, in a layer at least 1" thick and placed over the entire area prior to placing of stone.


8. Top width to be 4' in a layer at least 1" thick, placed over the entire area.

9. Approved equipment can be substituted for any of the above materials.

7. Periodic inspection and needed maintenance shall be provided after each rain.

EARTH DIKE DETAIL (E.D.)

NO SCALE




CONSTRUCTION SPECIFICATIONS:

1. When wire fence is to be installed securely to fence posts with wire ties or staples.
2. Filter Cloth to be fastened securely to woven wire fence with ties spaced every 24" at top and mid section.
3. When 2 sections of filter cloth adjoin each other they shall be overlapped 18" to 24" and tied.
4. Maintenance shall be performed as needed and material removed when "drip" develops in silt fence.

SILT FENCE DETAIL (S)

NO SCALE



* NOTE: Single lot detail can not be utilized if any two lots sharing common property lines are to be disturbed at the same time or on any lots showing a sediment trap.

NO. OF S.T. (S.F.V.)	NO. OF L.F.
1	100
2	200
3	300
4	400
5	500
6	600
7	700
8	800
9	900
10	1000

SINGLE LOT SEDIMENT CONTROL PLAN

NO SCALE

PERMANENT SEEDING NOTES

Apply to graded or cleared areas not subject to immediate further disturbance where a permanent long-lived vegetative cover is needed.

Seedbed Preparation: Loosen upper three inches of soil by raking, discing or other acceptable means before seeding, if not previously loosened.

Soil Amendments: In lieu of soil test recommendations, use one of the following schedules

- 1) Preferred - Apply 2 tons per acre dolomitic limestone (92 lbs/1000 square ft) and 600 lbs per acre 10-10-10 fertilizer (14 lbs/1000 sq ft) before seeding. Harrow or disc into upper three inches of soil. At time of seeding, apply 400 lbs per acre 30-0-0 ureaform fertilizer (9 lbs/1000 sq ft).
- 2) Acceptable - Apply 2 tons per acre dolomitic limestone (92 lbs/1000 sq ft) and 1000 lbs per acre 10-10-10 fertilizer (23 lbs/1000 sq ft) before seeding. Harrow or disc into upper three inches of soil.

Seeding - For the periods March 1 thru April 30, and August 1 thru October 15, seed with 60 lbs per acre (1.4 lbs/1000 sq ft) of Kentucky 31 Tall Fescue. For the period May 1 thru July 31, seed with 60 lbs Kentucky 31 Tall Fescue per acre and 2 lbs per acre (.05 lbs/1000 sq ft) of weeping lovegrass. During the period of October 16 thru February 28, protect site by Option (1) 2 tons per acre of well anchored straw mulch and seed as soon as possible in the spring. Option (2) Use sod. Option (3) Seed with 60 lbs/acre Kentucky 31 Tall Fescue and mulch with 2 tons/acre well anchored straw.

Mulching - Apply 1 1/2 to 2 tons per acre (70 to 90 lbs/1000 sq ft) of unrotted small grain straw immediately after seeding. Anchor mulch immediately after application using mulch anchoring tool or 218 gallons per acre (5 gal/1000 sq ft) of emulsified asphalt on flat areas. On slopes 8 feet or higher, use 348 gallons per acre (8 gal/1000 sq ft) for anchoring.

Maintenance - Inspect all seeded areas and make needed repairs, replacements and reseedings.

TEMPORARY SEEDING NOTES

Apply to graded or cleared areas likely to be redistributed where a short-term vegetative cover is needed.

Seedbed Preparation: Loosen upper three inches of soil by raking, discing or other acceptable means before seeding, if not previously loosened.

Soil Amendments: Apply 600 lbs per acre 10-10-10 fertilizer (14 lbs/1000 sq ft)

Seeding - For periods March 1 thru April 30 and from August 15 thru November 15, seed with 2 1/2 bushel per acre of annual rye (3.2 lbs/1000 sq ft). For the period May 1 thru August 14, seed with 3 lbs per acre of weeping lovegrass (.07 lbs/1000 sq ft). For the period November 16 thru February 28, protect site by applying 2 tons per acre of well anchored straw mulch and seed as soon as possible in the spring, or use sod.

Mulching - Apply 1 1/2 to 2 tons per acre (70 to 90 lbs/1000 sq ft) of unrotted small grain straw immediately after seeding. Anchor mulch immediately after application using mulch anchoring tool or 218 gal per acre (5 gal/1000 sq ft) of emulsified asphalt on flat areas. On slopes, 8 ft or higher, use 348 gal per acre (8 gal/1000 sq ft) for anchoring.

Refer to the 1983 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL for rate and methods not covered.

APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT

[Signature] 9-10-91

COUNTY HEALTH OFFICER DATE

APPROVED: HOWARD COUNTY DEPT. OF PLANNING & ZONING

[Signature] 9/17/91

DIRECTOR DATE

CHIEF DIVISION OF COMMUNITY PLANNING AND LAND DEVELOPMENT

APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE, STORM DRAINAGE SYSTEMS AND PUBLIC ROADS, HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS

[Signature] 9/13/91

DIRECTOR DATE

CHIEF BUREAU OF ENGINEERING

[Signature] 9/23/91

DATE

Reviewed for... HOWARD... S.C.D. Name and meets Technical Requirements

[Signature] 9/23/91

Signature Date

U.S. Soil Conservation Service

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT.

[Signature] 9/23/91

Approved

DEVELOPER'S/BUILDER'S CERTIFICATE

"I/We certify that all development and construction will be done according to this plan of development and plan for erosion and sediment control and that all responsible personnel involved in the construction project will have a Certificate of Attendance at a Department of the Environment Approved Training Program for the Control of Sediment and Erosion before beginning the project. I also authorize periodic on-site inspection by the Howard Soil Conservation District or their authorized agents, as are deemed necessary."

[Signature] 5/22/91

Signature Date

ENGINEER'S CERTIFICATE

I hereby certify that this plan for Erosion and Sediment Control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard Soil Conservation District.

[Signature] 5/22/91

JEFFREY J. SCHWAB DATE



OWNER / DEVELOPER
SECURITY DEVELOPMENT CORP.
P.O. BOX 417
Ellicott City, Md. 21043



CLARK • FINEFROCK & SACKETT, INC.
ENGINEERS • PLANNERS • SURVEYORS

7135 MINSTREL WAY • COLUMBIA, MD. 21045 • (301) 381-7500 - BALTO. • (301) 621-8100 - WASH.

DESIGNED KIWM	SEDIMENT & EROSION CONTROL PLAN LOTS 5, 26, 27, 30-35, 37, 38, 47-49, 51-56, 58 62-68, 71, 72, 74-84	SCALE As Shown
DRAWN BAL	NOTTINGHAM VILLAGE	DRAWING 5 OF 7
CHECKED KIWM	SECTION 1 1ST ELECTION DISTRICT HOWARD COUNTY, MARYLAND	JOB NO. 91-051
DATE MAY 1991	FOR: THE RYLAND GROUP INC. 7130 Minstrel Way Columbia, Maryland 21045	FILE NO. 91-0516E

MARYLAND ROUTE 103

NOTTINGHAM VILLAGE
PHASE 2
SECURITY DEVELOPMENT CORP.
1-27-28
ZONED RMH
DEDICATED TO HOMEOWNERS ASSOC.



APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS.
HOWARD COUNTY HEALTH DEPARTMENT

[Signature] 9-10-91
COUNTY HEALTH OFFICER DATE

APPROVED: HOWARD COUNTY DEPT. OF PLANNING & ZONING

[Signature] 9/17/91
DIRECTOR DATE

[Signature] 9/17/91
CHIEF DIVISION OF COMMUNITY PLANNING AND LAND DEVELOPMENT DATE

APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE.
STORM DRAINAGE SYSTEMS AND PUBLIC ROADS
HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS

[Signature] 9/3/91
DIRECTOR DATE

[Signature] 9/3/91
CHIEF BUREAU OF ENGINEERING DATE

CLARK • FINEFROCK & SACKETT, INC. ENGINEERS • PLANNERS • SURVEYORS 7135 MINSTREL WAY • COLUMBIA, MD. 21045 • (301) 381-7500 - BALTO. • (301) 621-8100 - WASH.		
DESIGNED MJP	LANDSCAPE PLANTING PLAN LOTS 5, 26, 27, 30-35, 37, 38, 47-49, 51-56, 58 62-68, 71, 72, 74-84	SCALE 1" = 30'
DRAWN MJP	NOTTINGHAM VILLAGE SECTION 1	DRAWING 7 OF 7
CHECKED WHT	1st ELECTION DISTRICT HOWARD COUNTY, MARYLAND	JOB NO. 91-051
DATE 7-26-91	FOR: THE RYLAND GROUP 7130 Minstrel Way Columbia, Maryland 21045	FILE NO. 91-051

