


LOT	ADDRESS - PART
55	5357 WOODNOTE LANE
56	5361
57	5365
58	5369
59	5373
60	5377
61	5381
62	5385
63	5389
64	5393
65	5397
66	5401
67	5405
68	5409
69	5413
70	5417
71	5421
72	5425
73	5429



\* NOTE HOUSE TYPES WITH GARAGES SET BACK FROM THE FRONT OF THE HOUSE (C, P, A, M) MUST BE SITED WITH THE FRONT OF THE HOUSE LOCATED ON THE EDGE OF THE GENERIC BOX.

Public 30 Water, Sewer and Utility Easement  
Private 30 Use-in-Common Access Easement for Lots 50 thru 61 (L3016 R 181)

TYPICAL HOUSES SCALE: 1" = 30'

GENERAL NOTES:

- Subject property is zoned: R-1E & R-2C per October 18, 1993 Comprehensive Zoning Plan.
  - The total area included in this submission is: 1.90 A.
  - The total number of lots included in this submission are: 8.
  - Improvement to property: Single family detached.
  - Department of Planning and Zoning reference file numbers are: P-93-13, W-93-24, Z-93-24, F-93-125 & F-93-287.
  - Utilities shown as existing are taken from approved water and sewer plan Contract #34-3270-D, approved road construction plans F-93-125, and actual field survey.
  - Any damage to county owned rights-of-way shall be corrected at the developer's expense.
  - Storm water management will be an extended detention facility. All roadways are public and existing.
  - The existing topography shown was taken from road construction plans F-93-125 prepared by R. J. Jones & Assoc., Inc.
  - The coordinates shown herein are based upon the Howard County Geodetic Control which is based upon the Maryland State Plane Coordinate System - Howard County Monument Nos.: 2739002, 2739003.
  - The contractor shall notify the Department of Public Works/Bureau of Construction Inspection at (410) 313-1870 at least five (5) working days prior to the start of work.
  - The contractor shall notify "Miss Utility" 1-800-257-7777 at least 48 hours prior to any excavation work.
  - No clearing, grading or construction is permitted within Wetlands and Stream Buffers or Forest Conservation Areas.
- For driveway entrance details refer to Howard County Design Manual Volume II 2nd Ed. Details: R-01, G-03, G-05.
- The owner/builder shall be advised that all porch/bleek structures located within the front/rear building setback shall be in accordance with Section 12B of the Zoning Regulations. Indicate on a construction on the Plan that Section 12B of the Zoning Regulations allows porches or decks, open or enclosed, not to project more than 10 feet into the required front or rear yard building restriction lines.

LOT	GROSS AREA	PIPESTEM AREA	REMAINING 100 YEAR FLOODPLAIN	MINIMUM LOT AREA	MINIMUM LOT AREA
58	11,756 #	361 #	11,455 #	0	0
73	10,593 #	700 #	9,893 #	0	0

SPECIAL NOTES:  
This plan is for house siting and lot grading only. Improvements shown within the rights-of-way on this S.D.P. are not to be used for construction. For construction, see approved Road Construction Plans F-93-125 and/or approved Water and Sewer Plans Contract #34-3270-D.

Sheet	Description
Sheet 1	Site Development Plan
Sheet 2 & 3	Bedding and Erosion Control Plan
Sheet 4	Landscaping Plan

OWNER/DEVELOPER  
WOODLOT ENTERPRISES, INC.  
1/2 Thomas Scrivener  
5022 Dorsey Hall Drive  
Suite 204  
Columbia, Maryland 21047

No.	REVISIONS	Date
1	Rev. Issue 3rd Lot 57's Add House Typical	4-19-94
2	Add gen. Box, Alex Page, H-AI, H-BI, H-D, H-E, H-F, H-G, H-I, Pat Harrison, Sarah Dunmore	11-18-94
3	Rev. Issue 3rd Lot 57's Add House Typical	12-21-94
4	Rev. Issue 3rd Lot 57's Add House Typical	12-21-94

PLAT NO.	BLOCK NO.	ZONE	TAX MAP NO.	ELECTION DIST.	CENSUS TRACT
11206-1124	22	R-1E R-2C	20	5th	6055

CLARK • FINEFROCK & SACKETT, INC.  
ENGINEERS • PLANNERS • SURVEYORS  
7135 MINSTREL WAY • COLUMBIA, MD 21045 • (301) 381-7500 - BALTO. • (301) 621-8100 - WASH.

DESIGNED	SCALE
VLP	1" = 30'
DRAWN	DRAWING
MCR	1 of 4
CHECKED	JOB NO.
JME	93-125
DATE	FILE NO.
12-1-94	93-125 X

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS.  
HOWARD COUNTY HEALTH DEPARTMENT

HEALTH OFFICER: [Signature] DATE: 5/12/94

APPROVED: HOWARD COUNTY DEPT. OF PLANNING & ZONING  
[Signature] DATE: 5/12/94

CHIEF DIVISION OF LAND DEVELOPMENT AND RESEARCH  
[Signature] DATE: 4/6/94

APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE, STORM DRAINAGE SYSTEMS AND PUBLIC ROADS.  
HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS

DIRECTOR: [Signature] DATE: 4/5/94

CHIEF BUREAU OF ENGINEERING M.K. [Signature]

LEGEND  
Contour Interval 2 ft.  
Existing Contour [Symbol]  
Proposed Contour [Symbol]  
Spot Elevation +0.00  
Direction of Drainage [Symbol]  
Existing Trees to be saved [Symbol]  
Tree Protection Fence [Symbol]  
Walk-Out Basement [Symbol]

C  
All house types shown fit in this box  
65.32'

A  
A, B, D, G, H, M, N, O, P, Q, R, S, T, H-E, ALEXANDER PAGE, H-BI, H-E, H-AI, SARAH DUNMORE, CARLISLE



B  
A, B, G, H, M, O, Q, R, S, T, H-E, CARLISLE, V in/out opt. Mstr. Barm.

GENERIC BOXES  
SCALE: 1" = 30'



**LEGEND**

Contour Interval	2 FT
Existing Contour	---
Proposed Contour	---+---
Spot Elevation	+992
Drainage Flow	→
Existing Trees to be saved	(Tree symbol)
Tree Protection Fence	—○—
Silt Fence	—X—
Limit of Disturbance	---L.D.---
Stabilized Construction Entrance	---S.C.E.---
Earth Dike	---E.D. (A-1)---
Walk-Out Basement	---W.C.B.---
Existing Earth Dike	---E.E.D. (A-1)---



Reviewed for HOWARD S.C.D.  
Signature: [Signature]  
US Soil Conservation Service

THIS DEVELOPMENT PLAN IS APPROVED FOR SOIL EROSION AND SEDIMENT CONTROL BY THE HOWARD SOIL CONSERVATION DISTRICT.  
Signature: John R. Johnson  
Date: 3/25/94

**DEVELOPER'S/BUILDER'S CERTIFICATE**  
I/We certify that all development and construction will be done according to this plan of development and plan for sediment and erosion control and that all responsible personnel involved in the construction project will have a Certificate of Attendance at a Department of the Environment approved Training Program for the Control of Sediment and Erosion before beginning the project. I also authorize periodic on-site inspection by the Howard Soil Conservation District or their authorized agents, as are deemed necessary.  
Signature: [Signature]  
Date: 12/2/93




**ENGINEER'S CERTIFICATE**  
I hereby certify that this plan for Sediment and Erosion Control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard Soil Conservation District.  
Signature: [Signature]  
Date: 12-1-93

**OWNER/DEVELOPER**  
WOODLOTE ENTERPRISES, INC.  
56 Thomas Scrivener  
5020 Carney Hall Drive  
Suite 204  
Columbia, Maryland 21042


**APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS.**  
HOWARD COUNTY HEALTH DEPARTMENT  
COUNTY HEALTH OFFICER: [Signature] DATE: 5/12/94  
**APPROVED: HOWARD COUNTY DEPT. OF PLANNING & ZONING**  
DIRECTOR: [Signature] DATE: 5/12/94  
**CHIEF DIVISION OF LAND DEVELOPMENT AND RESEARCH**  
DIRECTOR: [Signature] DATE: 4/6/94  
**APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE, STORM DRAINAGE SYSTEMS AND PUBLIC ROADS**  
HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS  
DIRECTOR: [Signature] DATE: 4/5/94  
**CHIEF BUREAU OF ENGINEERING**  
M.K.

<b>CLARK • FINEROCK &amp; SACKETT, INC.</b> ENGINEERS • PLANNERS • SURVEYORS 7135 MINSTREL WAY • COLUMBIA, MD 21045 • (410) 381-7500 - BALTO. • (301) 621-8100 - WASH.		
DESIGNED JLS	<b>SEDIMENT &amp; EROSION CONTROL PLAN</b> <b>WOODLOTE SECTION 1</b> Lots 55 thru 58, 65, 66, 72, 73 TAX MAP: No. 25 PARCEL No. 365 5th ELECTION DISTRICT HOWARD COUNTY, MARYLAND PATRIOT HOMES P.O. Box 1018 Columbia, Md. 21044	SCALE 1" = 30'
DRAWN MCR		C of 4
CHECKED JLS		JOB NO. 93-195
DATE 12-1-94		FILE NO. 93-195-2




- CONSTRUCTION SPECIFICATIONS:**
- Stone size - Use 2" stone or reclaimed or recycled concrete equivalent.
  - Length - As required, but not less than 50 feet (exception a single residence lot where a 30 foot minimum length would apply).
  - Thickness - Not less than six (6) inches.
  - Width - Ten (10) feet minimum, but not less than the full width at points where ingress or egress occurs.
  - Filter Cloth - Will be placed over the entire area prior to placing of stone. Filter will not be required on a single family residence lot.
  - Surface Water - All surface water flows or diverted toward construction entrance shall be piped across the entrance. If piping is impractical, a mounded berm with 5:1 slopes will be permitted.
  - Maintenance - The entrance shall be maintained in a condition which will prevent tracking or flowing of sediment onto public rights-of-way. This may require periodic watering with additional stone be considered demand and repair and/or cleanup of any sediment used for the entrance. All sediment applied, dropped, washed or tracked onto public rights-of-way must be removed immediately.
  - Washing - Wheels shall be cleaned to remove sediment prior to entrance onto public rights-of-way. When washing is required, it shall be done in an area stabilized with stone and which drains into an approved sediment trapping device.
  - Periodic inspection and needed maintenance shall be provided after each rain.

**STABILIZED CONSTRUCTION ENTRANCE (SCE)**  
NO SCALE



\* NOTE: Single lot detail can not be utilized if any two lots sharing common property lines are to be disturbed at the same time, or any lots showing a sediment trap.


**SINGLE LOT SEDIMENT CONTROL PLAN**  
NO SCALE



**CONSTRUCTION SPECIFICATIONS:**

- All dikes shall be constructed by earth moving equipment.
- All dikes shall have a minimum slope of 1:1.
- The width may be wider and shall always be wider if desired to facilitate clearing by construction traffic.
- Final dikes shall have an 8' high top finished with a minimum of 6" of crushed stone. Stone shall be compacted to a minimum of 95% relative compaction. Stone shall be placed in a minimum of 6" lifts.
- Final dikes shall be 10' in accordance with standard specifications for soil and stone mulch or straw mulch 1" in bedding section, 18" flow channel as per chart below.


**EARTH DIKE DETAIL (E.D.)**  
NO SCALE



**CONSTRUCTION SPECIFICATIONS:**

- When wire fence is to be fastened securely to fence posts with wire ties or staples.
- Filter cloth to be fastened securely to woven wire fence with ties spaced every 24" at top and mid section.
- When 2 sections of filter cloth section each other they shall be overlapped by 6" and stapled.
- Maintenance shall be performed in needed and material removed when ripples develop in silt fence.

**SILT FENCE DETAIL (S)**  
NO SCALE



**BLAZE ORANGE PLASTIC MESH TYPICAL TREE PROTECTION FENCE DETAIL**  
NO SCALE

- NOTES:**
- Forest protection device only.
  - Retention area will be set as part of the review process.
  - Boundaries of retention area should be staked and flagged prior to installing device.
  - Root damage should be avoided.
  - Protection signage may also be used.
  - Device should be maintained throughout construction.

**PERMANENT SEEDING NOTES**

APPLY TO GRADED OR CLEARED AREAS NOT SUBJECT TO IMMEDIATE FURTHER DISTURBANCE WHERE A PERMANENT LONG-LIVED VEGETATIVE COVER IS NEEDED.

**SEEDBED PREPARATION:** Loosen upper three inches of soil by raking, discing or other acceptable means before seeding, if not previously loosened.

**SOIL AMENDMENTS:** In lieu of soil test recommendations, use one of the following schedules:  
 1) Preferred - Apply 2 tons per acre dolomitic limestone (92 lbs./1000 sq ft.) and 600 lbs per acre 10-10-10 fertilizer (14 lbs./1000 sq ft.) before seeding. Harrow or disc into upper three inches of soil. At the time of seeding, apply 400 lbs. per acre 30-0-0 ureiform fertilizer (9 lbs./1000 sq ft.)  
 2) Acceptable - Apply 2 tons per acre dolomitic limestone (92 lbs./1000 sq ft.) and 1000 lbs. per acre 10-10-10 fertilizer (23 lbs./1000 sq ft.) before seeding. Harrow or disc into upper three inches of soil.

**SEEDING:** For the periods March 1 thru April 30, and August 1 thru October 15, seed with 60 lbs per acre (14 lbs./1000 sq ft.) of Kentucky 31 Tall Fescue. For the period May 1 thru July 31, seed with 60 lbs. Kentucky 31 Tall Fescue per acre and 2 lbs per acre (0.5 lbs./1000 sq ft.) of weeping lovegrass. During the period of October 16 thru February 28, protect site by: Option (1) 2 tons per acre well anchored straw mulch and seed as soon as possible in the spring. Option (2) Use sod. Option (3) Seed with 60 lbs/acre Kentucky 31 Tall Fescue and mulch with 2 tons/acre well anchored straw.

**MULCHING:** Apply 1 1/2 to 2 tons per acre (70 to 90 lbs./1000 sq ft.) of unrattled small grain straw immediately after seeding. Anchor mulch immediately after application using mulch anchoring tool or 218 gallons per acre (5 gal./1000 sq ft.) of emulsified asphalt on flat areas. On slopes 8 feet or higher, use 348 gallons per acre (8 gal./1000 sq ft.) for anchoring.

**MAINTENANCE:** Inspect all seeded areas and make needed repairs, replacements and reseeding.

**TEMPORARY SEEDING NOTES**

**SEEDBED PREPARATION:** Loosen upper three inches of soil by raking, discing, or other acceptable means before seeding, if not previously loosened.

**SOIL AMENDMENTS:** Apply 600 lbs per acre 10-10-10 fertilizer (14 lbs./1000 sq ft.)

**SEEDING:** For periods March 1 thru April 30 and from August 15 thru November 15, seed with 2 1/2 bushel per acre of annual ryegrass (3.2 lbs./1000 sq ft.). For the period May 1 thru August 14, seed with 3 lbs per acre of weeping lovegrass (0.7 lbs./1000 sq ft.). For the period November 16 thru February 28, protect site by applying 2 tons per acre of well anchored straw mulch and seed as soon as possible in the spring, or use sod.

**MULCHING:** Apply 1 1/2 to 2 tons per acre (70 to 90 lbs./1000 sq ft.) of unrattled small grain straw immediately after seeding. Anchor mulch immediately after application using mulch anchoring tool or 218 gallons per acre (5 gal./1000 sq ft.) of emulsified asphalt on flat areas. On slopes 8 feet or higher, use 348 gallons per acre (8 gal./1000 sq ft.) for anchoring.

REFER TO THE 1983 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL FOR RATE AND METHODS NOT COVERED.

**SEDIMENT AND EROSION CONTROL NOTES**

- A minimum of 24 hours notice must be given to the Howard County Office of Inspection and Permits prior to the start of any construction (S19-1855).
- All vegetative and structural practices are to be installed according to the provisions of this plan and are to be in conformance with the 1983 MARYLAND STANDARDS AND SPECS. FOR SOIL EROSION AND SEDIMENT CONTROL.
- Following initial soil disturbance or redistribution, permanent or temporary stabilization shall be completed within a) 7 calendar days for all perimeter sediment control structures, dikes, perimeter slopes and all slopes greater than 3:1, b) 14 days as to all other disturbed or graded areas on the project site.
- All sediment traps/basins shown must be fenced and warning signs posted around their perimeters in accordance with Vol. 1, Chapter 12, of the HOWARD COUNTY DESIGN MANUAL, Storm Drainage.
- All disturbed areas must be stabilized within the time period specified above in accordance with the 1983 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL for permanent seedings (Sec.51) sod (Sec.54), temporary seeding (Sec.50) and mulching (Sec.52). Temporary stabilization with mulch alone can only be done when recommended seeding dates do not allow for proper germination and establishment of grasses.
- All sediment control structures are to remain in place and are to be maintained in operative condition until permission for their removal has been obtained from the Howard County Sediment Control Inspector.
- SITE ANALYSIS:**  
 Total Area of Site: 1,005 Ac.  
 Area Disturbed: 1.72 Ac.  
 Area to be roofed or paved: 0.68 Ac.  
 Area to be vegetatively stabilized: 1.04 Ac.  
 Total Cut: 1,005 Ac.  
 Total Fill: 1,005 Ac.  
 Offsite Waste/Borrow Area Location: \_\_\_\_\_

- Any sediment control practice which is disturbed by grading activity for placement of utilities must be repaired on the same day of disturbance.
- Additional sediment control must be provided, if deemed necessary by the Howard County DPW Sediment Control Inspector. On all sites with disturbed areas in excess of 2 acres, approval of the inspection agency shall be requested upon completion of installation of perimeter erosion and sediment controls, but before proceeding with any other earth disturbance or grading. Other building or grading inspection approvals may not be authorized until this initial approval by the inspection agency is made.
- All pipes to be blocked at the end of each day (see detail this sheet).
- The total amount of silt fence = 1,250 L.F.

It is the responsibility of the contractor to identify the spoil/borrow site and notify and gain approval from the sediment control inspector of the site and it's grading permit number at the time of construction.

CONSTRUCTION SEQUENCE:	NO. OF DAYS
1. Obtain grading permit	7
2. Install tree protection fence	2
3. Install sediment and erosion control devices and stabilize.	6
4. Excavate for foundations, rough grade and temporarily stabilize.	10
5. Construct structures, sidewalks and driveways.	30
6. Final grade and stabilize in accordance with Stds. and Specs.	30
7. Upon approval of the sediment control inspector, remove sediment and erosion control devices and stabilize.	30

\*Delay construction of houses on lots: G5 + G6. See single lot sediment control detail, this sheet. Until permission to remove existing S.O.S.T. has been obtained.

**APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS, HOWARD COUNTY HEALTH DEPARTMENT**

COMMUNITY HEALTH OFFICER: \_\_\_\_\_ DATE: \_\_\_\_\_

**APPROVED: HOWARD COUNTY DEPT. OF PLANNING & ZONING**

DIRECTOR: Richard Blood DATE: 5/12/94

CHIEF DIVISION OF LAND DEVELOPMENT AND RESEARCH: \_\_\_\_\_ DATE: 3/16/94

**APPROVED: FOR PUBLIC WATER AND PUBLIC SEWERAGE, STORM DRAINAGE SYSTEMS AND PUBLIC ROADS, HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS**

DIRECTOR: \_\_\_\_\_ DATE: 4/6/94

CHIEF BUREAU OF ENGINEERING M.K. DATE: 4/5/94

Reviewed for HOWARD S.C.D. Name: \_\_\_\_\_ Signature: \_\_\_\_\_ Date: \_\_\_\_\_

US Soil Conservation Service

**DEVELOPER'S/BUILDER'S CERTIFICATE**

"We certify that all development and construction will be done according to this plan of development and plan for sediment and erosion control and that all responsible personnel involved in the construction project will have a Certificate of Attendance at a Department of the Environment Approved Training Program for the Control of Sediment and Erosion before beginning the project. I also authorize periodic on-site inspection by the Howard Soil Conservation District or their authorized agents, as are deemed necessary."

Signature: \_\_\_\_\_ Date: 10/19/93

**ENGINEER'S CERTIFICATE**

I hereby certify that this plan for Sediment and Erosion Control represents a practical and workable plan based on my personal knowledge of the site conditions and that it was prepared in accordance with the requirements of the Howard Soil Conservation District.

Signature: \_\_\_\_\_ Date: 12-1-93



**OWNER / DEVELOPER**  
 WOOLLOT ENTERPRISES, INC.  
 1/2 Thomas Scrivener  
 5026 Dorsey Hall Drive  
 Suite 204  
 Columbia, Maryland 21042

**CLARK • FINEFROCK & SACKETT, INC.**  
 ENGINEERS • PLANNERS • SURVEYORS  
 7135 MINSTREL WAY • COLUMBIA, MD 21045 • (410) 381-7500 - BALTO. • (301) 621-8100 - WASH.





DESIGNED: JLS  
 DRAWN: MCR  
 CHECKED: JLS  
 DATE: 12.1.94

**SEDIMENT & EROSION CONTROL PLAN**  
 SCALE: AS NOTED  
 DRAWING: 3 of 4  
 JOB NO: 93-105  
 FILE NO: 93-1958

TAX MAP: No. 29 PARCEL No. 365  
 5th ELECTION DISTRICT  
 HOWARD COUNTY, MARYLAND

FOR: PATRIOT HOMES  
 P.O. Box 1018  
 Columbia, Maryland 21044

SOP 94-60



**PLANT SCHEDULE**

KEY	QTY	PLANT SPECIES	SIZE	REMARKS
<b>SHADE TREES</b>				
⊕	8	ACER RUBRUM "OCTOBER GLORY" October Glory Red Maple	2 1/2"-3" CAL 12-14' HT	B & B
⊕	6	QUERCUS PALUSTRIS Pin Oak	2 1/2"-3" CAL 12-14' HT	B & B
⊕	4	ZELKOVA SERR. "VILLAGE GREEN" Village Green Zelkova	2 1/2"-3" CAL 12-14' HT	B & B
<b>FLOWERING/EVERGREEN TREES</b>				
⊕	7	CORNUS FLORIDA "RUBRA" Pink Flowering Dogwood	2-2 1/2" CAL 8-10' HT	B & B
⊕	7	PRUNUS SERRULATA "KWANZAN" Kwanzan Cherry	2-2 1/2" CAL 8-10' HT	B & B
⊕	10	PINUS STROBUS White Pine	6-8" HT	B & B
<b>STREET TREES BY THE DEVELOPER PER F-93-125</b>				
AR		ACER RUBRUM "OCTOBER GLORY" October Glory Red Maple		
MF		MALUS FLOR. "HARVEST GOLD" Harvest Gold Crabapple		
PY		PRUNUS YEDOENSIS Yoshino Cherry		
ZS		ZELKOVA SERRATA Zelkova		

- NOTES**
- All planting shall be done in accordance with the Balto./Wash. landscape specifications of L.C.A.M.W.
  - Contractor shall verify location of all underground utilities prior to digging.
  - Final location of plant material may vary per final field conditions.

- LEGEND**
- UN - UNWOODED LOT
  - SEMI - SEMI-WOODED LOT
  - WOOD - WOODED LOT

NUMBER OF PLANTS REQUIRED BY WOODLOT PLANTING STANDARDS (EXHIBITS G & H) 30  
 NUMBER OF PLANTS PROVIDED 30  
 (2:1 SUBSTITUTION FOR FLOWERING/EVERGREEN TREES)

*Handwritten signature and date: 3/15/94*

**APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE SYSTEMS**  
 HOWARD COUNTY HEALTH DEPARTMENT

DATE: 5/12/94

**APPROVED FOR PLANNING AND ZONING**  
 HOWARD COUNTY DEPT. OF PLANNING & ZONING

DATE: 5/12/94

**APPROVED FOR PUBLIC WATER AND PUBLIC SEWERAGE, STORM DRAINAGE SYSTEMS AND PUBLIC ROADS**  
 HOWARD COUNTY DEPARTMENT OF PUBLIC WORKS

DATE: 4/6/94

DATE: 4/15/94

SUBDIVISION NAME	WOODLOT	SECTION/AREA	1	LOTS/PARCELS	55 thru 58, 65, 66, 72, 73
PLAT NO.		BLOCK NO.		TAX MAP NO.	F-12, F-50
WATER CODE	I 03	SEWER CODE	5587900	ELECTION DIST.	5th

**CLARK • FINEFROCK & SACKETT, INC.**  
 ENGINEERS • PLANNERS • SURVEYORS

7135 MINSTREL WAY • COLUMBIA, MD 21045 • (301) 381-7500 - BALTO • (301) 621-8100 - WASH

DESIGNED	MJP	<b>LANDSCAPE PLANTING PLAN</b> <b>WOODLOT</b> <b>SECTION 1</b> Lots 55 thru 58, 65, 66, 72, 73 TAX MAP No. 50 PARCEL No. 365 5th ELECTION DISTRICT HOWARD COUNTY, MARYLAND FOR: PATRIOT HOMES P.O. Box 1018 Columbia, Md. 21044	SCALE	1" = 30'
DRAWN	MJP		DRAWING	4 of 4
CHECKED	WHT		JOB NO.	93-125
DATE			FILE NO.	93-12515