
WHISKEY BOTTOM ROAD SEWER EXTENSION CAPITAL PROJECT S-6698 HOWARD COUNTY, MARYLAND DEPARTMENT OF PUBLIC WORKS

QUANTITIES QUANTITIES TYPE SUPPLIER ITEM ESTIMATE AS BUILT MATERIAL 8-INCH DIAMETER GRAVITY SEWER PVC STANDARD MANHOLE RECAST CONC 20 L.F. 24 LF SEWER HOUSE CONNECTION

· .	·
DEVELOPER'S CER	TIFICATION
"I/WE CERTIFY THAT ALL DEVELOPMENT AT ACCORDING TO THIS PLAN, AND THAT ANY REST THE CONSTRUCTION PROJECT WILL HAVE A CEPT DEPARTMENT OF THE ENVIRONMENT APPROVED OF SEDIMENT AND EROSION BEFORE BEGINNING PERIODIC ON—SITE INSPECTION BY THE HOWARD	SPONSIBLE PERSONNEL INVOLVED IN RTIFICATE OF ATTENDANCE AT A TRAINING PROGRAM FOR THE CONTROL THE PROJECT. I ALSO AUTHORIZE
SIGNATURE OF DEVELOPER PRINT NAME BELOW SIGNATURE	DATE 11/14/03
ENGINEER'S CERTIFICATION "I CERTIFY THAT THIS PLAN FOR EROSION AND SEDIMENT CONTROL REPRESENTS A PRACTICAL AND WORKABLE PLAN BASED ON MY PERSONAL KNOWLEDGE OF THE SITE CONDITIONS AND THAT IT WAS PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF THE HOWARD COUNTY SOIL CONSERVATION DISTRICT." DATE McCRONE, INC.	REVIEWED FOR HOWARD COUNTY S.C.D. MEETS TECHNICAL REQUIREMENTS U.S. SOIL CONSERVATION SERVICE DATE THIS DEVELOPMENT PLAN IS APPROVED FOR THE SOIL EROSION AND SEDIMENT CONTROL BY HOWARD SOIL CONSERVATION DISTRICT.
20 RIDGELY AVENUE ANNAPOLIS, MARYLAND 21401 (410) 267-8621	APPROVED HOWARD S.C.D.

"SEDIMENT CONTROL TO BE IMPLEMENTED IN ACCORDANCE WITH SECTION 219 OF THE STDS. &



COORDINATE TABLE					
	SEWER				
MANHOLE	NORTHING	EASTING			
1	531826.8475	1355315.5160			
2	531924.6191	1355642.9819			
SHC	531936.2260	1355615.5243			

		INDEX OF DRAWINGS
	SHEET NO:	DESCRIPTION
	1	TITLE SHEET, INDEX OF DRAWINGS, GENERAL NOTES
	2	SEWER PLAN & PROFILE
	3	SEDIMENT CONTROL MEASURES
١	•	
l		

GENERAL NOTES

APPROXIMATE LOCATION OF EXISTING MAINS ARE SHOWN. THE CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO PROTECT EXISTING MAINS AND SERVICES AND MAINTAIN UNINTERRUPTED SERVICE. ANY DAMAGE INCURRED SHALL BE REPAIRED IMMEDIATELY TO THE SATISFACTION OF THE ENGINEER AT THE CONTRACTOR'S EXPENSE

- ALL VERTICAL CONTROLS ARE BASED ON NAVD 88.
- ALL PIPE ELEVATIONS SHOWN ARE INVERT ELEVATIONS UNLESS OTHERWISE NOTED ON THE PLANS
- COST INCURRED BY THE OWNER FOR THE BRACING OF ADDITIONAL POLES OR DAMAGES SHALL BE DEDUCTED FROM MONEY
- FOR DETAILS NOT SHOWN ON THE DRAWINGS, AND FOR MATERIALS AND CONSTRUCTION METHODS, USE HOWARD COUNTY DESIGN MANUAL, VOLUME IV, STANDARD SPECIFICATIONS AND DETAILS FOR CONSTRUCTION (LATEST EDITION).
- CONTRACTOR SHALL NOTIFY THE FOLLOWING UTILITY COMPANIES OR AGENCIES AT LEAST FIVE WORKING DAYS BEFORE STARTING WORK SHOWN ON THESE PLANS:

DEI ONE OTTAKTING HONN ON THESE I ETHOS	
AT&T	1-800-252-113
BGE (CONTRACTOR SERVICES)	410-850-462
BGE (UNDERGROUND DAMAGÉ CONTROL)	410-787-906
BUREAU OF UTILITIES	
COLONIAL PIPELINE CO	410-795-139
MISS UTILITY	
STATE HIGHWAY ADMINISTRATION	
VERIZON1-800-743	
	,

- TREES AND SHRUBS ARE TO BE PROTECTED FROM DAMAGE TO THE MAXIMUM EXTENT. TREES AND SHRUBS LOCATED WITHIN THE CONSTRUCTION STRIP ARE NOT TO BE REMOVED OR DAMAGED BY THE CONTRACTOR.
- CONTRACTOR SHALL REMOVE TREES, STUMPS AND ROOTS ALONG LINE OF EXCAVATION. PAYMENT FOR SUCH REMOVAL SHALL BE INCLUDED IN THE UNIT PRICE BID FOR CONSTRUCTION OF THE MAIN.
- THE CONTRACTOR SHALL NOTIFY THE BUREAU OF HIGHWAYS, HOWARD COUNTY, AT (410) 313-7450 AT LEAST FIVE WORKING DAYS BEFORE ANY OPEN CUT OF ANY COUNTY ROAD OR BORING/JACKING OF ANY COUNTY ROAD FOR LAYING WATER/SEWER MAINS OR HOUSE CONNECTIONS. THE APPROVAL OF THESE DRAWINGS WILL CONSTITUTE COMPLIANCE WITH DPW REQUIREMENTS PER SECTION 18.114(A) OF THE HOWARD COUNTY CODE.
- 12. CONTRACTOR TO VERIFY THE LOCATION OF ALL EXISTING UTILITIES PRIOR TO COMMENCING CONSTRUCTION.

PART II - SEWER

- ALL SEWER MAINS SHALL BE D.I.P. OR P.V.C. UNLESS OTHERWISE NOTED.
- 2. ALL MANHOLES SHALL BE 4'-0" INSIDE DIAMETER UNLESS OTHERWISE NOTED.
- FORCE MAINS SHALL BE D.I.P. ONLY.
- MANHOLES SHOWN WITH 12" AND 16" WALLS ARE FOR BRICK MANHOLES ONLY.
- MANHOLES DESIGNATED W.T. IN PLAN AND PROFILE SHALL HAVE WATERTIGHT FRAME AND COVER, STANDARD DETAILS G5.52. WHERE WATERTIGHT MANHOLE FRAME AND COVER ARE USED, SET TOP OF FRAME 1'-6" ABOVE FINISHED GRADE UNLESS OTHERWISE NOTED ON THE DRAWINGS.
- HOUSE(S) WITH THE SYMBOL "C.N.S." INDICATES THAT THE CELLAR CANNOT BE SERVED.

RESTORATION SCHEDULE						
LOCATION	LENGTH	MATERIAL				
WHISKEY BOTTOM ROAD	353.69	PAVEMENT, FROM STA. 0+00 (EX. MH.) TO STA. 0+12 (SMH #1), FROM STA. 0+00 (SMH #1) TO STA. 3+42 (SMH #2)				
WHISKEY BOTTOM ROAD	7.04	PAVEMENT, SHC				
WHISKEY BOTTOM ROAD	13.18	GRASS, SHC				



DEPARTMENT OF PUBLIC WORKS HOWARD COUNTY, MARYLAND

SPECS. (VOL. IV) OF THE HOWARD COUNTY DESIGN MANUAL AND THESE PLANS."

LAND PLANNING & SURVEYING CONSTRUCTION SERVICES

ANNAPOLIS-CENTREVILLE-EASTON-ELKTON-PRINCE FREDERICK



WINITED THE PARTY OF THE PARTY		, '			
WICHAE)	DES: J. SESLER				
	DRN: J. SLENKER				
	DITIN. U. SLEINKER				
	CHK: R. SELL	,			
SONAL EL GITTERY					
SONAL EN PRINTE	DATE: 4/03	BY	No.	REVISION	DATE
	<u> </u>				


TITLE SHEET INDEX OF DRAWINGS, GENERAL NOTES


600' SCALE MAP No. 47 BLOCK No. 15

WHISKEY BOTTOM ROAD SEWER EXTENSION CAPITAL PROJECT S-6698 CONTRACT No. 20-4155 ELECTION DISTRICT No. 3 HOWARD COUNTY, MARYLAND


AS SHOWN

SHEET 1 OF 3







SEWER PROFILE SCALE: HORIZ. : 1"=50', VERT. : 1"=5'








RECOVERY INFORMATION TRAVERSE POINT #2 SCALE: 1"=50'



SEWER PLAN & PROFILE



TRENCH FOR P.V.C. PIPE

DEPARTMENT OF PUBLIC WORKS HOWARD COUNTY, MARYLAND



	ALIMINITATION OF THE PARTY OF T
	MICHA &
1 \$	T SE MICHA
1	OF WAR STOP
\\ <u>\</u>	
E	130 6
	TINIO SO NALENGERALINA
1 / 3	SONAL ENGINEE /7/00
	Minimaline //


	DATE: 4/03	BY	No.	REVISION	DATE	
უ [,	·			
	CHK: R. SELL	1		·		
- -	DRN: J. SLENKER					
	DRN: J. SLENKER					
-	DES: J. SESLER					
			·			


WHISKEY BOTTOM ROAD SEWER EXTENSION CAPITAL PROJECT S-6698 CONTRACT No. 20-4155 ELECTION DISTRICT No. 3 HOWARD COUNTY, MARYLAND

SCALE AS SHOWN SHEET

2 OF 3

DETAIL 22 - SILT FENCE





TEMPORARY SEEDING NOTES

SEEDBED PREPARATION: Loosen upper three inches of soil by raking, discing or other acceptable means before seeding, if not previously loosened.

SOIL AMENDMENTS: Apply 600 lbs. per acre 10-10-10 fertilizer (14 lbs/1000 eq.ft).

SEEDING: For periods March I thru April 30 and from August 15 thru November 15, seed with 2 1/2 bushel per acre of annual rye (3.2 lbs/1000 sq.ft.) For the period May I thru August 14, seed with 3 lbs. per acre of weeping lovegrass (.07 lbs/1000 sq.ft.). For the period November I thru February 20, protect site by applying 2 tons per acre of well anchored straw mulch and seed as soon as possible in the spring, or use sod.

MULCHING: Apply I 1/2 to 2 tons per acre (70 to 90 lbs/1000 sq.ft.) of unrotted small grain straw immediately after seeding. Anchor mulch immediately after application using mulch anchoring tool or 218 gallons per acre (5 gal/1000 sq.ft.) of emulsified asphalt on flat areas. On slopes 8 feet or higher, use 348 gallons per acre (8 gal/1000 sq.ft.) for anchoring.

REFER TO THE 1994 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL FOR RATE AND METHODS NOT COVERED.

PERMANENT SEEDING NOTES

APPLY TO GRADED OR CLEARED AREAS NOT SUBJECT TO IMMEDIATE FURTHER DISTURBANCE WHERE A PERMANENT LONG-LIVED VEGETATIVE COVER IS NEEDED.

SEEDBED PREPARATION: Loosen upper three inches of soil by raking, discing or other acceptable means before seeding, if not previously

SOIL AMENDMENTS: In lieu of soil test recommendations, use one of the following schedules:

Preferred-Apply 2 tons per acre dolomitic limestone (92 lbs/100 sq.ft.) and 600 lbs per acre 10-10-10 fertilizer (14 lbs./1000 sq.ft.) before seeding. Harrow or disc into upper three inches of soil. At the time of seeding, apply 400 lbs. per acre 30-0-0 ureaform fertilizer (9 lbs/1000 sq.ft.)
 Acceptable-Apply 2 tons per acre dolomatic limestone (92 lbs/1000 sq.ft.)

 Acceptable-Apply 2 tons per acre dolomatic limestone (92 lbs. 1000 sq.ft.) and apply 1000 lbs. per acre 10-10-10- fertilizer (23 lbs./1000 sq.ft.) before seeding. Harrow or disc into upper three inches of soll.

SEEDING: For the periods March I thru April 30, and August I thru October 15, seed with 60 lbs. per acre (1.4 lbs/1000 sq.ft.) of Kentucky 3i Tall Fescue. For the period May I thru July 3i, seed with 60 lbs. Kentucky 3i Tall Fescue per acre and 2 lbs. per acre (1.5 lbs/1000 sq.ft.) of weeping lovegrass. During the period of October 16 thru February 28, protect site by: Option (1) 2 tons per acre well anchored straw mulch and seed as soon as possible in the spring. Option (2) Use sod. Option (3) Seed with 60 lbs/acre Kentucky 3i Tali Fescue and mulch with 2 tons/acre well anchored straw.

MULCHING: Apply I 1/2 to 2 tons per acre (70 to 90 lbs/1000 sq. ft.) of unrotted small grain straw immediately after seeding. Anchor mulch immediately after application using mulch anchoring tool or 218 gallons per acre (5 gal/1000 sq.ft.) of emulsified asphalt on flat areas. On slopes 8 feet or higher, use 348 gallons per acre (8 gal/1000 sq.ft.) for anchoring.

MAINTENANCE: Inspect all seeded areas and make needed repairs, replacements and reseedings.

21.0 STANDARDS AND SPECIFICATIONS FOR TOPSOIL

Definition

Placement of topsoll over a prepared subsoil prior to establishment of permanent vegetation.

Purpose

To provide a suitable soil medium for vegetable growth Soils of concern have low moisture content, low nutrient levels, low pH, materials toxic to plants, and/or unacceptable soil gradation.

Conditions Where Practice Applies

- This practice is limited to areas having 2:1 or flatter slopes where:
- a. The texture of the exposed subsoil/parent material is not adequate to produce vegetative growth.
- The soil material is so shallow that the rooting zone is not deep enough to support plants or furnish continuing supplies of moisture and plant nutrients.
- The original soil to be vegetated contains material toxic to plant growth.
- d. The soil is so acidic that treatment with limestone is not feasible.
- II. For the purpose of these Standards and Specifications, areas having slopes steeper than 2:1 require special consideration and design for adequate stabilization. Areas having slopes steeper than 2:1 shall have the appropriate stabilization shown on the plans.

SEDIMENT CONTROL NOTES

- A minimum of 48 hours notice must be given to the Howard County Department of Inspection, License and Permits Sediment Control Division prior to the start of any construction (410-313-1855).
- All vegetation and structural practices are to be installed according to the provisions of this plan and are to be in conformance with the 1994 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL.
- 3. Following initial soll disturbance or redisturbance, permanent or temporary stabilization shall be completed within: (a) 7 calendar days for all perimeter sediment control structures, dikes, perimeter slopes, and all slopes greater than 3:1, (b) 14 days as to all other disturbed or graded areas on the
- All sediment traps/basins shown must be fenced and warning signs posted around their perimeter in accordance with Vol. 1, Chapter 7, HOWARD COUNTY DESIGN MANUAL, Storm Drainage.
- 5. All disturbed areas must be stabilized within the time period specified above in accordance with the 1994 MARYLAND STANDARDS AND SPECIFICATIONS FOR SOIL EROSION AND SEDIMENT CONTROL for permanent seeding, sod, temporary seeding, and mulching (Sec. G). Temporary stabilization with mulch alone shall be done when recommended seeding dates do not allow for proper germination and establishment of grasses.
- 6. All sediment control structures are to remain in place and are to be maintained in operative condition until permission for their removal has been obtained from the Howard County Sediment Control Inspector.
- 7. Site Analysis

and revisions thereto.

Total Area	
Area Disturbed	
Area to be roofed or paved	
Area to be vegetatively stabilized	
Total Cut	
Total FIII	
Offsite waste/borrow area location	

- Any sediment control practice which is disturbed by grading activity for placement of utilities must be repaired on the same day of disturbance.
- Additional sediment controls must be provided, if deemed necessary by the Howard County Sediment Control Inspector.
- 10. On all sites with disturbed creas in excess of 2 acres, approval of the inspection agency shall be requested upon completion of installation of perimeter erosion and sediment controls, but before proceeding with any other earth disturbance or grading. Other building or grading inspection approvals may not be authorized until this initial approval by the inspection agency is made.
- II. Trenches for the construction of utilities is limited to three pipe lengths or that which shall be back-filled and stabilized within one working day, whichever is shorter.

Construction and Material Specifications

- I. Topsoil salvaged from the existing site may be used provided that it meets the standards as set forth in these specifications. Typically, the depth of topsoil to be salvaged for a given soil type can be found in the representative soil profile section in the Soil Survey published by USDA-SCS in cooperation with Maryland Agricultural Experimental Station.
- Topsoil Specifications Soil to be used as topsoil must meet the following:

I. Topsoil shall be a loam, sandy loam, clay loam, silt loam, sandy clay loam, loamy sand. Other soils may be used if recommended by an agronomist or a soil scientist and approved by the appropriate approval authority. Regardless, topsoil shall not be a mixture of contrasting textured subsoils and shall contain less than 5% by volume of cinders, stones, slag, coarse fragments, gravel, sticks, roots, trash, or other materials larger that I and I/2" in diameter.

II. Topsoil must be free of plants or plant parts such as Bermuda grass, quackgrass, Johnsongrass, nutsedge, poison lvy, thistle, or others as specified.

III. Where the subsoil is either highly acidic or composed of heavy clays, ground limestone shall be spread at the rate of 4-8 tons/acre (200-400 pounds per 1,000 square feet) prior to the placement of topsoil. Lime shall be distributed uniformly over designated areas and worked into the soil in conjunction with tillage operations as described in the following procedures.

- III. For sites having disturbed areas under 5 acres:
- Place topsoil (If required) and apply soil
 amendments as specified in <u>20.0 Vegetative Stabilization</u> Section I Vegetative Stabilization Methods and Materials.
- II. For sites having disturbed areas over 5 acres:

 I. On soil meeting topsoil specifications, obtain test results dictating fertilizer and lime amendments required to bring the soil into compliance with the following:
- a. pH for topsoil shall be between 6.0 and 7.5. If the tested soil demonstrates a pH of less than 6.0, sufficient lime shall be prescribed to raise
- the pH to 6.5 or higher.

 b. Organic content of topsoil shall be not less than
 1.5 percent by weight.
- c. Topsoil having soluble sait content greater than
- 500 parts per million shall not be used.

 d. No sod or seed shall be placed on soil which has been treated with soil sterilants or chemicals used for weed control until sufficient time has elapsed (14 days min.) to permit dissipation of phyto-toxic materials.

NOTE: Topsoil substitutes or amendments, as recommended by a qualified agronomist or soil scientist and approved by the appropriate approval authority, may be used in lieu of

III. Place topsoil (if required) and apply soil amendments specified in 20.0 Vegetative Stabilization-Section I-Vegetative Stabilization Methods and Materials.

V. Topsoll Application

 When topsoiling, maintain needed erosion and sediment control practices such as diversions, Grade Stabilization Structures, Earth Dikes, Slope Silt Fence and Sediment Traps and Basins.

6. Grades on the creas to be topsolled, which have been previously established, shall be maintained, albeit 4"
 8" higher in elevation.

III. Topsoil shall be uniformly distributed in a 4" 8" layer and lightly compacted to a minimum thickness of 4".
Spreading shall be performed in such a manner that sodding or seeding can proceed with a minimum of additional soil preparation and tillage. Any irregularities in the surface resulting from topsoiling or other operations shall be corrected in order to prevent the formation of depressions or water pockets.

Iv. Topsoil shall not be placed while the topsoil or subsoil is in a frozen or muddy condition, when the subsoil is excessively wet or in a condition that may otherwise be detrimental to proper grading and seedbed preparation.

As-Built

DEPARTMENT OF PUBLIC WORKS
HOWARD COUNTY, MARYLAND

CHIEF, BUREAU OF PINGINEERING DATE

OF THE HATTER PROPERTY DIMETON DATE

OF THE HATTER PROPERTY DIMETON DATE


ENGINEERING - ENVIRONMENTAL SCIENCES

ENGINEERING - ENVIRONMENTAL SCIENCES

LAND PLANNING & SURVEYING - CONSTRUCTION SERVICES

20 RIDGELY AVENUE
ANNAPOLIS, MARYLAND 21401
(410) 267-8621

ANNAPOLIS—CENTREVILLE—SALISBURY—ELKTON—PRINCE FREDERICK



		, ,			
	DRN: J. Slenker				
	DES: J. Sesler				
1111	DES: J. Sesier				
	CHK: R. Sell				
1/30		,	,		
/.,	DATE: 4/03	BY	No.	REVISION	D

SEDIMENT CONTROL MEASURES

WHISKEY BOTTOM ROAD SEWER EXTENSION
CAPITAL PROJECT S-6698
CONTRACT No. 24-4155
ELECTION DISTRICT No. 3
HOWARD COUNTY, MARYLAND

N.T.S.

SHEET 3 OF 3